



TOTEM



High Performance Cutting Tools

PRICE LIST

EFFECTIVE 08.01.2024



The Krishna American Oil Co.
www.krishnaoilco.com 8567041000


DIES & DIE NUTS



Forbes & Company Limited

Hints on use of circular dies

- Always ensure the die is presented to the bolt squarely, and is concentric, if this is not correct the die will not cut evenly on all lands.
- When adjusting a split die, try to avoid opening it out excessively, as it tends to rubbing or breakage.
- When closing in, do not apply all the pressure on one position but keep it even. Dies will cut satisfactorily provided adjustment is kept in the range of approximately 0.4 mm
- Thread tearing and teeth chipping are due to incorrect sharpening of lands or due to causing the die to hit the shoulder.
- Before starting a die always chamfer the end of the bolt at around 45 to allow the die to start cutting gently, failure to do this throws a sudden jerk on to the cutting edge, causing chipping.
- The size of the bolt to be threaded should be basic size, as an oversize material will put an extra load on the die whilst cutting.
- Whenever dies are used on machine it is recommended to use ground thread dies.
- When the die is to be used on machine without lead screw feed, ensure that the die will be able to advance in to the hole freely. This ensures that it will cut its own correct pitch.
- Efficient threading using die has its optimum speed. Always start with lower speeds and increase slowly if work permits.
- First class threading can only be done with copious supply of proper lubricant. Use of lubricant is as important as its choice. Choose suitable lubricant.



High Speed Steel Cut Thread Circular Split Dies



ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

| OD INCH | SIZE INCH | Each (₹) | | | | | | | | |
|---------|------------|----------|-----|----------|-----|---------|-----|-----|-------|-----|
| | | BSW | BSF | UNF/ UNC | BSB | BSCYCLE | ME | BSP | BSCON | BA |
| 13/16" | 0 | - | - | | - | - | - | - | - | 393 |
| | 1 | - | - | | - | - | - | - | - | 393 |
| | 2 | - | - | | - | - | - | - | - | 393 |
| | 3 | - | - | 449 | - | - | - | - | - | 393 |
| | 4 | - | - | 449 | - | - | - | - | - | 393 |
| | 5 | - | - | 449 | - | - | - | - | - | 393 |
| | 6 | - | - | 449 | - | - | - | - | - | 393 |
| | 7 | - | - | | - | - | - | - | - | 449 |
| | 8 | - | - | 449 | - | - | - | - | - | 449 |
| | 9 | - | - | | - | - | - | - | - | 579 |
| | 10 | - | - | 449 | - | - | - | - | - | 579 |
| | 11 | - | - | | - | - | - | - | - | 579 |
| | 12 | - | - | 449 | - | - | - | - | - | 579 |
| | 1/16 | 579 | - | | - | - | - | - | - | - |
| | 3/32 | 449 | - | | - | - | - | - | - | - |
| | 1/8 | 393 | - | | - | - | 393 | - | - | - |
| | 5/32 | 393 | - | | - | - | 393 | - | - | - |
| | 3/16 | 393 | 393 | | - | - | 393 | - | - | - |
| | 7/32 | 393 | 393 | | - | - | 393 | - | - | - |
| | 1/4 | 393 | 393 | 393 | 393 | - | 393 | - | 393 | - |
| 1" | 1/8 | | | | | - | | 559 | - | - |
| | 1/4 | 559 | 559 | 559 | 559 | 559 | 559 | - | - | - |
| | 9/32 | 559 | 559 | | | | 559 | - | - | - |
| | 5/16 | 559 | 559 | 559 | 559 | 559 | 559 | - | - | - |
| | 3/8 | 559 | 559 | 559 | 559 | 559 | 559 | - | - | - |
| | 0.308 X 30 | | | | - | 559 | | - | - | - |

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

| OD INCH | SIZE INCH | Each (₹) | | | | | |
|---------|-----------|----------|------|------|------|------|-------|
| | | BSW | BSF | UNF | UNC | BSP | BSCON |
| 1.1/2" | 1/4 | - | - | - | - | 931 | |
| | 3/8 | - | - | - | - | 931 | |
| | 7/16 | 931 | 931 | 931 | 931 | | |
| | 1/2 | 931 | 931 | 931 | 931 | 931 | 931 |
| | 9/16 | 931 | 931 | 931 | 931 | | |
| | 5/8 | 931 | 931 | 931 | 931 | | 931 |
| | 11/16 | 931 | | | | | |
| | 3/4 | 931 | 931 | 931 | 931 | | 931 |
| 2" | 1/2 | | | | | 1483 | |
| | 5/8 | | | | | 1483 | |
| | 3/4 | | | | | 1483 | |
| | 7/8 | 1483 | 1483 | 1483 | 1483 | 1483 | |
| | 1" | 1483 | 1483 | 1483 | 1483 | 1483 | |
| 2.1/4" | 7/8 | | | | | 1885 | |
| | 1.1/8 | 1958 | 1958 | 1958 | 1958 | | |
| | 1.1/4 | 1958 | 1958 | 1958 | 1958 | | |
| 2.1/2" | 1.1/8 | | | | | 3079 | |
| | 1.1/4 | 3079 | | | | 3079 | |
| | 1.3/8 | 3079 | 3079 | 3079 | 3079 | | |
| | 1.1/2 | 3079 | 3079 | 3079 | 3079 | | |
| 3" | 1.1/4 | | | | | 4347 | |
| | 1.1/2 | 4347 | 4347 | 4347 | 4347 | | 4347 |
| 4" | 1.3/8 | | | | | 6065 | |
| | 1.1/2 | | | | | 6065 | |
| | 1.3/4 | 6065 | 6065 | 6065 | 6065 | 6065 | |
| | 2" | 6065 | 6065 | 6065 | 6065 | 6065 | |

MOQ Matrix

| OD | QTY |
|--------|-----|
| 2.1/4" | 5 |
| 2.1/2" | 5 |
| 3" | 3 |
| 4" | 3 |

High Speed Steel Cut Thread Circular Split Dies



ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

| OD INCH | SIZE MM | Each ₹ | OD INCH | SIZE MM | Each ₹ | OD INCH | SIZE MM | Each ₹ |
|---------|----------------|--------|---------|---------------|--------|---------|-----------|--------|
| 13/16" | 1.6 X 0.35 | 579 | 1" | 6 X 0.5 | 598 | 1.1/2" | 11 X 1.0 | 931 |
| | 2 X 0.4 | 449 | | 6 X 0.75 | 598 | | 11 X 1.5 | 931 |
| | 2.2 X 0.45 | 449 | | 6 X 1 | 559 | | 12 X 1 | 931 |
| | 2.3 X 0.4 | 449 | | 7 X 0.75 | 598 | | 12 X 1.25 | 931 |
| | 2.5 X 0.45 | 449 | | 7 X 1 | 559 | | 12 X 1.5 | 931 |
| | 2.6 X 0.45 | 449 | | 8 X 0.75 | 598 | | 12 X 1.75 | 931 |
| | 3 X 0.35, 0.60 | 449 | | 8 X 1.0 | 598 | | 14 X 1 | 931 |
| | 3 X 0.5 | 393 | | 8 X 1.25 | 559 | | 14 X 1.25 | 931 |
| | 3.5 X 0.6 | 393 | | 9 X 0.75 | 598 | | 14 X 1.5 | 931 |
| | 4 X 0.35, 0.50 | 449 | | 9 X 1.0 | 598 | | 14 X 2.0 | 931 |
| | 4 X 0.7 | 393 | | 9 X 1.25 | 559 | | 15 X 1.5 | 931 |
| | 4 X 0.75 | 449 | | 10 X 0.5 | 598 | | 16 X 1 | 931 |
| | 4.5 X 0.50 | 449 | | 10 X 0.75 | 598 | | 16 X 1.5 | 931 |
| | 4.5 X 0.75 | 449 | | 10 X 1.25 | 598 | | 16 X 2.0 | 931 |
| | 5 X 0.8 | 393 | | 10 X 1.5 | 559 | | 18 X 1.5 | 931 |
| | 5 X 0.9 | 449 | | - | - | | 18 X 2.5 | 931 |
| | 5.5 X 0.75 | 449 | | - | - | | 20 X 1.5 | 931 |
| | 5.5 X 0.5, 0.9 | 449 | | - | - | | 20 X 2.5 | 931 |
| | 6 X 0.5, 0.75 | 449 | | - | - | | - | - |
| | 6 X 1 | 393 | | - | - | | - | - |
| | 7 X 0.75 | 449 | | - | - | | - | - |
| | 7 X 1 | 449 | | - | - | | - | - |
| 2" | 22 X 1.5 | 1483 | 2.1/4" | 27 X 1.5, 3.0 | 1958 | 2.1/2" | 34 X 1.5 | 3079 |
| | 22 X 2.5 | 1483 | | 28 X 1.5 | 1958 | | 35 X 1.5 | 3079 |
| | 24 X 1, 1.5, 3 | 1483 | | 30 X 1.5, 3.5 | 1958 | | 36 X 1.5 | 3079 |
| | 25 X 1.5 | 1483 | | 32 X 1.5 | 1958 | | 36 X 4.0 | 3079 |
| | 26 X 1.5 | 1483 | | 33 X 1.5 | 1958 | | 40 X 1.5 | 3079 |
| | - | - | | 33 X 3.5 | 1958 | | - | - |
| 3" | 34 X 1.5 | 4347 | 4" | 45 X 1.5 | 6065 | | - | - |
| | 35 X 1.5 | 4347 | | 46 X 1.5 | 6065 | | - | - |
| | 36 X 1.5, 4.0 | 4347 | | 48 X 1.5, 5.0 | 6065 | | - | - |
| | 38 X 1.5 | 4347 | | 50 X 1.5 | 6065 | | - | - |
| | 39 X 4 | 4347 | | 52 X 1.5 | 6065 | | - | - |
| | 42 X 4.5 | 4347 | | 55 X 1.5 | 6065 | | - | - |
| | 45 X 1.5 | 4347 | | 60 X 1.5 | 6065 | | - | - |

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

| OD INCH | SIZE INCH | Each (₹) | | | | | | | | |
|---------|----------------|----------|-----|---------|-----|---------|-----|-----|-----|-----|
| | | BSW | BSF | UNF/UNC | BSB | BSCYCLE | ME | BSP | BA | WF |
| 13/16" | 0 | - | - | - | - | - | - | - | 109 | - |
| | 1 | - | - | - | - | - | - | - | 109 | - |
| | 2 | - | - | - | - | - | - | - | 109 | - |
| | 3 | - | - | 109 | - | - | - | - | 109 | - |
| | 4 | - | - | 109 | - | - | - | - | 109 | - |
| | 5 | - | - | 109 | - | - | - | - | 109 | - |
| | 6 | - | - | 109 | - | - | - | - | 109 | - |
| | 7 | - | - | - | - | - | - | - | 157 | - |
| | 8 | - | - | 109 | - | - | - | - | 157 | - |
| | 9 | - | - | - | - | - | - | - | 186 | - |
| | 10 | - | - | 109 | - | - | - | - | 186 | - |
| | 11 | - | - | - | - | - | - | - | 265 | - |
| | 12 | - | - | 109 | - | - | - | - | 265 | - |
| | 11/64 X 40, 48 | - | - | - | - | - | - | - | - | 109 |
| | 13/64 X 24, 36 | - | - | - | - | - | - | - | - | 109 |
| | 3/16 X 28 | - | - | - | - | - | - | - | - | 109 |
| | 15/64 X 28, 40 | - | - | - | - | - | - | - | - | 109 |
| | 1/4X32 | - | - | - | - | - | - | - | - | 109 |
| | 1/16 | 265 | - | - | - | - | - | - | - | - |
| | 3/32 | 157 | - | - | - | - | - | - | - | - |
| | 1/8 | 109 | - | - | - | - | 109 | - | - | - |
| | 5/32 | 109 | - | - | - | - | 109 | - | - | - |
| | 3/16 | 109 | 109 | - | - | 109 | 109 | - | - | - |
| | 7/32 | 109 | 109 | - | - | - | 109 | - | - | - |
| | 1/4 | 109 | 109 | 109 | 109 | 109 | 109 | - | - | - |
| 1" | 5/16 X 30, 40 | - | - | - | - | - | - | - | - | 171 |
| | 3/8 X 40 | - | - | - | - | - | - | - | - | 171 |
| | 1/8 | - | - | - | - | - | - | 171 | - | - |
| | 1/4 | 171 | 171 | 171 | - | - | 171 | - | - | - |
| | 9/32 | 171 | 171 | - | - | - | 171 | - | - | - |
| | 5/16 | 171 | 171 | 171 | - | - | 171 | - | - | - |
| | 3/8 | 171 | 171 | 171 | - | - | 171 | - | - | - |
| | 0.308 X 30 | - | - | - | - | 171 | - | - | - | - |

Carbon Steel Cut Thread Circular Split Dies



ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

| OD INCH | SIZE INCH | Each (₹) | | | | | | | |
|---------|---------------|----------|------|-----------|-----|--------|------|-------|-----|
| | | BSW | BSF | UNF / UNC | BSB | BSCYLE | BSP | BSCON | WF |
| 1.1/2" | 7/16 X 32, 40 | - | - | - | - | - | - | - | 361 |
| | 1/2 X 32, 40 | - | - | - | - | - | - | - | 361 |
| | 1/4 | - | - | - | - | - | - | 361 | |
| | 3/8 | - | - | - | - | - | - | 361 | |
| | 7/16 | 361 | 361 | 361 | - | - | - | - | |
| | 1/2 | 361 | 361 | 361 | - | - | 361 | 361 | |
| | 9/16 | 361 | 361 | 361 | 361 | 361 | - | - | |
| | 5/8 | 361 | 361 | 361 | - | - | - | 361 | |
| | 11/16 | 361 | 361 | - | - | - | - | - | |
| | 3/4 | 361 | 361 | 361 | - | - | - | 361 | |
| 2" | 1/2 | - | - | - | - | - | 552 | - | |
| | 5/8 | - | - | - | - | - | 552 | - | |
| | 3/4 | - | - | - | - | - | 552 | - | |
| | 7/8 | 552 | 552 | 552 | - | - | 552 | - | |
| | 1" | 552 | 552 | 552 | - | - | 552 | 552 | |
| 2.1/4" | 1.1/8 | 1117 | 1117 | 1117 | - | - | - | - | |
| | 1.1/4 | 1117 | 1117 | 1117 | - | - | - | - | |
| 2.1/2" | 1.1/8 | - | - | - | - | - | 1575 | - | |
| | 1.1/4 | - | - | - | - | - | 1575 | - | |
| | 1.3/8 | 1575 | 1575 | 1575 | - | - | - | - | |
| | 1.1/2 | 1575 | 1575 | 1575 | - | - | - | - | |
| 3" | 1.1/4 | - | - | - | - | - | 1776 | 1776 | |
| | 1.1/2 | 1776 | 1776 | 1776 | - | - | - | - | |
| 4" | 1.3/8 | - | - | - | - | - | 2609 | - | |
| | 1.1/2 | - | - | - | - | - | 2609 | - | |
| | 1.3/4 | 2609 | 2609 | 2609 | - | - | 2609 | - | |
| | 2" | 2609 | 2609 | 2609 | - | - | 2609 | - | |

MOQ Matrix

| OD | QTY |
|--------|-----|
| 2.1/4" | 5 |
| 2.1/2" | 5 |
| 3" | 3 |
| 4" | 3 |

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

| OD INCH | SIZE MM | Each ₹ | OD INCH | SIZE MM | Each ₹ | OD INCH | SIZE MM | Each ₹ |
|---------|---------------------|--------|---------|---------------|--------|---------|---------------|--------|
| 13/16" | 1.6 X 0.35 | 265 | 1" | 6 X 0.5 | 171 | 1.1/2" | 11 X 1.0, 1.5 | 361 |
| | 2 X 0.4 | 157 | | 6 X 0.75 | 171 | | 12 X 1, 1.25 | 361 |
| | 2.2 X 0.45 | 157 | | 6 X 1 | 171 | | 12 X 1.5 | 361 |
| | 2.3 X 0.4 | 157 | | 7 X 0.75 | 171 | | 12 X 1.75 | 361 |
| | 2.5 X 0.45 | 157 | | 7 X 1 | 171 | | 14 X 1, 1.25 | 361 |
| | 2.6 X 0.45 | 157 | | 8 X 0.75 | 171 | | 14 X 1.5 | 361 |
| | 3 X 0.5 | 109 | | 8 X 1.0 | 171 | | 14 X 2 | 361 |
| | 3.5 X 0.6 | 109 | | 8 X 1.25 | 171 | | 15 X 1.0 | 361 |
| | 4 X 0.35, 0.75 | 109 | | 9 X 0.75 | 171 | | 15 X 1.5 | 361 |
| | 4 X 0.7 | 109 | | 9 X 1.0 | 171 | | 16 X 1.0 | 361 |
| | 4.5 X 0.5 | 109 | | 9 X 1.25 | 171 | | 16 X 1.5 | 361 |
| | 4.5 X 0.75 | 109 | | 10 X 0.75 | 171 | | 16 X 2 | 361 |
| | 5 X 0.5, 0.75, 0.90 | 109 | | 10 X 1.0 | 171 | | 18 X 1.0 | 361 |
| | 5 X 0.8 | 109 | | 10 X 1.25 | 171 | | 18 X 1.5 | 361 |
| | 5.5 X 0.5, 0.90 | 109 | | 10 X 1.5 | 171 | | 18 X 2.0 | 361 |
| | 6 X 0.5, 0.75 | 109 | | - | | | 18 X 2.5 | 361 |
| | 6 X 1 | 109 | | - | | | 20 X 1.5 | 361 |
| | 7 X 0.75 | 109 | | - | | | 20 X 2.5 | 361 |
| | 7 X 1 | 109 | | - | | | - | |
| 2" | 20 X 1.5, 2.5 | 552 | 2.1/4" | 27 X 1.5, 3.0 | 1117 | 2.1/2" | 34 X 1.5 | 1575 |
| | 22 X 1.5, 2.5 | 552 | | 28 X 1.5 | 1117 | | 35 X 1.5 | 1575 |
| | 24 X 1.5 | 552 | | 30 X 1.5, 3.5 | 1117 | | 36 X 1.5 | 1575 |
| | 24 X 3 | 552 | | 32 X 1.5 | 1117 | | 36 X 4.0 | 1575 |
| | 25 X 1.5 | 552 | | 33 X 1.5 | 1117 | | 40 X 1.5 | 1575 |
| | 26 X 1.5 | 552 | | 33 X 3.5 | 1117 | | - | |
| 3" | 34 X 1.5 | 1776 | 4" | 45 X 1.5 | 2609 | | - | |
| | 35 X 1.5 | 1776 | | 46 X 1.5 | 2609 | | - | |
| | 36 X 1.5, 4.0 | 1776 | | 48 X 1.5, 5.0 | 2609 | | - | |
| | 38 X 1.5 | 1776 | | 50 X 1.5 | 2609 | | - | |
| | 39 X 4 | 1776 | | 52 X 1.5 | 2609 | | - | |
| | 42 X 4.5 | 1776 | | 55 X 1.5 | 2609 | | - | |
| | 45 X 1.5 | 1776 | | 60 X 1.5 | 2609 | | - | |

MOQ Matrix

| OD | QTY |
|--------|-----|
| 2.1/4" | 5 |
| 2.1/2" | 5 |
| 3" | 3 |
| 4" | 3 |

High Speed Steel

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

| SIZE INCH | OD INCH | | | | | |
|-----------|-----------|---------------|-----------|---------------|-----------|-----------|
| | 1" Each ₹ | 1.1/2" Each ₹ | 2" Each ₹ | 2.1/2" Each ₹ | 3" Each ₹ | 4" Each ₹ |
| 1/8" | 872 | 930 | - | - | - | - |
| 1/4" | - | 1040 | - | - | - | - |
| 3/8" | - | 1221 | 1486 | - | - | - |
| 1/2" | - | - | 1980 | - | - | - |
| 3/4" | - | - | 2065 | 3658 | - | - |
| 1" | - | - | - | 4129 | 4800 | - |
| 1.1/4" | - | - | - | - | 5613 | 6743 |
| 1.1/2" | - | - | - | - | - | 7208 |
| 2" | - | - | - | - | - | - |

Carbon Steel

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

| SIZE INCH | OD INCH | | | | | |
|-----------|-----------|---------------|-----------|---------------|-----------|-----------|
| | 1" Each ₹ | 1.1/2" Each ₹ | 2" Each ₹ | 2.1/2" Each ₹ | 3" Each ₹ | 4" Each ₹ |
| 1/8" | 471 | 599 | - | - | - | - |
| 1/4" | - | 761 | - | - | - | - |
| 3/8" | - | 797 | 1032 | - | - | - |
| 1/2" | - | - | 1142 | - | - | - |
| 3/4" | - | - | 1486 | 1885 | - | - |
| 1" | - | - | - | 2082 | 2319 | - |
| 1.1/4" | - | - | - | - | 2790 | - |
| 1.1/2" | - | - | - | - | - | 3369 |
| 2" | - | - | - | - | - | 3985 |

MOQ Matrix

| OD | QTY |
|--------|-----|
| 1" | 10 |
| 1.1/2" | 10 |
| 2" | 5 |
| 2.1/2" | 5 |
| 3" | 3 |
| 4" | 3 |

High Speed Steel Dies Nuts

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

| Across Flat | BSW/BSF/UNC/UNF | BSP | METRIC MM | Each ₹ |
|-------------|-----------------|------------|-----------|--------|
| 0.71 | 1/8" to 1/4" | - | 3 to 6 | 366 |
| 0.82 | 5/16" | - | 7 to 8 | 435 |
| 0.92 | 3/8" | 1/8" | 9 to 10 | 467 |
| 1.01 | 7/16" | - | 11 | 640 |
| 1.10 | 1/2" | 1/4" | 12 to 13 | 710 |
| 1.30 | 9/16", 5/8" | 3/8" | 14 to 16 | 901 |
| 1.48 | 11/16", 3/4" | - | 18 to 20 | 1072 |
| 1.67 | 7/8" | 1/2", 5/8" | 21 to 22 | 1455 |
| 2.05 | 1" | 3/4" | 24 to 26 | 2253 |

Carbon Steel Dies Nuts

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

| Across Flat | BSW/BSF/UNC/UNF | BSP | METRIC MM | Each ₹ |
|-------------|-----------------|------------|-----------|--------|
| 0.71 | 1/8" to 1/4" | - | 3 to 6 | 139 |
| 0.82 | 5/16" | - | 7 to 8 | 150 |
| 0.92 | 3/8" | 1/8" | 9 to 10 | 165 |
| 1.01 | 7/16" | - | 11 | 312 |
| 1.10 | 1/2" | 1/4" | 12 to 13 | 399 |
| 1.30 | 9/16", 5/8" | 3/8" | 14 to 16 | 435 |
| 1.48 | 11/16", 3/4" | - | 18 to 20 | 484 |
| 1.67 | 7/8" | 1/2", 5/8" | 21 to 22 | 640 |
| 2.05 | 1" | 3/4" | 24 to 26 | 868 |

High Speed Steel Ground Thread Dies



ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

| OD x THICKNESS | SIZE | Each ₹ | OD x THICKNESS | SIZE | Each ₹ |
|----------------|------------|--------|----------------|-------------|--------|
| 16 X 5 | 1.6 X 0.35 | 1061 | 30 X 11 | 10.0 X 1.00 | 1099 |
| | | | - | 10.0 X 1.25 | 1099 |
| 20 X 5 | 1.6 X 0.35 | 1061 | | 10.0 X 1.50 | 1099 |
| | 2.0 X 0.40 | 821 | - | - | |
| | 2.5 X 0.45 | 821 | 38 X 10 | 12.0 X 1.00 | 1690 |
| | 2.6 X 0.45 | 821 | - | 12.0 X 1.25 | 1690 |
| | 3.0 X 0.50 | 714 | - | 12.0 X 1.5 | 1690 |
| | 4.0 X 0.70 | 714 | - | 14.0 X 1.00 | 1690 |
| | | | - | 14.0 X 1.25 | 1690 |
| 20 X 7 | 5.0 X 0.80 | 714 | - | 14.0 X 1.5 | 1690 |
| | 6.0 X 1.00 | 714 | - | - | |
| | | | 38 X 14 | 12.0 X 1.75 | 1690 |
| 25 X 9 | 7.0 X 1.00 | 1047 | - | 14.0 X 2.00 | 1690 |
| | 8.0 X 1.00 | 1099 | - | - | |
| | 8.0 X 1.25 | 1047 | - | - | |

* All dies are in M2 Steel, we can quote for M35 Steel on request.

* Gun nose dies can be offered on request.

MOQ Matrix

| OD | QTY |
|-------|-----|
| 16X5 | 20 |
| 20X5 | 20 |
| 20X7 | 20 |
| 25X9 | 10 |
| 30X11 | 10 |
| 38X10 | 10 |
| 38X14 | 10 |

Terms and conditions

1. This price list supercedes all our previous price lists.
2. Prices are exclusive of GST rate.
3. The prices quoted in this price list are the maximum retail prices and Dealers / Stockist are free to sell goods at prices lower than the prices fixed by the company."
4. Prices are subject to revision without prior notice.
5. For LH Thread - 35% add to std. price.
6. All legal proceeding are subjected to Mumbai jurisdiction.



High Performance Cutting Tools

HEAD OFFICE

Forbes & Company Limited

Forbes Building, Charanjit Rai Marg, Fort, Mumbai 400 001 | **Telephone:** +91 (0) 22 61358958 | **Email:** sales@forbes.co.in

DIVISIONAL SALES OFFICES ADDRESS / PH. NO.

AHMEDABAD

1st Floor, Pranjay Building,
Opp. Bata Showroom, Near Times Of India,
Ashram Road, Ahmedabad - 380009
Telephone: +91 (0) 79 26587769, 079-26580741
Fax: 079-26584618

BENGALURU

Classic Building, 3rd Floor, 24 Richmond Road
Bengaluru - 560025
Telephone: +91 (0) 80 43230129
Fax: +91 (0) 80 43230110

CHENNAI

Catholic Centre, 1st Floor,
108, Armenian Street,
Chennai - 600001
Telephone: +91 (0) 44 25389890/95,
Fax: +91 (0) 44 25360872

NEW DELHI

8F, 8th Floor, Vandana Building,
Tolstoy Marg, New Delhi -110001
Telephone: +91 (0) 11 43000120/107

KOLKATA

222, Circular Mansion, 1st Floor,
A.J.C. Bose Road,
Kolkata-700 017
Mobile: +91 (0) 70 91193999

MUMBAI

Forbes Building, Charanjit Rai Marg,
Fort, Mumbai 400 001
Telephone: +91 (0) 22 69402500

PUNE

H.No.1195/5, Bhosale Heights, 4th Floor,
Opp. Deendayal Hospital, Fergusson College Road,
Pune 411005
Telephone: +91 (0) 20 48509111

CHHATRAPATI SAMBHAJINAGAR

B 13, Waluj MIDC,
Chhatrapati Sambhajanagar - 431133
Telephone: +91 (0) 240 2553422