

HSS Parallel Shank Twist Drill - Jobber Series
(Full Ground Straight Shank Drill, 118° Point Angle)

Material Code	Size		FluteLength	OverallLength	Price Per 10 Nos
	MM	Inch	MM	MM	
FBR0200001	1.00		12	34	710
FBR0200002	1.10		14	36	710
FBR0200157	1.19	3/64"	16	38	710
FBR0200003	1.20		16	38	710
FBR0200004	1.30		16	38	710
FBR0200005	1.40		18	40	710
FBR0200006	1.50		18	40	710
FBR0200158	1.59	1/16"	20	43	710
FBR0200007	1.60		20	43	710
FBR0200008	1.70		20	43	761
FBR0200009	1.80		22	46	761
FBR0200010	1.90		22	46	761
FBR0200159	1.98	5/64"	24	49	761
FBR0200011	2.00		24	49	761
FBR0200012	2.10		24	49	761
FBR0200013	2.20		27	53	761
FBR0200014	2.30		27	53	761
FBR0200160	2.38	3/32"	30	57	761
FBR0200015	2.40		30	57	761
FBR0200016	2.50		30	57	761
FBR0200017	2.60		30	57	761
FBR0200018	2.70		33	61	761
FBR0200103	2.78	7/64"	33	61	761
FBR0200019	2.80		33	61	921
FBR0200020	2.90		33	61	921
FBR0200021	3.00		33	61	956
FBR0200022	3.10		36	65	1068
FBR0200102	3.17	1/8"	36	65	1068
FBR0200023	3.20		36	65	1070
FBR0200024	3.30		36	65	1070
FBR0200025	3.40		39	70	1136
FBR0200026	3.50		39	70	1136
FBR0200104	3.57	9/64"	39	70	1183
FBR0200027	3.60		39	70	1526
FBR0200028	3.70		39	70	1526
FBR0200029	3.80		43	75	1526
FBR0200030	3.90		43	75	1526
FBR0200105	3.97	5/32'	43	75	1526
FBR0200031	4.00		43	75	1526
FBR0200032	4.10		43	75	1763
FBR0200033	4.20		43	75	1763
FBR0200034	4.30		47	80	1763
FBR0200106	4.37	11/64"	47	80	1763
FBR0200035	4.40		47	80	1763
FBR0200036	4.50		47	80	2315
FBR0200037	4.60		47	80	2315
FBR0200038	4.70		47	80	2315
FBR0200107	4.76	3/16"	52	86	2315
FBR0200039	4.80		52	86	2315
FBR0200040	4.90		52	86	2516
FBR0200041	5.00		52	86	2516
FBR0200042	5.10		52	86	2516
FBR0200109	5.16	13/64"	52	86	2516
FBR0200043	5.20		52	86	2516
FBR0200044	5.30		52	86	2718
FBR0200045	5.40		57	93	2718
FBR0200046	5.50		57	93	2718
FBR0200161	5.56	7/32"	57	93	2718
FBR0200047	5.60		57	93	2718
FBR0200048	5.70		57	93	3055

FBR0200049	5.80		57	93	3055
FBR0200050	5.90		57	93	3055
FBR0200282	5.95	15/64"	57	93	3055
FBR0200051	6.00		57	93	3055
FBR0200052	6.10		63	101	3629
FBR0200053	6.20		63	101	3629
FBR0200054	6.30		63	101	3629
FBR0200108	6.35	1/4"	63	101	3629
FBR0200055	6.40		63	101	3629
FBR0200056	6.50		63	101	4244
FBR0200057	6.60		63	101	4244
FBR0200058	6.70		63	101	4244
FBR0200110	6.75	17/64"	69	109	4244
FBR0200059	6.80		69	109	4244
FBR0200060	6.90		69	109	4643
FBR0200061	7.00		69	109	4643
FBR0200062	7.10		69	109	4643
FBR0200162	7.14	9/32"	69	109	4643
FBR0200063	7.20		69	109	4643
FBR0200064	7.30		69	109	5710
FBR0200065	7.40		69	109	5710
FBR0200066	7.50		69	109	5710
FBR0200163	7.54	19/64"	75	117	5714
FBR0200067	7.60		75	117	5714
FBR0200068	7.70		75	117	5714
FBR0200069	7.80		75	117	5714
FBR0200070	7.90		75	117	5714
FBR0200111	7.94	5/16"	75	117	6177
FBR0200071	8.00		75	117	6177
FBR0200072	8.10		75	117	6177
FBR0200073	8.20		75	117	6177
FBR0200074	8.30		75	117	7061
FBR0200112	8.33	21/64"	75	117	7061
FBR0200075	8.40		75	117	7061
FBR0200076	8.50		75	117	7061
FBR0200077	8.60		81	125	7061
FBR0200078	8.70		81	125	7061
FBR0200164	8.73	11/32"	81	125	7437
FBR0200079	8.80		81	125	7437
FBR0200080	8.90		81	125	7437
FBR0200081	9.00		81	125	7437
FBR0200082	9.10		81	125	7758
FBR0200165	9.13	23/64"	81	125	7758
FBR0200083	9.20		81	125	7758
FBR0200084	9.30		81	125	7758
FBR0200085	9.40		81	125	7758
FBR0200086	9.50		81	125	7758
FBR0200113	9.52	3/8"	87	133	8795
FBR0200087	9.60		87	133	8795
FBR0200088	9.70		87	133	8795
FBR0200089	9.80		87	133	8795
FBR0200090	9.90		87	133	9840
FBR0200283	9.92	25/64"	87	133	9840
FBR0200091	10.00		87	133	9840
FBR0200264	10.10		87	133	9840
FBR0200092	10.20		87	133	9840
FBR0200265	10.30		87	133	10668
FBR0200284	10.32	13/32"	87	133	10668
FBR0200266	10.40		87	133	10668
FBR0200093	10.50		87	133	10668
FBR0200141	10.60		87	133	10668
FBR0200094	10.70		94	142	11294
FBR0200285	10.72	27/64"	94	142	11294
FBR0200095	10.80		94	142	11294
FBR0200267	10.90		94	142	11294
FBR0200096	11.00		94	142	11294
FBR0200268	11.10		94	142	12605
FBR0200114	11.11	7/16"	94	142	12605

FBR0200269	11.20		94	142	12605
FBR0200270	11.30		94	142	12605
FBR0200271	11.40		94	142	12605
FBR0200097	11.50		94	142	13295
FBR0200286	11.51	29/64"	94	142	13295
FBR0200272	11.60		94	142	13295
FBR0200273	11.70		94	142	13295
FBR0200098	11.80		94	142	13295
FBR0200274	11.90		101	151	14201
FBR0200287	11.91	15/32"	101	151	14201
FBR0200099	12.00		101	151	14201
FBR0200275	12.10		101	151	14201
FBR0200276	12.20		101	151	14201
FBR0200277	12.30		101	151	15062
FBR0200288	12.30	31/64"	101	151	15062
FBR0200278	12.40		101	151	15709
FBR0200100	12.50		101	151	15709
FBR0200142	12.60		101	151	15709
FBR0200115	12.70	1/2"	101	151	15904
FBR0200279	12.70		101	151	15904
FBR0200280	12.80		101	151	15904
FBR0200281	12.90		101	151	15904
FBR0200101	13.00		101	151	15904
FBR0200289	13.10	33/64"	101	151	21907
FBR0200290	13.49	17/32"	108	160	21907
FBR0200143	13.50		108	160	21907
FBR0200291	13.89	35/64"	108	160	21907
FBR0200144	14.00		108	160	21907
FBR0200292	14.29	9/16"	114	169	26179
FBR0200145	14.50		114	169	26179
FBR0200293	14.68	37/64"	114	169	26179
FBR0200146	15.00		114	169	26682
FBR0200294	15.08	19/32"	120	178	31043
FBR0200295	15.48	39/64"	120	178	31043
FBR0200147	15.50		120	178	31043
FBR0200296	15.87	5/8"	120	178	31043
FBR0200148	16.00		120	178	31043
FBR0200149	16.50		125	184	36523
FBR0200297	16.67	21/32"	125	184	36523
FBR0200150	17.00		125	184	36523
FBR0200298	17.46	11/16"	125	184	41385
FBR0200151	17.50		130	191	41385
FBR0200152	18.00		130	191	41405
FBR0200299	18.26	23/32"	135	198	47268
FBR0200153	18.50		135	198	47268
FBR0200154	19.00		135	198	53994
FBR0200300	19.05	3/4"	140	205	53994
FBR0200155	19.50		140	205	53994
FBR0200301	18.84	25/32"	140	205	53994
FBR0200156	20.00		140	205	53994
FBR0200302	20.64	13/16"	140	205	75215

HSS Parallel Shank Twist Drill - Stub Series
(Full Ground Straight Shank Drill, 118° Point Angle)

Material Code	Size		FluteLength	OverallLength	Price Per 10 Nos
	MM	Inch	MM	MM	
FBR0200313	1.00		6	26	675
FBR0200314	1.10		7	28	675
FBR0200940	1.19	3/64"	8	30	675
FBR0200315	1.20		8	30	675
FBR0200316	1.30		8	30	675
FBR0200317	1.40		9	32	675
FBR0200318	1.50		9	32	675
FBR0200941	1.59	1/16"	10	34	675
FBR0200319	1.60		10	34	675

FBR0200320	1.70		10	34	675
FBR0200321	1.80		11	36	675
FBR0200322	1.90		11	36	675
FBR0200942	1.98	5/64"	12	38	675
FBR0200323	2.00		12	38	675
FBR0200324	2.10		12	38	675
FBR0200325	2.20		13	40	675
FBR0200326	2.30		13	40	675
FBR0200943	2.38	3/32"	14	43	675
FBR0200327	2.40		14	43	675
FBR0200328	2.50		14	43	675
FBR0200329	2.60		14	43	689
FBR0200330	2.70		16	46	689
FBR0200944	2.78	7/64"	16	46	689
FBR0200331	2.80		16	46	742
FBR0200332	2.90		16	46	742
FBR0200333	3.00		16	46	776
FBR0200334	3.10		18	49	963
FBR0200450	3.18	1/8"	18	49	963
FBR0200335	3.20		18	49	963
FBR0200336	3.30		18	49	963
FBR0200337	3.40		20	52	963
FBR0200338	3.50		20	52	963
FBR0200451	3.57	9/64"	20	52	963
FBR0200339	3.60		20	52	1063
FBR0200340	3.70		20	52	1063
FBR0200341	3.80		22	55	1369
FBR0200342	3.90		22	55	1369
FBR0200452	3.97	5/32"	22	55	1369
FBR0200343	4.00		22	55	1369
FBR0200344	4.10		22	55	1389
FBR0200345	4.20		22	55	1533
FBR0200346	4.30		24	58	1545
FBR0200453	4.37	11/64"	24	58	1545
FBR0200347	4.40		24	58	1545
FBR0200348	4.50		24	58	1983
FBR0200349	4.60		24	58	2046
FBR0200350	4.70		24	58	2046
FBR0200454	4.76	3/16	26	62	2046
FBR0200351	4.80		26	62	2046
FBR0200352	4.90		26	62	2046
FBR0200353	5.00		26	62	2126
FBR0200354	5.10		26	62	2176
FBR0200456	5.16	13/64	26	62	2176
FBR0200355	5.20		26	62	2176
FBR0200356	5.30		26	62	2176
FBR0200357	5.40		28	66	2176
FBR0200358	5.50		28	66	2363
FBR0200945	5.56	7/32"	28	66	2432
FBR0200359	5.60		28	66	2432
FBR0200360	5.70		28	66	2432
FBR0200361	5.80		28	66	2659
FBR0200362	5.90		28	66	2659
FBR0200946	5.95	15/64	28	66	2659
FBR0200363	6.00		28	66	2659
FBR0200364	6.10		31	70	2659
FBR0200365	6.20		31	70	2976
FBR0200366	6.30		31	70	2976
FBR0200367	6.40		31	70	3117
FBR0200455	6.35	1/4"	31	70	3117
FBR0200368	6.50		31	70	3599
FBR0200369	6.60		31	70	3664
FBR0200370	6.70		31	70	3664
FBR0200947	6.75	17/64	34	74	3664
FBR0200371	6.80		34	74	3664
FBR0200372	6.90		34	74	3664
FBR0200373	7.00		34	74	3997
FBR0200374	7.10		34	74	4019

FBR0200948	7.14	9/32"	34	74	4019
FBR0200375	7.20		34	74	4019
FBR0200376	7.30		34	74	4019
FBR0200377	7.40		34	74	4019
FBR0200378	7.50		34	74	4176
FBR0200949	7.54	19/64	37	79	4252
FBR0200379	7.60		37	79	4252
FBR0200380	7.70		37	79	4252
FBR0200381	7.80		37	79	4584
FBR0200382	7.90		37	79	4584
FBR0200457	7.94	5/16"	37	79	4950
FBR0200383	8.00		37	79	4950
FBR0200384	8.10		37	79	4950
FBR0200385	8.20		37	79	4950
FBR0200386	8.30		37	79	4950
FBR0200950	8.33	21/64	37	79	4950
FBR0200387	8.40		37	79	4950
FBR0200388	8.50		37	79	6266
FBR0200389	8.60		40	84	6302
FBR0200390	8.70		40	84	6302
FBR0200951	8.73	11/32"	40	84	6575
FBR0200391	8.80		40	84	6575
FBR0200392	8.90		40	84	6575
FBR0200393	9.00		40	84	6575
FBR0200394	9.10		40	84	6575
FBR0200952	9.13	23/64	40	84	6945
FBR0200395	9.20		40	84	6945
FBR0200396	9.30		40	84	6945
FBR0200397	9.40		40	84	6945
FBR0200398	9.50		40	84	6945
FBR0200458	9.52	3/8"	43	89	7292
FBR0200399	9.60		43	89	7292
FBR0200400	9.70		43	89	7292
FBR0200401	9.80		43	89	7292
FBR0200402	9.90		43	89	7292
FBR0200953	9.92	25/64	43	89	7292
FBR0200403	10.00		43	89	8810
FBR0200404	10.10		43	89	8880
FBR0200405	10.20		43	89	8880
FBR0200406	10.30		43	89	8880
FBR0200954	10.32	13/32	43	89	8880
FBR0200407	10.40		43	89	8880
FBR0200408	10.50		43	89	9558
FBR0200409	10.60		43	89	9558
FBR0200410	10.70		47	95	9558
FBR0200955	10.72	27/64	47	95	10743
FBR0200411	10.80		47	95	10743
FBR0200412	10.90		47	95	10743
FBR0200413	11.00		47	95	10743
FBR0200414	11.10		47	95	10743
FBR0200459	11.11	7/16"	47	95	11212
FBR0200415	11.20		47	95	11212
FBR0200416	11.30		47	95	11212
FBR0200417	11.40		47	95	11212
FBR0200418	11.50		47	95	11995
FBR0200956	11.51	29/64	47	95	11995
FBR0200419	11.60		47	95	11995
FBR0200420	11.70		47	95	11995
FBR0200421	11.80		47	95	11995
FBR0200422	11.90		51	102	11995
FBR0200957	11.91	15/32	51	102	12691
FBR0200423	12.00		51	102	12691
FBR0200424	12.10		51	102	12691
FBR0200425	12.20		51	102	12691
FBR0200426	12.30		51	102	13792
FBR0200427	12.40		51	102	13792
FBR0200428	12.50		51	102	13792
FBR0200429	12.60		51	102	13792

FBR0200460	12.70	1/2"	51	102	14089
FBR0200431	12.80		51	102	14089
FBR0200432	12.90		51	102	14089
FBR0200433	13.00		51	102	14089
FBR0200435	13.50		54	107	17578
FBR0200437	14.00		54	107	19142
FBR0201799	14.28	9/16"	56	111	19937
FBR0200438	14.50		56	111	19937
FBR0200439	15.00		56	111	21557
FBR0200440	15.50		58	115	21557
FBR0200441	16.00		58	115	23334
FBR0200442	16.50		60	119	23707
FBR0200443	17.00		60	119	24187
FBR0200444	17.50		62	123	24961
FBR0200445	18.00		62	123	24961
FBR0200446	18.50		64	127	26878
FBR0200447	19.00		64	127	26878
FBR0200448	19.50		66	131	34181
FBR0200449	20.00		66	131	34181

Hss Parallel Shank Twist Drill - M35 Series
Black & Gold (Full Ground Straight Shank Drill, 135° Point Angle With Split Point)

Material Code	Size		Flute Length	Overall Length	Price Per 10 nos
	MM	Inch	MM	MM	
FBR0201801	1.00		12	34	966
FBR0201802	1.10		14	36	966
FBR0201923	1.19	3/64	16	38	966
FBR0201803	1.20		16	38	966
FBR0201804	1.30		16	38	966
FBR0201805	1.40		18	40	966
FBR0201806	1.50		18	40	966
FBR0201924	1.59	1/16	20	43	1045
FBR0201807	1.60		20	43	1045
FBR0201808	1.70		20	43	1045
FBR0201809	1.80		22	46	1045
FBR0201810	1.90		22	46	1045
FBR0201925	1.98	5/64	24	49	1045
FBR0201811	2.00		24	49	1045
FBR0201812	2.10		24	49	1316
FBR0201813	2.20		27	53	1316
FBR0201814	2.30		27	53	1323
FBR0201926	2.38	3/32	30	57	1323
FBR0201815	2.40		30	57	1323
FBR0201816	2.50		30	57	1323
FBR0201817	2.60		30	57	1532
FBR0201818	2.70		33	61	1532
FBR0201927	2.78	7/64	33	61	1532
FBR0201819	2.80		33	61	1532
FBR0201820	2.90		33	61	1532
FBR0201821	3.00		33	61	1532
FBR0201822	3.10		36	65	1829
FBR0201928	3.17	08-Jan	36	65	1829
FBR0201823	3.20		36	65	1829
FBR0201824	3.30		36	65	1829
FBR0201825	3.40		39	70	1913
FBR0201826	3.50		39	70	1920
FBR0201929	3.57	9/64	39	70	2061
FBR0201827	3.60		39	70	2216
FBR0201828	3.70		39	70	2216
FBR0201829	3.80		43	75	2375
FBR0201830	3.90		43	75	2375
FBR0201930	3.97	5/32	43	75	2375
FBR0201831	4.00		43	75	2375
FBR0201832	4.10		43	75	2737
FBR0201833	4.20		43	75	2737
FBR0201834	4.30		47	80	2756
FBR0201931	4.37	11/64	47	80	2756

FBR0201835	4.40		47	80	2756
FBR0201836	4.50		47	80	2756
FBR0201837	4.60		47	80	3323
FBR0201838	4.70		47	80	3323
FBR0201932	4.76	3/16	52	86	3323
FBR0201839	4.80		52	86	3323
FBR0201840	4.90		52	86	3323
FBR0201841	5.00		52	86	3323
FBR0201842	5.10		52	86	4137
FBR0201933	5.16	13/64	52	86	4137
FBR0201843	5.20		52	86	4137
FBR0201844	5.30		52	86	4137
FBR0201845	5.40		57	93	4137
FBR0201846	5.50		57	93	4137
FBR0201934	5.56	7/32	57	93	4137
FBR0201847	5.60		57	93	4688
FBR0201848	5.70		57	93	4688
FBR0201849	5.80		57	93	4688
FBR0201850	5.90		57	93	4688
FBR0201935	5.95	15/64	57	93	4688
FBR0201851	6.00		57	93	4688
FBR0201852	6.10		63	101	5169
FBR0201853	6.20		63	101	5169
FBR0201854	6.30		63	101	5169
FBR0201936	6.35	1/4	63	101	5169
FBR0201855	6.40		63	101	5179
FBR0201856	6.50		63	101	5179
FBR0201857	6.60		63	101	6578
FBR0201858	6.70		63	101	6578
FBR0201937	6.75	17/64	69	109	6578
FBR0201859	6.80		69	109	6578
FBR0201860	6.90		69	109	6578
FBR0201861	7.00		69	109	6578
FBR0201862	7.10		69	109	7203
FBR0201938	7.14	9/32	69	109	7203
FBR0201863	7.20		69	109	7203
FBR0201864	7.30		69	109	7203
FBR0201865	7.40		69	109	7203
FBR0201866	7.50		69	109	7203
FBR0201939	7.54	19/64	75	117	7203
FBR0201867	7.60		75	117	7918
FBR0201868	7.70		75	117	7918
FBR0201869	7.80		75	117	7918
FBR0201870	7.90		75	117	7918
FBR0201940	7.94	5/16	75	117	7918
FBR0201871	8.00		75	117	7918
FBR0201872	8.10		75	117	9029
FBR0201873	8.20		75	117	9029
FBR0201874	8.30		75	117	9029
FBR0201941	8.33	21/64	75	117	9029
FBR0201875	8.40		75	117	9029
FBR0201876	8.50		75	117	9029
FBR0201877	8.60		81	125	10882
FBR0201878	8.70		81	125	10882
FBR0201942	8.73	11/32	81	125	10882
FBR0201879	8.80		81	125	10882
FBR0201880	8.90		81	125	10882
FBR0201881	9.00		81	125	10882
FBR0201882	9.10		81	125	11736
FBR0201943	9.13	23/64	81	125	11736
FBR0201883	9.20		81	125	11736
FBR0201884	9.30		81	125	11736
FBR0201885	9.40		81	125	11736
FBR0201886	9.50		81	125	11736
FBR0201944	9.52	3/8	87	133	11736
FBR0201887	9.60		87	133	13351
FBR0201888	9.70		87	133	13351
FBR0201889	9.80		87	133	13351

FBR0201890	9.90		87	133	13351
FBR0201945	9.92	25/64	87	133	13351
FBR0201891	10.00		87	133	13351
FBR0201892	10.10		87	133	14543
FBR0201893	10.20		87	133	14543
FBR0201894	10.30		87	133	14543
FBR0201946	10.32	13/32	87	133	14543
FBR0201895	10.40		87	133	14543
FBR0201896	10.50		87	133	14543
FBR0201897	10.60		87	133	17010
FBR0201898	10.70		94	142	17010
FBR0201947	10.72	27/64	94	142	17010
FBR0201899	10.80		94	142	17010
FBR0201900	10.90		94	142	17010
FBR0201901	11.00		94	142	17010
FBR0201902	11.10		94	142	18478
FBR0201948	11.11	7/16	94	142	18478
FBR0201903	11.20		94	142	18478
FBR0201904	11.30		94	142	18478
FBR0201905	11.40		94	142	18478
FBR0201906	11.50		94	142	18478
FBR0201949	11.51	29/64	94	142	18478
FBR0201907	11.60		94	142	20472
FBR0201908	11.70		94	142	20472
FBR0201909	11.80		94	142	20472
FBR0201910	11.90		101	151	20472
FBR0201950	11.91	15/32	101	151	20472
FBR0201911	12.00		101	151	20472
FBR0201912	12.10		101	151	21790
FBR0201913	12.20		101	151	21790
FBR0201914	12.30		101	151	21790
FBR0201951	12.30	31/64	101	151	21790
FBR0201915	12.40		101	151	21790
FBR0201916	12.50		101	151	21790
FBR0201917	12.60		101	151	24032
FBR0201918	12.70		101	151	24032
FBR0201952	12.70	1/2	101	151	24032
FBR0201919	12.80		101	151	24032
FBR0201920	12.90		101	151	24032
FBR0201921	13.00		101	151	24032

Hss Parallel Shank Twist Drill - Long Series
(Full Ground Straight Shank Drill, 118° Point Angle)

Material Code	Size		Flute Length	Overall Length	List Price Each
	MM	Inch	MM	MM	
FBR0200958	1.00		33	56	372
FBR0200959	1.10		37	60	372
FBR0200960	1.19	3/64"	41	65	372
FBR0200961	1.20		41	65	372
FBR0200962	1.30		41	65	372
FBR0200963	1.40		45	70	372
FBR0200964	1.50		45	70	372
FBR0200965	1.59	1/16"	50	76	372
FBR0200966	1.60		50	76	372
FBR0200967	1.80		53	80	372
FBR0200968	1.90		53	80	372
FBR0200969	1.98	5/64"	56	85	372
FBR0200561	2.00		56	85	372
FBR0200970	2.10		56	85	372
FBR0200971	2.20		59	90	372
FBR0200972	2.30		59	90	469
FBR0200973	2.38	3/32"	62	95	469
FBR0200974	2.40		62	95	469
FBR0200562	2.50		62	95	469
FBR0200975	2.60		62	95	469
FBR0200976	2.70		66	100	469
FBR0200977	2.78	7/64"	66	100	469

FBR0200978	2.80		66	100	469
FBR0200979	2.90		66	100	469
FBR0200563	3.00		66	100	471
FBR0200980	3.10		69	106	471
FBR0200981	3.17	1/8"	69	106	471
FBR0200982	3.20		69	106	471
FBR0200983	3.30		69	106	471
FBR0200984	3.40		73	112	471
FBR0200564	3.50		73	112	471
FBR0200985	3.60		73	112	510
FBR0200986	3.70		73	112	510
FBR0200987	3.80		78	119	510
FBR0200988	3.90		78	119	510
FBR0200989	3.97	5/32"	78	119	510
FBR0200565	4.00		78	119	510
FBR0200990	4.10		78	119	510
FBR0200991	4.20		78	119	510
FBR0200992	4.30		82	126	510
FBR0200993	4.37	11/64"	82	126	510
FBR0200994	4.40		82	126	510
FBR0200566	4.50		82	126	510
FBR0200995	4.60		82	126	510
FBR0200996	4.70		82	126	510
FBR0200997	4.76	3/16"	87	132	510
FBR0200998	4.80		87	132	510
FBR0200999	4.90		87	132	594
FBR0200567	5.00		87	132	594
FBR0201000	5.10		87	132	594
FBR0201001	5.16	13/64	87	132	594
FBR0201002	5.20		87	132	594
FBR0201003	5.30		87	132	693
FBR0201004	5.40		91	139	693
FBR0201005	5.50		91	139	693
FBR0201006	5.56	7/32"	91	139	693
FBR0201007	5.60		91	139	752
FBR0201008	5.70		91	139	752
FBR0201009	5.80		91	139	752
FBR0201010	5.90		91	139	752
FBR0201011	5.95	15/64"	91	139	752
FBR0200568	6.00		91	139	752
FBR0201012	6.10		97	148	851
FBR0201013	6.20		97	148	851
FBR0201014	6.30		97	148	851
FBR0201015	6.35	1/4"	97	148	851
FBR0201016	6.40		97	148	1089
FBR0201017	6.50		97	148	1089
FBR0201018	6.60		97	148	1314
FBR0201019	6.70		97	148	1314
FBR0201020	6.75	17/64"	102	156	1314
FBR0201021	6.80		102	156	1314
FBR0201022	6.90		102	156	1314
FBR0201023	7.00		102	156	1314
FBR0201024	7.10		102	156	1314
FBR0201025	7.14	9/32"	102	156	1314
FBR0201026	7.20		102	156	1314
FBR0201027	7.30		102	156	1314
FBR0201028	7.40		102	156	1314
FBR0201029	7.50		102	156	1314
FBR0201030	7.54	19/64"	109	165	1314
FBR0201031	7.60		109	165	1314
FBR0201032	7.70		109	165	1314
FBR0201033	7.80		109	165	1314
FBR0201034	7.90		109	165	1351
FBR0201035	7.94	5/16"	109	165	1351
FBR0201036	8.00		109	165	1351
FBR0201037	8.10		109	165	1351
FBR0201038	8.20		109	165	1351
FBR0201039	8.30		109	165	1351

FBR0201040	8.33	21/64"	109	165	1351
FBR0201041	8.40		109	165	1351
FBR0201042	8.50		109	165	1364
FBR0201043	8.60		115	175	1431
FBR0201044	8.70		115	175	1431
FBR0201045	8.73	11/32"	115	175	1431
FBR0201046	8.80		115	175	1503
FBR0201047	8.90		115	175	1503
FBR0201048	9.00		115	175	1503
FBR0201049	9.10		115	175	1503
FBR0201050	9.13	23/64"	115	175	1503
FBR0201051	9.20		115	175	1503
FBR0201052	9.30		115	175	1503
FBR0201053	9.40		115	175	1503
FBR0201054	9.50		115	175	1503
FBR0201055	9.52	3/8"	121	184	1503
FBR0201056	9.60		121	184	1742
FBR0201057	9.70		121	184	1742
FBR0201058	9.80		121	184	1742
FBR0201059	9.90		121	184	1742
FBR0201060	9.92	25/64"	121	184	1742
FBR0201061	10.00		121	184	1742
FBR0201062	10.10		121	184	1742
FBR0201063	10.20		121	184	1742
FBR0201064	10.30		121	184	1892
FBR0201065	10.32	13/32"	121	184	1892
FBR0201066	10.40		121	184	1892
FBR0201067	10.50		121	184	1892
FBR0201068	10.60		121	184	2143
FBR0201069	10.70		128	195	2143
FBR0201070	10.72	27/64	128	195	2143
FBR0201071	10.80		128	195	2143
FBR0201072	10.90		128	195	2143
FBR0201073	11.00		128	195	2143
FBR0201074	11.11	7/16"	128	195	2143
FBR0201075	11.20		128	195	2303
FBR0201076	11.30		128	195	2303
FBR0201077	11.40		128	195	2303
FBR0201078	11.50		128	195	2303
FBR0201079	11.51	29/64"	128	195	2303
FBR0201080	11.60		128	195	2303
FBR0201081	11.70		128	195	2303
FBR0201082	11.80		128	195	2303
FBR0201083	11.90		134	205	2303
FBR0201084	11.91	15/32"	134	205	2303
FBR0201085	12.00		134	205	2303
FBR0201086	12.10		134	205	2338
FBR0201087	12.20		134	205	2338
FBR0201088	12.30	31/64"	134	205	2338
FBR0201089	12.40		134	205	2338
FBR0201090	12.50		134	205	2338
FBR0201091	12.60		134	205	2338
FBR0201092	12.70	1/2"	134	205	2338
FBR0201093	12.80		134	205	2911
FBR0201094	12.90		134	205	2911
FBR0201095	13.00		134	205	2911

HSS PARALLEL SHANK TWIST DRILLS - EXTRA LONG LENGTH

M2, 118° POINT ANGLE

AS PER IS-7823 / 2005

Material Code	Size	Overall Length	List Price Each	MOQ (NOS)
	MM	MM		
FBR0202963	3.00	150	1404	30
FBR0202964	3.50	150	1404	30
FBR0202965	4.00	150	1404	30
FBR0202966	4.50	150	1404	30

FBR0202967	5.00	150	1404	30
FBR0202968	5.50	150	1532	30
FBR0202969	6.00	150	1532	30
FBR0202970	3.00	175	1718	30
FBR0202971	3.50	175	1718	30
FBR0202972	4.00	175	1718	30
FBR0202973	4.50	175	1718	30
FBR0202974	5.00	175	1789	30
FBR0202975	5.50	175	1912	30
FBR0202976	6.00	175	1995	30
FBR0202977	3.00	200	1944	30
FBR0202978	3.50	200	2050	30
FBR0202979	4.00	200	2050	30
FBR0202980	4.50	200	2050	30
FBR0202981	5.00	200	2220	30
FBR0202982	5.50	200	2569	30
FBR0202983	6.00	200	2569	30
FBR0202984	6.50	200	2569	20
FBR0202985	7.00	200	2670	20
FBR0202986	7.50	200	2718	20
FBR0202987	8.00	200	2852	20
FBR0202988	8.50	200	2944	20
FBR0202989	9.00	200	2944	20
FBR0202990	9.50	200	3099	20
FBR0202991	10.00	200	3227	20
FBR0202992	10.50	200	3338	15
FBR0202993	3.00	225	2313	30
FBR0202994	3.50	225	2547	30
FBR0202995	4.00	225	2547	30
FBR0202996	4.50	225	2547	30
FBR0202997	5.00	225	2725	30
FBR0202998	5.50	225	2905	30
FBR0202999	6.00	225	2957	30
FBR0203000	3.00	250	2726	30
FBR0203001	3.50	250	3065	30
FBR0203002	4.00	250	3065	30
FBR0203003	4.50	250	3065	30
FBR0203004	5.00	250	3219	30
FBR0203005	5.50	250	3427	30
FBR0203006	6.00	250	3547	30
FBR0203007	6.50	250	3547	20
FBR0203008	7.00	250	3828	20
FBR0203009	7.50	250	4065	20
FBR0203010	8.00	250	4237	20
FBR0203011	8.50	250	4325	20
FBR0203012	9.00	250	4325	20
FBR0203013	9.50	250	4351	20
FBR0203014	10.00	250	4472	20
FBR0203015	10.50	250	4776	15
FBR0203016	11.00	250	4941	15
FBR0203017	11.50	250	4941	15
FBR0203018	12.00	250	5188	15
FBR0203019	12.50	250	5349	15
FBR0203020	3.00	300	3403	30
FBR0203021	3.50	300	3911	30
FBR0203022	4.00	300	3911	30
FBR0203023	4.50	300	4026	30
FBR0203024	5.00	300	4266	30
FBR0203025	5.50	300	4533	30
FBR0203026	6.00	300	4644	30
FBR0203027	6.50	300	4683	20
FBR0203028	7.00	300	5294	20
FBR0203029	7.50	300	5392	20
FBR0203030	8.00	300	5524	20
FBR0203031	8.50	300	5625	20
FBR0203032	9.00	300	5625	20
FBR0203033	9.50	300	5747	20
FBR0203034	10.00	300	6005	20

FBR0203035	10.50	300	6230	15
FBR0203036	11.00	300	6420	15
FBR0203037	11.50	300	6420	15
FBR0203038	12.00	300	6809	15
FBR0203039	12.50	300	7028	15
FBR0203040	4.00	350	5392	30
FBR0203041	4.50	350	5392	30
FBR0203042	5.00	350	5658	30
FBR0203043	5.50	350	5897	30
FBR0203044	6.00	350	6121	30
FBR0203045	6.50	350	6122	20
FBR0203046	7.00	350	6870	20
FBR0203047	7.50	350	6870	20
FBR0203048	8.00	350	7031	20
FBR0203049	8.50	350	7510	20
FBR0203050	9.00	350	7510	20
FBR0203051	9.50	350	7751	20
FBR0203052	10.00	350	8100	20
FBR0203053	10.50	350	8517	15
FBR0203054	11.00	350	8788	15
FBR0203055	11.50	350	8788	15
FBR0203056	12.00	350	9017	15
FBR0203057	12.50	350	9616	15

HSS Steam Tempered Parallel Shank Twist Drill - Jobber Series
IS 5101 : 2002 , DIN 338 : 1984 , ISO 235 : 1980 , BS 328

Material Code	DIA		Flute Length	Overall Length	Price Per 10 Nos	BOX QTY (NOS)
	MM	INCH	MM	MM		
FBR0202591	1.00		12	34	788	200
FBR0202837	1.10		14	36	788	200
FBR0202948	1.19	3/64"	16	38	788	200
FBR0202592	1.20		16	38	788	200
FBR0202838	1.30		16	38	788	200
FBR0202839	1.40		18	40	788	200
FBR0202593	1.50		18	40	788	200
FBR0202949	1.59	1/16"	20	43	788	200
FBR0202840	1.60		20	43	788	200
FBR0202841	1.70		20	43	844	200
FBR0202540	1.80		22	46	844	200
FBR0202843	1.90		22	46	844	200
FBR0202950	1.98	5/64"	24	49	844	200
FBR0202594	2.00		24	49	844	200
FBR0202844	2.10		24	49	844	200
FBR0202845	2.20		27	53	844	200
FBR0202846	2.30		27	53	844	200
FBR0202951	2.38	3/32"	30	57	844	200
FBR0202541	2.40		30	57	844	200
FBR0202542	2.50		30	57	844	200
FBR0202686	2.60		30	57	844	200
FBR0202849	2.70		33	61	844	200
FBR0202935	2.78	7/64"	33	61	844	200
FBR0202850	2.80		33	61	1022	200
FBR0202851	2.90		33	61	1022	200
FBR0202543	3.00		33	61	1061	200
FBR0202757	3.10		36	65	1186	200
FBR0202934	3.17	1/8"	36	65	1185	200
FBR0202852	3.20		36	65	1188	200
FBR0202853	3.30		36	65	1188	200
FBR0202854	3.40		39	70	1261	200
FBR0202595	3.50		39	70	1261	200
FBR0202936	3.57	9/64"	39	70	1313	200
FBR0202855	3.60		39	70	1694	200
FBR0202856	3.70		39	70	1694	200
FBR0202857	3.80		43	75	1694	200
FBR0202858	3.90		43	75	1694	200
FBR0202937	3.97	5/32"	43	75	1694	200
FBR0202544	4.00		43	75	1694	200

FBR0202758	4.10		43	75	1957	100
FBR0202690	4.20		43	75	1957	100
FBR0202860	4.30		47	80	1957	100
FBR0202938	4.37	11/64"	47	80	1957	100
FBR0202861	4.40		47	80	1957	100
FBR0202596	4.50		47	80	2570	100
FBR0202862	4.60		47	80	2570	100
FBR0202863	4.70		47	80	2570	100
FBR0202939	4.76	3/16"	52	86	2570	100
FBR0202864	4.80		52	86	2570	100
FBR0202865	4.90		52	86	2792	100
FBR0202474	5.00		52	86	2792	100
FBR0202759	5.10		52	86	2792	100
FBR0202941	5.16	13/64"	52	86	2792	100
FBR0202958	5.20		52	86	2792	100
FBR0202867	5.30		52	86	3017	100
FBR0202868	5.40		57	93	3017	100
FBR0202597	5.50		57	93	3017	100
FBR0202952	5.56	7/32"	57	93	3017	100
FBR0202869	5.60		57	93	3017	100
FBR0202870	5.70		57	93	3391	100
FBR0202871	5.80		57	93	3391	100
FBR0202691	5.90		57	93	3391	100
	5.95	15/64"	57	93	3391	100
FBR0202475	6.00		57	93	3391	100
FBR0202873	6.10		63	101	4028	100
FBR0202874	6.20		63	101	4028	100
FBR0202875	6.30		63	101	4028	100
FBR0202940	6.35	1/4"	63	101	4028	100
FBR0202876	6.40		63	101	4028	100
FBR0202598	6.50		63	101	4710	100
FBR0202877	6.60		63	101	4710	100
FBR0202692	6.70		63	101	4710	100
FBR0202942	6.75	17/64"	69	109	4710	100
FBR0202693	6.80		69	109	4710	100
FBR0202879	6.90		69	109	5153	100
FBR0202880	7.00		69	109	5153	100
FBR0202881	7.10		69	109	5153	100
FBR0202953	7.14	9/32"	69	109	5153	100
FBR0202882	7.20		69	109	5153	100
FBR0202883	7.30		69	109	6338	100
FBR0202884	7.40		69	109	6338	100
FBR0202885	7.50		69	109	6338	100
FBR0202954	7.54	19/64"	75	117	6343	100
FBR0202886	7.60		75	117	6343	100
FBR0202887	7.70		75	117	6343	100
FBR0202888	7.80		75	117	6343	100
FBR0202889	7.90		75	117	6343	100
FBR0202943	7.94	5/16"	75	117	6856	100
FBR0202545	8.00		75	117	6856	100
FBR0202890	8.10		75	117	6856	50
FBR0202891	8.20		75	117	6856	50
FBR0202892	8.30		75	117	7838	50
FBR0202944	8.33	21/64"	75	117	7838	50
FBR0202893	8.40		75	117	7838	50
FBR0202296	8.50		75	117	7838	50
FBR0202894	8.60		81	125	7838	50
FBR0202694	8.70		81	125	7838	50
FBR0202955	8.73	11/32"	81	125	8255	50
FBR0202896	8.80		81	125	8255	50
FBR0202897	8.90		81	125	8255	50
FBR0202898	9.00		81	125	8255	50
FBR0202899	9.10		81	125	8611	50
FBR0202956	9.13	23/64"	81	125	8611	50
FBR0202293	9.20		81	125	8611	50
FBR0202901	9.30		81	125	8611	50
FBR0202902	9.40		81	125	8611	50
FBR0202903	9.50		81	125	8611	50

FBR0202945	9.52	3/8"	87	133	9763	50
FBR0202904	9.60		87	133	9763	50
FBR0202905	9.70		87	133	9763	50
FBR0202906	9.80		87	133	9763	50
FBR0202907	9.90		87	133	10923	50
	9.92	25/64"	87	133	10923	50
FBR0202546	10.00		87	133	10923	50
FBR0202908	10.10		87	133	10923	50
FBR0202909	10.20		87	133	10923	50
FBR0202910	10.30		87	133	11841	50
	10.32	13/32"	87	133	11841	50
FBR0202911	10.40		87	133	11841	50
FBR0202599	10.50		87	133	11841	50
FBR0202912	10.60		87	133	11841	50
FBR0202913	10.70		94	142	12537	50
	10.72	27/64"	94	142	12537	50
FBR0202914	10.80		94	142	12537	50
FBR0202915	10.90		94	142	12537	50
FBR0202294	11.00		94	142	12537	50
FBR0202916	11.10		94	142	13991	50
FBR0202946	11.11	7/16"	94	142	13991	50
FBR0202917	11.20		94	142	13991	50
FBR0202918	11.30		94	142	13991	50
FBR0202919	11.40		94	142	13991	50
FBR0202920	11.50		94	142	14758	50
	11.51	29/64"	94	142	14758	50
FBR0202921	11.60		94	142	14758	50
FBR0202922	11.70		94	142	14758	50
FBR0202923	11.80		94	142	14758	50
FBR0202924	11.90		101	151	15763	50
	11.91	15/32"	101	151	15763	50
	12.00		101	151	15763	50
FBR0202926	12.10		101	151	15763	50
FBR0202927	12.20		101	151	15763	50
FBR0202928	12.30		101	151	16719	50
	12.30	31/64"	101	151	16719	50
FBR0202929	12.40		101	151	17437	50
FBR0202600	12.50		101	151	17437	50
FBR0202930	12.60		101	151	17437	50
FBR0202947	12.70	1/2"	101	151	17653	50
FBR0202932	12.80		101	151	17653	50
FBR0202933	12.90		101	151	17653	50
FBR0202295	13.00		101	151	17653	50

Drill Set - AS PER IS 5101 : 2002

Material Code	SIZE	Price Per Case Set
FBR0200531	HSS Drills Case Set 1.0 mm to 13.0 mm (25 pcs)	16,873
FBR0200532	HSS Drills Case Set 2.0 mm to 8.0 mm (13 pcs)	4,752
FBR0200543	HSS Drills Case Set 1/16" to 1/4" (13 pcs)	3,400
FBR0200545	HSS Drills Case Set 1/16" to 1/2" (29 pcs)	22,662
FBR0202169	HSSD CASE SET M2 1.0 TO 10.0 MM 19 PCS	9,048
FBR0202170	HSSD CASE SET M2 1.0 TO 5.9 MM 50 PCS	9,856
FBR0202171	HSSD CASE SET M2 6.0 TO 10.0 MM 41 PCS	33,218
FBR0202172	HSSD CASE SET M35 B&G 1.0 TO 10.0 MM 19 PCS	11,309
FBR0202173	HSSD CASE SET M35 B&G 1.0 TO 13.0 MM 25 PCS	24,443
FBR0202174	HSSD CASE SET M35 B&G 1.0 TO 5.9 MM 50 PCS	12,937
FBR0202175	HSSD CASE SET M35 B&G 6.0 TO 10.0 MM 41 PCS	41,886
FBR0202258	HSSD CASE SET M35 B&G 1/16" TO 1/2" (29P)	27,228
FBR0202259	HSSD CASE SET M2 1/16" TO 3/8" 21 PCS	11,161
FBR0202266	HSSD CASE SET M2 1.50 TO 6.50 MM 13 PCS	3,844
FBR0202267	HSSD CASE SET M2 TiN 1.50 TO 6.50 MM 13 PCS	7,403
FBR0202268	HSSD CASE SET M2 TiN 1.0 TO 10.0 MM 19 PCS	15,913

Hss Taper Shank Twist Drill
(Full Ground Taper Shank Drill , 118° Point Angle)

IS 5103 : 2002 , DIN 345 : 1978 , ISO 235 /1 : 1980, BS 328

Material Code	Size		Flute Length	Overall Length	MT Shank	List Price Each
	MM	Inch	MM	MM		
FBR0200198	8.00		75	156	1	1488
FBR0200199	8.50		75	156	1	1488
FBR0200200	9.00		81	162	1	1488
FBR0200201	9.50		81	162	1	1577
FBR0200202	9.52	3/8"	87	168	1	1577
FBR0200203	9.92	25/64"	87	168	1	1577
FBR0200204	10.00		87	168	1	1577
FBR0200205	10.32	13/32"	87	168	1	1730
FBR0200206	10.50		87	168	1	1730
FBR0200207	10.72	27/64"	94	175	1	1814
FBR0200208	11.00		94	175	1	1814
FBR0200209	11.11	7/16"	94	175	1	1991
FBR0200210	11.50		94	175	1	1991
FBR0200211	11.91	15/32"	101	182	1	2124
FBR0200116	12.00		101	182	1	2124
FBR0200212	12.50		101	182	1	2331
FBR0200118	12.70	1/2"	101	182	1	2346
FBR0200117	13.00		101	182	1	2346
FBR0200213	13.49	17/32"	108	189	1	2686
FBR0200214	13.50		108	189	1	2686
FBR0200215	13.89	35/64"	108	189	1	2726
FBR0200119	14.00		108	189	1	2726
FBR0200120	14.29	9/16"	114	212	2	2888
FBR0200216	14.50		114	212	2	2888
FBR0200121	15.00		114	212	2	2903
FBR0200217	15.50		120	218	2	3317
FBR0200122	15.87	5/8"	120	218	2	3332
FBR0200123	16.00		120	218	2	3332
FBR0200218	16.50		125	223	2	3770
FBR0200219	17.00		125	223	2	3790
FBR0200124	17.46	11/16"	130	228	2	4273
FBR0200220	17.50		130	228	2	4273
FBR0200125	18.00		130	228	2	4293
FBR0200221	18.50		135	233	2	4884
FBR0200126	19.00		135	233	2	4874
FBR0200127	19.05	3/4"	140	238	2	5486
FBR0200222	19.50		140	238	2	5486
FBR0200128	20.00		140	238	2	5520
FBR0200223	20.50		145	243	2	6215
FBR0200129	20.64	13/16"	145	243	2	6254
FBR0200130	21.00		145	243	2	6254
FBR0200224	21.50		150	248	2	6939
FBR0200308	22.00		150	248	2	6979
FBR0200131	22.22	7/8"	150	248	2	7723
FBR0200309	22.50		155	253	2	7723
FBR0200225	23.00		155	253	2	7763
FBR0200226	23.50		155	276	3	8462
FBR0200132	24.00		160	281	3	8743
FBR0200227	24.50		160	281	3	9374
FBR0200133	25.00		160	281	3	9488
FBR0200134	25.40	1"	165	286	3	10380
FBR0200228	25.50		165	286	3	10380
FBR0200135	26.00		165	286	3	10434
FBR0200229	26.50		165	286	3	11114
FBR0200230	27.00		170	291	3	11459
FBR0200231	27.50		170	291	3	12193
FBR0200136	28.00		170	291	3	12277
FBR0200232	28.50		175	296	3	13450
FBR0200138	28.57	1.1/8"	175	296	3	13485
FBR0200137	29.00		175	296	3	13485
FBR0200310	29.50		175	296	3	14283

FBR0200139	30.00		175	296	3	14377
FBR0200233	30.50		180	301	3	15594
FBR0200234	31.00		180	301	3	15648
FBR0200235	31.50		180	301	3	17289
FBR0200312	31.75	1-1/4"	185	306	3	17289
FBR0200140	32.00		185	334	4	17289
FBR0200236	32.50		185	334	4	18458
FBR0200237	33.00		185	334	4	18546
FBR0200238	33.50		185	334	4	19502
FBR0200239	34.00		190	339	4	20138
FBR0200240	34.50		190	339	4	21163
FBR0200475	34.93	1-3/8"	190	339	4	21257
FBR0200241	35.00		190	339	4	21257
FBR0200242	35.50		190	339	4	21720
FBR0200243	36.00		195	344	4	22302
FBR0200244	36.50		195	344	4	23386
FBR0200476	36.51	1-7/16"	195	344	4	23480
FBR0200245	37.00		195	344	4	23480
FBR0200246	37.50		195	344	4	24574
FBR0200247	38.00		200	349	4	25220
FBR0200477	38.10	1-1/2"	200	349	4	26639
FBR0200248	38.50		200	349	4	26639
FBR0200249	39.00		200	349	4	26639
FBR0200250	39.50		200	349	4	27817
FBR0200251	40.00		200	349	4	29483
FBR0200252	40.50		205	354	4	31558
FBR0200253	41.00		205	354	4	31558
FBR0200938	41.28	1-5/8"	205	354	4	33002
FBR0200254	41.50		205	354	4	33002
FBR0200255	42.00		205	354	4	33002
FBR0200256	43.00		210	359	4	35249
FBR0200257	44.00		210	359	4	36797
FBR0200939	44.45	1-3/4"	210	359	4	38369
FBR0200258	45.00		210	359	4	38369
FBR0200259	46.00		215	364	4	40818
FBR0200260	47.00		215	364	4	42499
FBR0200261	48.00		220	369	4	45077
FBR0200262	49.00		220	369	4	47058
FBR0200263	50.00		220	369	4	50478
FBR0200478	50.80	2"	225	374	4	62205
FBR0200922	51.00		225	412	5	63955
FBR0200921	52.00		225	412	5	65796
FBR0200923	53.00		225	412	5	67275
FBR0200533	54.00		230	417	5	70971
FBR0200639	55.00		230	417	5	78571
FBR0200924	56.00		230	417	5	79571
FBR0200925	57.00		235	422	5	85246
FBR0200926	58.00		235	422	5	87710
FBR0200927	59.00		235	422	5	90647
FBR0200525	60.00		235	422	5	90647
FBR0200928	61.00		240	427	5	95647
FBR0200929	62.00		240	427	5	101690
FBR0200930	63.00		240	427	5	104471
FBR0200931	64.00		245	432	5	109556
FBR0200526	65.00		245	432	5	112496
FBR0200468	66.00		245	432	5	118455
FBR0200932	67.00		245	432	5	118455
FBR0200933	68.00		250	437	5	123617
FBR0200934	69.00		250	437	5	127193
FBR0200527	70.00		250	437	5	133576
FBR0200935	71.00		250	437	5	133707
FBR0200936	72.00		255	442	5	139268
FBR0200920	73.00		255	442	5	139268
FBR0200937	74.00		255	442	5	146576
FBR0200528	75.00		255	442	5	147656

HSS CENTRE DRILL

AS PER BS 328 - PART II - 1990

Material Code	Size	Pilot Dia	Body Dia	Pilot Length (MM)		Overall Length (MM)		List Price Each
	B.S. No	Inch	Inch	MAX	MIN	MAX	MIN	
FBR0203093	BS1	3/64	1/8	1.98	1.58	38.89	37.31	301
FBR0203094	BS2	1/16	3/16	2.38	1.98	45.22	43.68	301
FBR0203095	BS3	3/32	1/4	3.96	3.17	52.39	49.21	346
FBR0203096	BS4	1/8	5/16	4.76	3.96	58.74	55.56	518
FBR0203097	BS5	3/16	7/16	7.14	6.35	65.88	61.12	695
FBR0203167	BS6	1/4	5/8	9.52	7.93	78.58	73.82	1775
FBR0203168	BS7	5/16	3/4	11.9	10.31	91.28	86.52	2267

TYPE A - AS PER IS 6708 - 2002

Material Code	Pilot Dia	Body Dia	Pilot Length (MM)		Overall Length (MM)		List Price Each
	MM	MM	MAX	MIN	MAX	MIN	
FBR0202161	1.00	3.2	1.9	1.3	33.5	29.5	301
FBR0202162	1.25	3.2	2.2	1.6	33.5	29.5	301
FBR0202163	1.60	4.0	2.8	2.0	37.5	33.5	301
FBR0202164	2.00	5.0	3.3	2.5	42	38	301
FBR0202165	2.50	6.3	4.1	3.1	47	43	340
FBR0202166	3.15	8.0	4.9	3.9	52	48	522
FBR0202167	4.00	10.0	6.2	5.0	59	53	651
FBR0202168	5.00	12.5	7.5	6.3	66	60	1096
FBR0202444	6.30	16.0	9.2	8.0	74	68	1308
FBR0203162	8.00	20.0	11.5	10.1	83	77	2954
FBR0203163	10.00	25.0	14.2	12.8	103	97	3690

TYPE B - AS PER IS 6709 - 2002

Material Code	Pilot Dia	Body Dia	Pilot Length (MM)		Overall Length (MM)		List Price Each
	MM	MM	MAX	MIN	MAX	MIN	
FBR0203089	1.60	6.3	2.8	2.0	47	43	605
FBR0203090	2.00	8.0	3.3	2.5	52	48	851
FBR0203091	2.50	10.0	4.1	3.1	59	53	1083
FBR0203092	3.15	11.2	4.9	3.9	63	57	1480
FBR0202442	4.00	14.0	6.2	5.0	70	64	1980
FBR0202443	5.00	18.0	7.5	6.8	78	72	2855
FBR0203164	6.30	20.0	9.2	8.0	83	77	3356
FBR0203165	8.00	25.0	11.5	10.1	103	97	4483
FBR0203166	10.00	31.5	14.2	12.8	128	122	5213

TYPE R - AS PER IS 6710 - 2002

Material Code	Pilot Dia	Body Dia	Pilot Length (MM)		Overall Length (MM)		List Price Each
	MM	MM	MAX	MIN	MAX	MIN	
FBR0203382	1.00	3.15	1.9	1.3	33.5	29.5	301
FBR0203383	1.25	3.15	2.2	1.6	33.5	29.5	301
FBR0203384	1.60	4.0	2.8	2.0	37.5	33.5	301
FBR0203385	2.00	5.0	3.3	2.5	42	38	301
FBR0203298	2.50	6.3	4.1	3.1	47	43	340
FBR0203299	3.15	8.0	4.9	3.9	52	48	522
FBR0203386	4.00	10.0	6.2	5.0	59	53	651
FBR0203300	5.00	12.5	7.5	6.3	66	60	1095
FBR0203301	6.30	16.0	9.2	8.0	74	68	1309
FBR0203387	8.00	20.0	11.5	10.1	83	77	2954
FBR0203388	10.00	25.0	14.2	12.8	103	97	3690