

Since : 1961



JHALANI

An ISO 9001 : 2015 Certified Company

PRICE LIST

Catalogue No. 6724
01/01/2024
www.ferreterrotools.com

POWER IN YOUR Palms



- HAND TOOLS
- TOOL KITS
- NON-SPARKING TOOLS
- LUBRICATING TOOLS



Follow us:     / ferreterrotools



METRIC, SAE AND WHITWORTH SIZES : COMPARATIVE CHART

| SAE | MM | SAE | MM | WW | MM |
|-------|-------|---------|-------|-------|-------|
| 1/4 | 6.35 | 1 | 25.40 | 1/16 | 6.50 |
| 5/16 | 7.94 | 1.1/16 | 26.99 | 3/32 | 7.54 |
| 11/32 | 8.73 | 1.1/8 | 28.57 | 1/8 | 8.54 |
| 3/8 | 9.52 | 1.3/16 | 30.16 | 3/16 | 11.30 |
| 13/32 | 10.32 | 1.1/4 | 31.75 | 1/4 | 13.33 |
| 7/16 | 11.11 | 1.5/16 | 33.34 | 5/16 | 15.24 |
| 1/2 | 12.70 | 1.3/8 | 34.92 | 3/8 | 18.03 |
| 9/16 | 14.2 | 1.7/16 | 36.51 | 7/16 | 20.83 |
| 19/32 | 15.08 | 1.1/2 | 38.10 | 1/2 | 23.37 |
| 5/8 | 15.88 | 1.9/16 | 39.69 | 9/16 | 25.65 |
| 11/16 | 17.46 | 1.5/8 | 41.28 | 5/8 | 27.94 |
| 3/4 | 19.05 | 1.11/16 | 42.86 | 3/4 | 30.48 |
| 25/32 | 19.84 | 1.3/4 | 44.86 | 13/16 | 33.00 |
| 13/16 | 20.64 | 1.3/16 | 44.45 | 7/8 | 35.30 |
| 7/8 | 22.22 | 1.7/8 | 46.04 | 15/16 | 37.59 |
| 15/16 | 23.81 | 2 | 47.72 | 1 | 40.13 |
| | | | 50.80 | 1.1/8 | 42.42 |
| | | | | 1.1/4 | 47.24 |
| | | | | 1.3/8 | 52.07 |
| | | | | 1.1/2 | 56.39 |
| | | | | 1.5/8 | 61.21 |
| | | | | 1.3/4 | 65.53 |
| | | | | | 70.10 |

Trusted by :



INDEX

| | | | |
|---|---|---|--|
| <p>Page No. 1</p> <p>Double Open Ended Spanners</p>  | <p>Page No. 2</p> <p>Bihexagon Ring Spanners</p>  | <p>Page No. 3</p> <p>Gear Wrench Straight & Combination Open Box Wrenches</p>  | |
| <p>Page No. 4</p> <p>Double open ended spanner, Single end spanner, Flare Nut Wrench, S-type Spanner</p>  | <p>Page No. 5</p> <p>Slogging Spanners & Crowfoot Spanner</p>  | <p>Page No. 6-7</p> <p>Hammers & Chisels</p>  | <p>Page No. 8</p> <p>Sockets & Socket sets</p>  |
| <p>Page No. 9</p> <p>Sockets & Tubular Spanners</p>  | <p>Page No. 10</p> <p>Wheel Spanners, Bench vices</p>  | <p>Page No. 11</p> <p>Allen Head Wrenches</p>  | <p>Page No. 12</p> <p>Adjustable Wrenches & Pipe Wrenches</p>  |
| <p>Page No. 13</p> <p>Pliers & Bolt Cutters</p>  | <p>Page No. 14</p> <p>Screw Drivers</p>  | <p>Page No. 15-16</p> <p>Grease Guns, Oil Can Pumps & Barrel Pump</p>  | <p>Page No. 16</p> <p>Home Tool kit & Bearing Pullars-2&3 Legs</p>  |
| <p>Page No. 17</p> <p>Centre Punches, Filler Gauges, Jack Planes</p>  | <p>Page No. 18</p> <p>Ratchet Die & Pipe Die Sets</p>  | <p>Page No. 18</p> <p>Oil Filter Wrenches & Cutters</p>  | <p>Page No. 19</p> <p>Hacksaw Frame's & Step Drill's Spirit Levels, Metal Tool Boxes & Trolleys</p>  |
| <p>Page No. 20</p> <p>C- Type Spanners, C Clamps</p>  | <p>Page No. 21</p> <p>Revolving Punch, Hand Riveter & Hydraulic Bottle Jacks</p>  | <p>Page No. 21</p> <p>Philips Screw Driver Bits & Torx Head Screw Driver Bits</p>  | <p>Page No. 22-23</p> <p>Tool Kits Series</p>  |

NON SPARKING TOOLS

| | | |
|--|---|---|
| <p>Page No. 24-25-26</p> <p>Spanners and Wrenches</p>  | <p>Page No. 27</p> <p>Allen Key's, Sockets, Pliers & Hammers</p>  | <p>Page No. 28-29</p> <p>Screw Drivers, Chisels & Other Non Sparking Tools</p>  |
|--|---|---|



Brand - Delivering Quality Since 1961

12

Double Open End Spanners



Polished head

Chrome Vanadium Steel, Chrome Plated,
Fully Hardened & Tempered
Generally Conforming To IS 2028-2004



| Metric (mm) | Size | | Prices | Inner Packing | Std. Pkg Master Carton |
|-------------|--------------|--------------|--------|---------------|------------------------|
| | English (ww) | Layman (सूत) | | | |
| 6x7 | | - | 20 | 10 | 1200 |
| 8x9 | | - | 34 | 10 | 1000 |
| 10x11 | 1/8x3/16 | 1 1/2x2 | 38 | 10 | 500 |
| 12x13 | 3/16x1/4 | 2x2 1/2 | 41 | 10 | 400 |
| 14x15 | 1/4x5/16 | 2 1/2x3 | 47 | 10 | 300 |
| - | - | 1/2x9/16 SAE | 47 | 10 | 250 |
| 16x17 | 5/16x3/8 | 3x3 1/2 | 60 | 10 | 250 |
| - | 5/16x7/16 | 3x4 | 74 | 10 | 200 |
| 18x19 | 3/8x7/16 | 3 1/2x4 | 73 | 10 | 200 |
| 19x22 | | - | 91 | 10 | 120 |
| 20x22 | 7/16x1/2 | 4x4 1/2 | 91 | 10 | 120 |
| 21x23 | - | - | 118 | 10 | 100 |
| - | 7/16x9/16 | 4x5 | 118 | 10 | 100 |
| 24x26 | 1/2x9/16 | 4 1/2x5 | 143 | 5 | 75 |
| 24x27 | | - | 143 | 5 | 75 |
| 25x28 | 9/16x5/8 | 5x5 1/2 | 165 | 5 | 60 |
| 30x32 | 5/8x3/4 | 5 1/2x7 | 196 | 5 | 60 |
| | 9/16x11/16 | 5x6 | 228 | 5 | 60 |

Please also refer Article No. 895 on Pg 4

| SETS | | | |
|-----------|--|--------|-------------------------|
| Set No. | Contents of Sets (mm) | Prices | Std. Pkg. Master Carton |
| 12/4 M | 10x11, 12x13 14x15, 16x17 | 192 | 60 |
| 12/60 M | 6x7, 8x9, 10x11 12x13, 14x15, 16x17 | 254 | 48 |
| 12/6 M | 6x7, 8x9, 10x11, 14x15, 16x17, 18x19 | 275 | 60 |
| 12/7 M | 6x7, 8x9, 10x11, 12x13, 14x15 16x17, 18x19 | 314 | 48 |
| 12/70 M | 8x9, 10x11, 12x13, 14x15 16x17, 18x19, 20x22 | 376 | 48 |
| 12/8 M | 6x7, 8x9, 10x11, 12x13, 14x15 16x17, 18x19, 20x22 | 376 | 36 |
| 12/10 M | 6x7, 8x9, 10x11, 12x13, 14x15 16x17, 18x19, 20x22, 21x23 24x27 | 647 | 15 |
| 12/1010 M | 8x9, 10x11, 12x13, 14x15 16x17, 18x19, 20x22, 21x23 24x27, 30x32 | 834 | 15 |
| 12/100 M | 6x7, 8x9, 10x11, 12x13, 14x15 16x17, 18x19, 20x22, 24x27 30x32 | 709 | 20 |
| 12/12 M | 6x7, 8x9, 10x11, 12x13, 14x15 16x17, 18x19, 20x22, 21x23 24x26, 25x28, 27x32 | 1029 | 12 |
| 12/121 M | 6x7, 8x9, 10x11, 12x13, 14x15 16x17, 18x19, 20x22, 21x23 24x27, 25x28, 30x32 | 945 | 15 |
| 12/6 W | 1/8x3/16, 3/16x1/4, 1/4x5/16 5/16x3/8, 3/8x7/16, 7/16x1/2 | 371 | 36 |
| 12/9 W | 1/8x3/16, 3/16x1/4, 1/4x5/16 5/16x3/8, 3/8x7/16, 1/2x9x/16, 7/16x1/2, 9/16x5/8, 5/8x3/4 | 980 | 12 |



13

Bihexagon Ring Spanners Shallow Offset

Chrome Vanadium Steel, Chrome Plated, Polished (Rings), Fully Hardened & Tempered
Generally Conforming To IS 2029-1998

HSN-8204



| Metric (mm) | Size | | Prices | Inner Packing | Std. Pkg Master Carton |
|-------------|--------------|--------------|--------|---------------|------------------------|
| | English (ww) | Layman (सूत) | | | |
| 6x7 | — | — | 59 | 10 | 400 |
| 8x9 | — | — | 77 | 10 | 350 |
| 10x11 | — | — | 86 | 10 | 300 |
| — | 1/8x3/16 | 1 1/2x2 | 94 | 10 | 250 |
| 12x13 | — | — | 86 | 10 | 200 |
| — | 3/16x1/4 | 2x2 1/2 | 90 | 10 | 200 |
| 14x15 | — | — | 95 | 10 | 180 |
| — | 1/4x5/16 | 2 1/2x3 | 100 | 10 | 150 |
| 14x17 | — | — | 129 | 10 | 150 |
| 13x17 | — | 1/2x9/16 SAE | 130 | 10 | 150 |
| 16x17 | — | — | 124 | 10 | 120 |
| — | 5/16x3/8 | 3 1/2x4 | 128 | 10 | 120 |
| 18x19 | — | — | 143 | 10 | 100 |
| 17x19 | — | — | 185 | 10 | 100 |
| — | 5/16x7/16 | 3x4 | 162 | 10 | 100 |
| 19x22 | — | — | 198 | 10 | 80 |
| — | 7/16x1/2 | 4x4 1/2 | 208 | 10 | 80 |
| 20x22 | — | — | 176 | 10 | 80 |
| — | 3/8x7/16 | 3 1/2x4 | 195 | 10 | 80 |
| 21x23 | — | — | 213 | 10 | 60 |
| 22x24 | — | — | 223 | 10 | 60 |
| — | 7/16x9/16 | 4x5 | 219 | 5 | 50 |
| 24x26 | — | — | 237 | 5 | 50 |
| — | 1/2x9/16 | 4 1/2x5 | 262 | 5 | 50 |
| 24x27 | — | — | 237 | 5 | 50 |
| 25x28 | — | — | 302 | 5 | 40 |
| — | 9/16x5/8 | 5x5 1/2 | 317 | 5 | 40 |
| 27x32 | — | — | 450 | 5 | 30 |
| — | 9/16x11/16 | 5x6 | 447 | 5 | 30 |
| 30x32 | — | — | 397 | 5 | 40 |
| — | 5/8x3/4 | 5 1/2x7 | 440 | 5 | 40 |

| Sets | | | |
|-----------|---|-------|-------------------------|
| Set No. | Contents of Sets (mm) | Price | Std. Pkg. Master Carton |
| 13/4 M | 10x11, 12x13 14x15, 16x17 | 393 | 48 |
| 13/6 M | 6x7, 8x9, 10x11 12x13, 14x15, 16x17 | 526 | 36 |
| 13/66 M | 6x7, 8x9, 10x11 14x15, 16x17, 18x19 | 555 | 36 |
| 13/60 M | 8x9, 10x11, 12x13 14x15, 16x17, 18x19 | 581 | 36 |
| 13/7 M | 8x9, 10x11, 12x13 14x15, 16x17, 18x19, 20x22 | 751 | 24 |
| 13/8 M | 6x7, 8x9, 10x11, 12x13 14x15, 16x17, 18x19, 20x22 | 774 | 24 |
| 13/10 M | 6x7, 8x9, 10x11, 12x13 14x15, 16x17, 18x19 20x22, 24x27, 30x32 | 1471 | 8 |
| 13/1010 M | 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 21x23, 24x27, 30x32 | 1550 | 8 |
| 13/12 M | 6x7, 8x9, 10x11, 12x13, 14x15 16x17, 18x19, 20x22, 21x23 24x27, 25x28, 30x32 | 1840 | 8 |
| 13/6 W | 1/8x3/16, 3/16x1/4, 1/4x5/16 5/16x3/8, 3/8x7/16, 7/16x1/2 | 837 | 24 |
| 13/9 W | 1/8x3/16, 3/16x1/4, 1/4x5/16 5/16x3/8, 3/8x7/16, 1/2x9x/16, 7/16x1/2, 9/16x5/8, 5/8x3/4 | 1826 | 8 |

HSN-8204



Deep Offset Bihexagon Ring Spanners No. 2

| Metric (mm) | Size | | Std. Pkg. Master Carton |
|-------------|------------------------|---------------|-------------------------|
| | Prices Per Piece (Rs.) | Inner Packing | |
| 6x7 | 74 | 10 | 250 |
| 8x9 | 98 | 10 | 200 |
| 8x10 | 99 | 10 | 250 |
| 10x11 | 104 | 10 | 200 |
| 10x12 | 113 | 10 | 200 |
| 12x13 | 110 | 10 | 150 |
| 12x14 | 128 | 10 | 120 |
| 14x15 | 118 | 10 | 120 |
| 14x17 | 164 | 10 | 120 |
| 16x17 | 152 | 10 | 100 |
| 18x19 | 179 | 10 | 80 |
| 20x22 | 221 | 10 | 60 |
| 21x23 | 264 | 10 | 60 |
| 24x27 | 296 | 5 | 50 |
| 25x28 | 373 | 5 | 40 |
| 30x32 | 492 | 5 | 30 |

Deep Offset Bihexagon Ring Spanners Heavy Duty Size - No. 2

| Size | | | | | |
|-------------|--------------------|----------------|------------------------|---------------|-------------------------|
| Metric (mm) | English (ww) | American (Sae) | Prices Per Piece (Rs.) | Inner Packing | Std. Pkg. Master Carton |
| 32x36 | 3/4x7/8 | - | 825 | 2 | 20 |
| 34x36 | - | - | 995 | 2 | 20 |
| 34x38 | - | - | 1051 | 2 | 20 |
| 36x38 | - | - | 1357 | 2 | 16 |
| 36x41 | 7/8x1 | - | 1004 | 2 | 16 |
| 41x46 | 1x1.1/8 | - | 2899 | 2 | 12 |
| - | 7/8x1.1/8 Spl Size | - | 3202 | 2 | 12 |
| 46x50 | 1.1/8x1.1/4 | - | 3626 | 2 | 8 |
| 50x55 | - | - | 4962 | 2 | 5 |
| - | 1.1/8x1.3/8 | - | 6701 | 2 | 5 |
| 55x60 | - | - | 6341 | 2 | 5 |
| 65x70 | - | - | 13555 | 2 | 3 |
| 70x75 | - | - | 16712 | 2 | 3 |
| 75x80 | - | - | 19323 | 2 | 3 |



NEW

14 GW GEAR WRENCH-STRAIGHT (HSN 8204)

Chrome Vanadium Steel
Ring Side Ratchet Other Side Open Spanner



HSN-8204

| Sizes (mm) | Shelf Carton (Packing) | Price Per Pc. (₹) |
|------------|------------------------|-------------------|
| 8 | 10 | 430 |
| 9 | 10 | 430 |
| 10 | 10 | 430 |
| 11 | 10 | 430 |
| 12 | 10 | 435 |
| 13 | 10 | 440 |
| 14 | 10 | 440 |
| 15 | 10 | 480 |
| 16 | 10 | 500 |
| 17 | 10 | 550 |
| 18 | 10 | 600 |
| 19 | 10 | 650 |
| 21 | 10 | 710 |

14 Combination Open & Box End Wrenches

Made of Selected Steel, Chrome Plated, Fully Hardened & Tempered
Generally Conforming To IS 6389-1972



HSN-8204

| Size | Metric (mm) | Prices | Prices Full Polish | Inner Packing | Std. Pkg. Master Carton |
|------|-------------|--------|--------------------|---------------|-------------------------|
| | | | | | |
| 6 | 30 | 44 | 10 | 500 | |
| 7 | 31 | 50 | 10 | 500 | |
| 8 | 36 | 52 | 10 | 400 | |
| 9 | 38 | 54 | 10 | 400 | |
| 10 | 44 | 56 | 10 | 250 | |
| 11 | 45 | 60 | 10 | 250 | |
| 12 | 51 | 68 | 10 | 200 | |
| 13 | 51 | 75 | 10 | 200 | |
| 14 | 62 | 82 | 10 | 240 | |
| 15 | 66 | 100 | 10 | 200 | |
| 16 | 78 | 110 | 10 | 120 | |
| 17 | 80 | 120 | 10 | 120 | |
| 18 | 86 | 128 | 10 | 120 | |
| 19 | 90 | 142 | 10 | 120 | |
| 20 | 114 | 168 | 10 | 100 | |
| 21 | 117 | 177 | 10 | 80 | |
| 22 | 135 | 180 | 10 | 80 | |
| 23 | 161 | 232 | 10 | 80 | |
| 24 | 178 | 263 | 10 | 80 | |
| 25 | 208 | 278 | 10 | 60 | |
| 26 | 215 | 302 | 5 | 50 | |
| 27 | 247 | 345 | 5 | 50 | |
| 28 | 267 | 377 | 5 | 40 | |
| 29 | 330 | 456 | 5 | 40 | |
| 30 | 330 | 456 | 5 | 30 | |
| 32 | 378 | 515 | 5 | 30 | |

17J Combination Open & Box End Wrenches-Jumbo

Selected Steel, Fully Hardened & Tempered



HSN-8204

| Size | |
|-------------|--------|
| Metric (mm) | Prices |
| 33 | 1190 |
| 34 | 1305 |
| 35 | 1415 |
| 36 | 1547 |
| 38 | 1616 |
| 41 | 1825 |
| 43 | 2363 |
| 44 | 2500 |
| 46 | 2608 |
| 48 | 2870 |
| 50 | 3005 |

Sets

New

| Set No. | Contents Of Sets (mm) | Prices | Prices Full Polish | Std. Pkg. Master Carton |
|---------|--|--------|--------------------|-------------------------|
| 14/08M | 8,9,10,11,13, 14,17, & 19 | 452 | 650 | 20 |
| 14/012M | 6,7,8,9,10,11,12,13, 14,17,19, & 22 | 707 | 850 | 20 |
| 14/25M | 6,7,8,9,10,11,12,13,14, 15,16,17,18,19,20 21,22,23,24,25,26,27, 28,30 & 32 | 3153 | 4400 | 3 |



DIN-895 Heavy Duty Sizes, Art



| Metric (mm) | Size | | Prices | Inner Packing | Std. Pkg Master Carton |
|-------------|--------------|--------------|--------|---------------|------------------------|
| | English (ww) | Layman (सूत) | | | |
| 8X10 | - | - | 36 | 10 | 500 |
| 10X12 | - | - | 43 | 10 | 400 |
| 12X14 | - | - | 54 | 10 | 250 |
| 13X17 | - | - | 77 | 10 | 200 |
| 14X17 | - | - | 72 | 10 | 200 |
| 17X19 | - | - | 83 | 10 | 240 |
| 22X24 | - | - | 125 | 5 | 100 |
| 27X30 | - | - | 228 | 5 | 50 |
| 27X32 | - | - | 228 | 5 | 60 |
| 30X36 | - | - | 393 | 5 | 30 |
| 32X36 | 3/4X7/8 | - | 361 | 5 | 40 |
| 34X36 | - | - | 467 | 5 | 30 |
| 34X38 | - | - | 490 | 5 | 40 |
| 36X38 | - | - | 576 | 5 | 24 |
| 36X41 | 7/8X1 | - | 487 | 2 | 30 |
| 41X46 | 1X1.1/8 | - | 613 | 2 | 20 |
| - | 7/8X1.1/8 | - | 646 | 2 | 20 |
| 46X50 | 1.1/8X1.1/4 | - | 985 | 2 | 16 |
| 50X55 | - | - | 1494 | 2 | 12 |
| - | 1.1/8X1.3/8 | - | 2485 | 2 | 12 |
| 55X60 | - | - | 2241 | 2 | 10 |
| 60X65 | - | - | 6742 | 2 | 10 |
| 65X70 | - | - | 5191 | 2 | 10 |
| 70X75 | - | - | 15640 | 2 | 4 |

DIN-894 Single Ended Open Jaw Spanners

Selected Steel, Fully Hardened & Tempered
Generally Conforming To IS 2028-2004



HSN-8204

| Metric (mm) | Size | | Prices | Std. Pkg. Master Carton |
|-------------|--------------|--------|--------|-------------------------|
| | English (ww) | Inches | | |
| 18 | - | - | 72 | - |
| 19 | - | - | 74 | - |
| 24 | - | - | 130 | - |
| 27 | - | - | 148 | - |
| 30 | - | - | 156 | 60 |
| 32 | - | - | 192 | 60 |
| 34 | - | - | 261 | 40 |
| 36 | 13/16 | - | 268 | 30 |
| 38 | - | - | 339 | 30 |
| 41 | 1 | - | 367 | 24 |
| 46 | 1.1/8 | - | 533 | 24 |
| 48 | - | - | 815 | 20 |
| 50 | 1.1/4 | - | 778 | 20 |
| 55 | 1.3/8 | 2" | 1030 | 20 |
| 60 | 1.1/2 | - | 1364 | 15 |
| 65 | 1.5/8 | - | 1779 | 12 |
| 70 | 1.3/4 | - | 2914 | 10 |
| 75 | 1.7/8 | - | 3526 | 7 |
| 80 | 2 | - | 5546 | 5 |
| 85 | - | - | 6529 | 5 |
| 90 | 2.1/2 BSF | - | 9648 | 5 |
| 95 | - | - | 12963 | 4 |
| 100 | 2.3/4 BSF | - | 15307 | 2 |
| 105 | 3 BSF | - | 15842 | 2 |

134 Flare Nut Wrenches

Chrome Vanadium Steel
Dull Matt. Chrome Plate



HSN- 8204

| Size mm | Master Carton | Price | Inner Box |
|-------------------|---------------|-------|-----------|
| 8x10 (In HEX) | 500 | 150 | 10 |
| 10x11 (In HEX) | 300 | 170 | 10 |
| 10x12 (In HEX) | 300 | 170 | 10 |
| 11x13 (In Bi-HEX) | 300 | 195 | 10 |
| 12x14 (In Bi-HEX) | 250 | 226 | 10 |
| 14x17 (In Bi-HEX) | 150 | 293 | 10 |
| 17x19 (In Bi-HEX) | 100 | 430 | 10 |
| 19x22 (In Bi-HEX) | 100 | 500 | 10 |
| 24x27 (in Bi-HEX) | 60 | 822 | 5 |
| 30x32 (in Bi-HEX) | 50 | 1150 | 5 |

143 S-Type (Ring Spanner)



HSN- 8204

| Size mm | Price | Master Carton |
|---------|-------|---------------|
| 10x11 | 156 | 400 |
| 12x13 | 206 | 300 |
| 14x15 | 267 | 200 |
| 16x17 | 330 | 150 |
| 17x19 | 378 | 100 |
| 18x19 | 378 | 30 |



Brand - Delivering Quality Since 1961

306

Sledge Type Single Ended Bihexagon Ring Spanners

Available in Burnished Finish.
Generally Conforming To IS 4509-1992
Chrome Vanadium Steel



HSN-8204

| Size mm | English (ww) | Price | Std. Pkd. Master Carton |
|---------|--------------|-------|-------------------------|
| 24 | - | 501 | 80 |
| 27 | - | 506 | 60 |
| 30 | - | 538 | 30 |
| 32 | 1/2 | 588 | 30 |
| 34 | 5/8 | 626 | 30 |
| 36 | 11/16 | 694 | 30 |
| 38 | 3/4 | 796 | 20 |
| 41 | - | 862 | 20 |
| 42 | - | 945 | 20 |
| 44 | - | 945 | 16 |
| 46 | 13/16 | 1140 | 16 |
| 48 | - | 1904 | 16 |
| 50 | 7/8 | 1356 | 16 |
| 52 | - | 1580 | 12 |
| 55 | 15/16.1 | 1847 | 12 |
| 57 | - | 1860 | 12 |
| 58 | - | 1860 | 10 |
| 60 | 1.1/8 | 1896 | 10 |
| 65 | 1.1/4 | 2474 | 8 |
| 70 | 1.3/8 | 5029 | 6 |
| 75 | 1.1/2 | 5516 | 4 |
| 80 | 1.5/8 | 7696 | 4 |
| 85 | 1.3/4 | 8777 | 4 |
| 90 | 1.7/8 | 9948 | 2 |
| 95 | 2 | 11858 | 2 |
| 100 | 2.1/4 | 13064 | 2 |
| 105 | - | 16248 | 2 |
| 110 | - | 20370 | 1 |
| 115 | - | 20613 | 1 |
| 120 | - | 22674 | 1 |
| 125 | - | 28858 | 1 |
| 130 | - | 32980 | 1 |
| 135 | - | 37200 | 1 |
| 140 | - | 41225 | 1 |
| 145 | - | 45348 | 1 |

133

Sledge Type Single Ended Open Jaw Spanners

Available in Burnished Finish
Generally Conforming To IS 4509-1992
Chrome Vanadium Steel




HSN-8204

| Size mm | English (ww) | Price | Std. Pkd. Master Carton |
|---------|--------------|-------|-------------------------|
| 24 | - | 463 | 60 |
| 27 | - | 498 | 50 |
| 30 | - | 559 | 40 |
| 32 | 1/2W | 617 | 40 |
| 34 | 5/8W | 639 | 40 |
| 36 | 11/16W | 722 | 30 |
| 38 | 3/4W | 796 | 20 |
| 41 | - | 892 | 20 |
| 42 | - | 945 | 16 |
| 44 | - | 945 | 16 |
| 46 | 13/16W | 1071 | 16 |
| 48 | - | 2020 | 12 |
| 50 | 7/8W | 1421 | 12 |
| 52 | - | 1580 | 10 |
| 55 | 15/16.1W | 1959 | 10 |
| 57 | - | 1860 | 10 |
| 58 | - | 1860 | 8 |
| 60 | 1.1/8 | 2261 | 6 |
| 65 | 1.1/4 | 3284 | 5 |
| 70 | 1.3/8 | 4824 | 4 |
| 75 | 1.1/2 | 5753 | 3 |
| 80 | 1.5/8 | 7159 | 3 |
| 85 | 1.3/4 | 8245 | 2 |
| 90 | 1.7/8 | 12416 | 1 |
| 95 | 2 | 13774 | 1 |
| 100 | 2.1/4 | 16393 | 1 |
| 105 | - | 32010 | 1 |
| 110 | - | 34920 | 1 |
| 115 | - | 36608 | 1 |
| 120 | - | 39576 | 1 |
| 125 | - | 41555 | 1 |
| 130 | - | 43534 | 1 |
| 135 | - | 51410 | 1 |
| 140 | - | 59170 | 1 |
| 145 | - | 61110 | 1 |

NEW

306D

DEEP OFFSET SLOGGING RING SPANNERS



HSN-8204

| Size (mm) | Price Per Pc. (₹) | Size (mm) | Price Per Pc. (₹) |
|-----------|-------------------|-----------|-------------------|
| 24 | 2800 | 60 | 6700 |
| 27 | 2800 | 65 | 12000 |
| 30 | 3000 | 70 | 12500 |
| 32 | 3000 | 75 | 13000 |
| 36 | 3300 | 80 | 14000 |
| 38 | 4800 | 85 | 14500 |
| 50 | 5000 | 90 | 16000 |
| 55 | 5900 | 95 | 17000 |

NEW

157

CROWFOOT SPANNER (1/2 SQ. DR.)



| SIZE | OPEN END INSERT (MRP) | SIZE | OPEN END INSERT (MRP) |
|------|-----------------------|------|-----------------------|
| 24MM | 277 | 41MM | 710 |
| 25MM | 277 | 42MM | 710 |
| 26MM | 277 | 43MM | 710 |
| 27MM | 325 | 44MM | 765 |
| 28MM | 325 | 46MM | 765 |
| 29MM | 325 | 48MM | 765 |
| 30MM | 367 | 50MM | 835 |
| 32MM | 367 | 54MM | 835 |
| 33MM | 417 | 56MM | 835 |
| 34MM | 417 | 57MM | 835 |
| 36MM | 417 | 60MM | 835 |
| 38MM | 500 | 63MM | |
| 40MM | 500 | | |



352A Forged Chisels, Octagonal Shape

Selected Steel, Induction Hardened & Tempered
Generally Conforming To IS 402-1990



| Code No. | Dimension Sizes | | Price | Inner Pkg. | Std. Pkg. |
|----------|--------------------|-------------|-------|------------|-----------|
| | Width of Edge (mm) | Length (mm) | | | |
| 107 | 10 | 125 | 110 | 10 | 200 |
| 117 | 16 | 150 | 139 | 10 | 150 |
| 123 | 22 | 200 | 229 | 5 | 80 |
| 126 | 25 | 200 | 255 | 5 | 50 |
| 127 | 30 | 250 | 352 | 5 | 40 |
| 130 | 32 | 300 | 445 | 5 | 25 |

353A Flat Chisels

Selected Steel, Induction Hardened & Tempered



HSN-8205

| Article | Length (mm) | Cutting Edge (mm) | Price | Inner Pkg. | Std. Pkg. |
|---------|-------------|-------------------|-------|------------|-----------|
| 3531 | 150 | 20 | 158 | 10 | 150 |
| 3532 | 200 | 25 | 211 | 10 | 100 |
| 3533 | 250 | 25 | 218 | 10 | 80 |

354 Cutting Chisel

In Selected Steel, Induction Hardened & Tempered



HSN-8205

| Article | Size Length (mm) | Cutting Edge (mm) | Prices |
|---------|------------------|-------------------|--------|
| 354 | 100 | 40 | 295 |

8602 & 8604 Ball Pein & Cross Pein Hammers

Induction Hardened & Tempered
Generally Conforming To IS 841-1983



HSN-8205

| Size mm | Price | Price | Inner Packing | Std. Pkg. |
|---------|-----------------------------|------------------------------|---------------|-----------|
| | 8602 Ball Pein with Handles | 8604 Cross Pein with Handles | | |
| 100 gms | 184 | 184 | 2 | 50 |
| 200 gms | 221 | 221 | 2 | 45 |
| 300 gms | 282 | 282 | 2 | 40 |
| 500 gms | 337 | 337 | 2 | 32 |
| 600 gms | 415 | 415 | 2 | 20 |
| 800 gms | 477 | 477 | 2 | 20 |

8608 Sledge Hammer Heads Made in Selected Steel

Induction Hardened & Tempered
Generally Conforming To IS 841-1983



HSN-8205

| Size | Price without Handle | Std. Pkg. | Price with Handle |
|-------------------|----------------------|-----------|-------------------|
| 1.0Lb (450 gms) | 291 | 40 | 407 |
| 1.5Lb (675 gms) | 342 | 30 | 495 |
| 2.0Lb (900 gms) | 422 | 20 | 601 |
| 3.0Lb (1350 gms) | 533 | 15 | 788 |
| 4.0Lb (1800 gms) | 766 | 10 | 974 |
| 6.0Lb (2700 gms) | 1061 | 8 | 1569 |
| 8.0Lb (3600 gms) | 1414 | 5 | 2052 |
| 10.0Lb (4500 gms) | 1728 | 5 | 2383 |
| 12.0Lb (5400 gms) | 2021 | 4 | 2784 |
| 14.0Lb (6300 gms) | 2152 | 4 | 3000 |
| 16.0Lb (7200 gms) | 2735 | 4 | 3759 |
| 20.0Lb (9000 gms) | 3362 | 4 | 4400 |



8609

Sledge Hammers with Fiber Glass Handle

Professional Series



HSN-8205

| Size | Price With Handle | Master Carton |
|-------------------|-------------------|---------------|
| 1.0Lb (450 gms) | 538 | 30 |
| 1.5Lb (675 gms) | 607 | 25 |
| 2.0Lb (900 gms) | 713 | 15 |
| 3.0Lb (1350 gms) | 1175 | 10 |
| 4.0Lb (1800 gms) | 1463 | 10 |
| 6.0Lb (2700 gms) | 2350 | 4 |
| 8.0Lb (3600 gms) | 2725 | 2 |
| 10.0Lb (4500 gms) | 3062 | 2 |
| 12.0Lb (5400 gms) | 3375 | 2 |
| 14.0Lb (6300 gms) | 4309 | 2 |
| 16.0Lb (7200 gms) | 4500 | 2 |
| 20.Lb (9000 gms) | 4630 | 2 |

NEW 154

Brass Hammer with Fiber Glass Handle



HSN-8205

| Size (gms) | Price Per Pc. (₹) |
|------------|-------------------|
| 450 | 2000 |
| 900 | 3400 |
| 1350 | 5200 |
| 1800 | 6800 |
| 2700 | 10400 |
| 3600 | 13500 |
| 4500 | 15900 |
| 5400 | 19000 |
| 6300 | 22000 |
| 7200 | 24500 |
| 9000 | 30000 |

8610

Soft Faced Mallet Hammers

Generally Conforming To IS 10838-1984

Mallets Are Made From High Impact Cellulose Acetate



HSN-8204

| Dia (mm) | Shelf Carton Pkg. | Master Pkg. | Prices |
|----------|-------------------|-------------|--------|
| 25 | 2 | 40 | 255 |
| 30 | 2 | 44 | 329 |
| 40 | 2 | 24 | 539 |
| 50 | 2 | 20 | 780 |

NEW 155

HAND AXE/HATCHET AXE/FIREMAN AXE (with Fiberglass/Wooden Handle)



HSN-8205

| Size (gms) | Price Per Pc. (₹) |
|---------------------------|-------------------|
| 600 gm with fibre handle | 880 |
| 600 gm with wooden handle | 760 |

8610A

Soft Faced Plastic Hammers Spares



| Dia (mm) | Prices |
|----------|--------|
| 25 | 63 |
| 30 | 85 |
| 40 | 148 |
| 50 | 239 |

NEW 156

CHIPPING HAMMER with fibre glass handle




HSN-8205

| Size (gms) | Price Per Pc. (₹) |
|------------|-------------------|
| 300 | 385 |
| 450 | 475 |

128

Claw Hammers with Grip Handle

Generally Conforming To IS 6546-1989



HSN- 8205

| Product Code | Weight (Gms) | Price | Std. Pkg. |
|--------------|--------------|-------|-----------|
| CL-340 | 340 | 265 | 2 |
| CL-450 | 450 | 324 | 2 |



D19/J19 12.5mm (1/2") Drive BI-Hex / Hex Sockets

Chrome Vanadium Steel, Chrome Plated
Generally Conforming To IS 7381-1986



HSN-8205

| Size Metric (mm) | Prices | | Std. Pkg. Inner Packing |
|------------------------|--------|----------|----------------------------|
| | Indian | Imported | |
| 8 | 84 | 84 | 10 |
| 9 | 84 | 84 | 10 |
| 10 | 84 | 84 | 10 |
| 11 | 84 | 84 | 10 |
| 12 | 91 | 91 | 10 |
| 13 | 91 | 91 | 10 |
| 14 | 91 | 91 | 10 |
| 15 | 91 | 91 | 10 |
| 16 | 91 | 91 | 10 |
| 17 | 101 | 101 | 10 |
| 18 | 101 | 101 | 10 |
| 19 | 101 | 101 | 10 |
| 20 | 116 | 116 | 10 |
| 21 | 116 | 116 | 10 |
| 22 | 133 | 133 | 10 |
| 23 | 143 | 143 | 10 |
| 24 | 147 | 147 | 10 |
| 25 | 195 | 195 | 10 |
| 26 | 200 | 200 | 10 |
| 27 | 200 | 200 | 5 |
| 28 | 240 | 240 | 5 |
| 29 | 240 | 240 | 5 |
| 30 | 245 | 245 | 5 |
| 32 | 280 | 280 | 5 |

Note : Imported sockets are available in MM size only.

12.5 MM(1/2") Drive Hex & BI-Hex Socket Set

Chrome Vanadium Steel, Chrome Plated & Polished



| Set No. | Contents of Sets (mm) | Prices | Std. Pkg. |
|---|---|--------|-----------|
| D-19/J19RM (INDIAN) (18 Sockets + 1 Attachment) | 10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30 & 32mm With Reversible Ratchet 1993QR(I) | 3618 | 6 |
| D-19/J19 SM (INDIAN) (Indian / Imported Sockets in Steel Box) (22 Sockets + 6 Attachment) | 8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,26,27,28,30,32mm Accessories 1985, 1987, 1990/5, 1991, 1993QR(I) Reversible Ratchet, 1995 | 5578 | 4 |
| D-19/J19 TM (IMPORTED) (Imported Mirror Finish in Steel Box) (19 Sockets + 5 Attachment) | 10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,26,27,30,32mm Accessories 1987, 1990/5, 1991, 1993QR(I) Reversible Ratchet, 1995 | 5698 | 4 |
| D-19SM/J-19 SM (Imported Sockets in Steel Box With Moulding) (22 Sockets + 6 Attachment) | 8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,26,27,28,30,32mm Accessories 1985, 1987, 1990/5, 1991, 1993QR(I) Reversible Ratchet, 1995 | 7062 | 4 |

12.5 MM(1/2") Drive Sockets Attachments (Special Alloy Steel)



HSN-8207

| No. | Description | Prices | | Std. Pkg. Master Carton |
|---|------------------|--------|----------|----------------------------|
| | | Indian | Imported | |
| 1981PK(6") | L-Handle (150mm) | 200 | - | 80 |
| 1981K(8") | L-Handle (200mm) | 243 | - | 60 |
| 1981L(10") | L-Handle (250mm) | 288 | - | 40 |
| 1981L(12") | L-Handle (300mm) | 364 | - | 25 |
| 1981L(18") <small>Heavy Duty</small> | L-Handle (450mm) | 607 | - | 20 |

HSN-8207

| No. | Description | Prices | | Std. Pkg. Master Carton |
|--------|-----------------|--------|----------|----------------------------|
| | | Indian | Imported | |
| 1990/3 | Extension 75mm | 212 | 225 | 145 |
| 1990/5 | Extension 125mm | 244 | 270 | 120 |
| 1990/7 | Extension 175mm | 256 | - | 80 |
| 1991 | Extension 250mm | 290 | - | 45 |



HSN-8207

| No. | Description | Prices | | Std. Pkg. Master Carton |
|-----------|---|--------|----------|----------------------------|
| | | Indian | Imported | |
| 1993QR(I) | Reversible Ratchet Quick Release Heavy Duty | - | 999 | 50 |

HSN-8207



| No. | Description | Prices | | Std. Pkg. Master Carton |
|------|------------------------|--------|----------|----------------------------|
| | | Indian | Imported | |
| 1985 | Speed Brace 410mm | - | 663 | 20 |
| 1987 | Sliding Bar Handle 290 | 308- | - | 40 |
| 1995 | Universal Joint | - | 395 | 150 |

141

New 1/4 "Square Drive Socket Set (46 Pcs.)



HSN-8205

| Set No. | Contents of Sets (mm) | Prices | Std. Pkg. |
|--|--|--------|-----------|
| JS 46 (34 Sockets + 12 Accessories) | 21-Bit Sockets : SLA 4,5,5,7 PH 1,2,3, HEX3,4,5,6,7,8, T10,15,20,25,30,35,40 13-1/4" DR Sockets : 4,5,5,5,6,7,8,9,10,11,12,13,14mm 3-HEX KEY WRENCHES : 1.5,2.0,2.5mm 1-1/4" DR UNIVERSAL JOINT, 1-1/4" X2 EXTENSION BA 1-1/4" X6 FLEXIBLE EXTENSION , 1-1/4" DR SLIDING T BAR 1-1/4" QUICK RATCHET HANDLE , 1-6" SPINNER HANDLE 1-BIT ADAPTOR 1-BLOW CASE | 1922 | 10 |



D-32

19mm (3/4") Sq. Drive Bi-Hex & Hex Sockets

Chrome Vanadium Steel, Chrome Plated
Fully Hardened & Tempered
Generally Conforming To IS 6131-1980 & 7381-1986



HSN-8205

| Sockets | | | | Attachments | | | |
|-----------|--------------|-------|-----------|-------------|--|-------|-----------|
| Metric mm | English (ww) | Price | Std. Pkg. | No. | Description | Price | Std. Pkg. |
| 22 | 1/2 | 340 | 100 | 3281L | L. Handle 450mm | 1000 | 20 |
| 24 | 9/16 | 340 | 100 | 3287 | Sliding Bar Handle 500mm | 895 | 20 |
| 27 | 5/8 | 363 | 80 | 3290 | Extension 205 mm | 647 | 30 |
| 28 | | 363 | 80 | 3291 | Extension 430 mm | 982 | 20 |
| 30 | 11/16 | 435 | 60 | 3295 | Universal Joint | 1503 | 50 |
| 32 | 3/4 | 471 | 60 | 3293 | Reversible Ratchet with Quick Release Heavy Duty | 3491 | 10 |
| 34 | - | 528 | 60 | | | | |
| 36 | 13/16 | 655 | 40 | | | | |
| 38 | 7/8 | 714 | 40 | | | | |
| 41 | 1 | 784 | 40 | | | | |
| 46 | 1.1/8 | 880 | 30 | | | | |
| 50 | 1.1/4 | 1052 | 30 | | | | |
| 55 | 1.3/8 | 1370 | 20 | | | | |
| 60 | 1.1/2 | 1641 | 20 | | | | |

19mm

3/4" Drive Bi-Hex Socket Sets

HSN-8205

| Set No. | Contents of Sets | Price | Std. Pkd. |
|--------------------------|---|-------|-----------|
| D-32 TM-II (with 3293U3) | 22, 24, 27, 30, 32, 36, 38, 41, 46, 50mm Accessories 3287, 3290, 3291, 3293U3 | 12010 | 02 |

D-45

25mm (1") Sq. Drive Impact Sockets

Generally Conforming To IS 7993-1988

HSN-8205

| Sockets | | Attachment | | |
|-----------|--------|------------|--------------------|-------|
| Metric mm | Prices | No. | Description | Price |
| 24 | 1370 | 4587 | Sliding Bar Handle | 4510 |
| 27 | 1370 | | | |
| 30 | 1370 | | | |
| 32 | 1370 | | | |
| 36 | 1425 | | | |
| 38 | 1425 | 4590 | Extension 200mm | 3139 |
| 41 | 2200 | | | |
| 46 | 2600 | | | |
| 50 | 2950 | | | |
| 55 | 3500 | | | |
| 60 | 5400 | | | |
| 65 | 5540 | | | |
| 70 | 6575 | 4591 | Extension 400mm | 3520 |
| 75 | 8300 | | | |
| 80 | 10300 | | | |
| 85 | 11400 | | | |



Convertors

HSN-8205

| Set No. | Contents of Sets | Price |
|----------|------------------------|-------|
| No. 1932 | Female 1/2"x Male 3/4" | 335 |
| No. 3219 | Female 3/4" Male 1/2" | 360 |

26TA Tubular Box Spanners

Made from Selected Steel Tubing, Zinc / Chrome Plated
Generally Conforming To IS 2030-1989



HSN-8204

| Metric Sizes (mm) | Price | Inner Packing | Std. Pkg. |
|-------------------|-------|---------------|-----------|
| 6x7 | 51 | 10 | 360 |
| 8x9 | 53 | 10 | 360 |
| 9x10 | 65 | 10 | 240 |
| 10x11 | 62 | 10 | 240 |
| 12x13 | 70 | 10 | 160 |
| 14x15 | 84 | 10 | 160 |
| 14x17 | 125 | 10 | 150 |
| 16x17 | 93 | 10 | 150 |
| 17x19 | 137 | 10 | 100 |
| 18x19 | 112 | 10 | 100 |
| 19x22 | 171 | 10 | 80 |
| 20x22 | 134 | 10 | 80 |
| 21x23 | 146 | 10 | 80 |
| 22x24 | 230 | 10 | 60 |
| 24x26 | 221 | 5 | 45 |
| 24x27 | 221 | 5 | 50 |
| 25x28 | 235 | 5 | 50 |
| 27x32 | 293 | 5 | 50 |
| 30x32 | 280 | 5 | 50 |

26TA Tubular Box Spanner Sets

Selected Steel Tubing, Chrome Plated

HSN-8204

| Set No. | Contents of Sets | Price | Std. Pkg. |
|----------|---|-------|-----------|
| 26TA/6M | 6x7, 8x9, x10x11, 12x13, 14x15, 16x17 Tommy Bar 10mm dia x 190mm Along with step of 8mm & 5mm | 527 | 24 |
| 26TA/8M | 6x7, 8x9, 10x11, 12x13, 14x15 16x17, 18x19, 20x22mm with Tommy Bar 10mm dia x 190mm Along with steps of 8mm & 5mm | 811 | 20 |
| 26TA/12M | 6x7 to 30x32 with Tommy Bar of 10x19 | 1746 | 10 |



29

Cross Rim Wrenches - Selected Carbon Steel, Chrome Plated Induction Hardened & Tempered

Generally Conforming To IS 12521-1988



| Description | Price | Std. Pkg. |
|---|-------|-----------|
| 29UM Four Way Size (17mm x 19mm) & (18mm x 21mm) | 550 | 12 |

27

Heavy Duty Wheel Wrenches

Selected Steel, Chrome Plated, Fully Hardened & Tempered



HSN-8204

| Size mm | Length (mm) | Prices | Std. Pkg. |
|-----------------------|-------------|--------|-----------|
| 24x27 (Telco) | 400 | 880 | 10 |
| 27x27 (Tata) | 400 | 880 | 10 |
| 27x30 (Tata) | 400 | 880 | 10 |
| 27x32 (Tata) | 400 | 880 | 10 |
| 27x33 (Tata/Layland) | 400 | 880 | 10 |
| 30x32 (Tata) | 400 | 880 | 10 |
| 32x32 (Tata) | 400 | 880 | 10 |
| 30x30 | 400 | 880 | 10 |
| 33x33 (Ashok Layland) | 400 | 880 | 10 |

| Size (mm) | Length (mm) | Prices | Std. Pkg. |
|-----------|-------------|--------|-----------|
| 32x32 | 550 | 1125 | 8 |
| 33x33 | 550 | 1125 | 8 |

Tommy Bars to be used for Heavy Duty Wrenches

HSN-8204

(Made Out of Selected Carbon Steel), Fully Hardened.

| Size (mm) | Prices |
|-----------|--------|
| 19x400 | 348 |
| 19x750 | 520 |

25 S

Wheel Spanners Hexagon Head

Selected Steel, Chrome Plated, Generally Conforming To IS 11874-1987



HSN-8204

| No. | Size | Length (mm) | Price | Std. Pkg. |
|-------------------------------|------------|-------------|-------|-----------|
| 25 (Indica) | 18 mm | 250 | 227 | 30 |
| 25 M (Maruti) with Hole | 19-3/4 SAE | 275 | 247 | 30 |
| 25B Bajaj | 19-3/4 SAE | 290 | 241 | 30 |
| 25 Mahindra | 20.9 mm | 310 | 255 | 30 |
| 25 (Inova / Toyota) with Hole | 21 mm | 275 | 275 | 30 |

125

Solid Box Wheel Wrenches (For Tractors)

Selected Steel, Chrome Plated, Fully Hardened & Tempered



HSN-8204

| Size mm | Length (mm) | Prices | Std. Pkg. |
|---------|-------------|--------|-----------|
| 19X22 | 250 | 575 | 20 |
| 24x27 | 250 | 575 | 20 |
| 24x26 | 250 | 575 | 20 |
| 22x24 | 250 | 575 | 20 |
| 27x32 | 250 | 575 | 20 |
| 27x33 | 250 | 575 | 20 |
| 30x32 | 250 | 575 | 20 |
| 32x32 | 250 | 575 | 20 |

92

All Steel Bench Vices

- The Body of The Bench Vices are Made of Fabricated Steel
- Bench Vices Are Hardened & Tempered Jaws Are Made of Carbon Steel



HSN-8205

| Artical No. | Sizes | | Weigth | Prices (Rs.) |
|-------------|---------|-------|--------|--------------|
| | In Inch | In mm | | |
| 923 | 3 | 75 | 3 KG | 2378 |
| 924 | 4 | 100 | 5 KG | 3530 |
| 925 | 5 | 125 | 11 KG | 5243 |
| 926 | 6 | 150 | 13 KG | 7200 |
| 928 | 8 | 200 | 17 KG | 8605 |



42A Allen Head Wrenches

CRV Steel, Burnished Finish, Fully Hardened & Tempered, Generally Conforming To IS 3082-1988

Heavy Duty



HSN-8204

| MM | SAE | Inner Packing | Prices (Rs.) | Std. Ply Master Carton |
|-----|------|---------------|--------------|------------------------|
| 1.5 | 1/16 | 50 | 10 | - |
| 2 | 5/64 | 50 | 10 | - |
| 2.5 | 3/32 | 50 | 10 | - |
| 3 | 1/8 | 50 | 10 | - |
| 4 | 5/32 | 20 | 17 | - |
| 5 | 3/16 | 20 | 22 | - |
| 6 | 7/32 | 20 | 30 | 500 |
| 7 | 1/4 | 10 | 47 | 500 |
| 8 | 5/16 | 10 | 47 | 200 |
| 9 | - | 10 | 69 | 200 |
| 10 | 3/8 | 10 | 78 | 200 |
| 12 | 1/2 | 10 | 156 | 100 |
| 14 | 9/16 | 10 | 206 | 100 |
| 17 | 5/8 | 5 | 351 | 50 |
| 19 | 3/4 | 5 | 479 | 50 |
| 22 | - | 1 | 947 | 30 |
| - | 7/8* | 1 | 999 | 25 |
| - | 1* | 1 | 1179 | 25 |
| 24 | - | 1 | 1091 | 20 |
| 27 | - | 1 | 1781 | 15 |
| 30 | - | 1 | 2727 | 10 |
| 32 | - | 1 | 3195 | 10 |
| 36 | - | 1 | 4675 | 5 |

42A Allen Head Wrench Sets

CRV Steel Burnished Finish



SAE Sizes

| Set No. | Contents of sets SAE | Prices | Std. Pkg. Master carton |
|---------------------|---|--------|-------------------------|
| 42/7A (In Polybags) | 5/64, 3/32, 1/8, 5/32, 3/16, 7/32 & 1/4 | 136 | 72 |
| 42/8A (In Polybags) | 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32 & 1/4 | 148 | 72 |
| 42/9A (In Polybags) | 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 | 267 | 60 |
| 42/10A (In Box) | 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, & 3/8 | 286 | 60 |
| mm Sizes | | | |
| 42/8M (In Blister) | 2, 2.5, 3, 4, 5, 6, 8, 10 | 226 | 60 |
| 42/9M (In Box) | 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 | 265 | 60 |

91 Adjustable Wrenches

Standard Pattern Selected Steel Generally Conforming To IS 6149-1984



HSN-8204

B-Burnished With Rounded Head, C-Chrome Plated With Polished Heads

| Size | Capacity (mm) | Prices | | Std. Pkg. Master Carton |
|------------|---------------|------------|------|-------------------------|
| | | Auto Black | C | |
| 150 MM 6" | 19 | 247 | 288 | 100 |
| 200 MM 8" | 26 | 285 | 354 | 72 |
| 250 MM 10" | 30 | 384 | 440 | 36 |
| 300 MM 12" | 35 | 513 | 617 | 24 |
| 375 MM 15" | 43 | 1330 | 1521 | 15 |
| 450 MM 18" | 55 | 3258 | 3760 | 10 |
| 600 MM 24" | 62 | 5225 | 6160 | 6 |

228 Heavy Duty Pipe Wrenches Aluminium Alloy

Generally Conforming To IS 4003 (Part-II)-1986



HSN-8205

| Size (Inches) | Prices | Std. Pkg. Master Carton |
|---------------|--------|-------------------------|
| 250 MM 10" | 1313 | 36 |
| 300 MM 12" | 1640 | 24 |
| 350 MM 14" | 1883 | 20 |
| 450 MM 18" | 3488 | 12 |
| 600 MM 24" | 4961 | 8 |

210 Chain Pipe Wrenches

Generally Conforming To IS 4123-1982



HSN-8204

| Size (mm) | Prices |
|-----------|--------|
| 210 (2") | 2496 |
| 210 (3") | 2938 |
| 210 (4") | 4877 |
| 210 (6") | 7037 |
| 210 (8") | 9978 |
| 210 (12") | 15497 |
| 210 (14") | 20790 |

210A Hollow Chain Pipe Wrench

Generally Conforming To IS 4123-1982



HSN-8204

| Size (mm) | Prices |
|-----------|--------|
| 210A (3") | 4050 |



225 Pipe Wrenches, Stillson Pattern

Selected Carbon Steel, Handles Red Japanned
Generally Conforming To IS 4003 (Part-I) 1978



HSN-8204

| Size (Inches) | Capacity (mm) | Prices | Inner Packing | Std. Pkg. Master Carton |
|---------------|---------------|--------|---------------|-------------------------|
| 200 MM 8" | 27 | 265 | 6 | 60 |
| 250 MM 10" | 35 | 324 | 6 | 36 |
| 300 MM 12" | 44 | 418 | 6 | 24 |
| 350 MM 14" | 48 | 501 | 4 | 20 |
| 450 MM 18" | 60 | 824 | 4 | 16 |
| 600 MM 24" | 76 | 1480 | 2 | 8 |
| 900 MM 36" | 100 | 3703 | 1 | 4 |
| 1200 MM 48" | 145 | 6916 | 1 | 2 |

227 Heavy Duty Pipe Wrenches

Generally Conforming To IS 4003 (Part-II) 1986
Made From Alloy Steel.



HSN-8204

| Size (Inches) | Max. Gripping Capacity (mm) | Prices | Std. Pkg. Master Carton |
|---------------|-----------------------------|--------|-------------------------|
| 200 MM 8" | - | 658 | - |
| 250 MM 10" | - | 764 | 15 |
| 300 MM 12" | - | 904 | 12 |
| 350 MM 14" | 63 | 1262 | 10 |
| 450 MM 18" | 75 | 2696 | 8 |
| 600 MM 24" | 90 | 2988 | 4 |
| 900 MM 36" | 140 | 6913 | 2 |
| 1200 MM 48" | 165 | 11645 | 1 |

137 Vice Grip Pliers Drop Forged Jaws

Carbon Steel, Chrome Plated
Generally Conforming To IS 10372-1982



HSN-8203

| Size (Inches) | Prices |
|---------------|--------|
| 250 MM 10" | 529 |

80 Slip Joint Pliers

Chrome Vanadium Steel
Generally Conforming To IS 13323-1992



HSN-8203

| Size | Prices PVC Coated | Std. Pkg. Master Carton |
|------|-------------------|-------------------------|
| 806 | 198 | 100 |
| 808 | 221 | 60 |

145 Water Pump Plier

Selected Steel Generally Conforming To IS 6118-191
Chrome Plated With Polished Head



HSN-8203

| Size (Inches) | Capacity (mm) | Prices | Inner Pkg. | Std. Pkg. Master Carton |
|---------------|---------------|--------|------------|-------------------------|
| 250 | 40 | 244 | 6 | 60 |

146 Box Joint Water Pump Plier

Chrome Vanadium Steel
Generally Conforming To IS 6118-1991

5 pcs Free in each Carton of 70 Pcs (65+5Free)



HSN-8203

| Size | Prices | Inner Pkg. | Std. Pkg. Master Carton |
|--------|--------|------------|-------------------------|
| 250 MM | 268 | 10 | 70 |

83 Diagonal Cutting Plier

Hardened Tempered Selected Steel
Generally Conforming To IS 4378-1990



HSN-8203

| No. Packing | Size (mm) | Prices | Inner Packing | Std. Pkg. Master Carton |
|-------------|-----------|--------|---------------|-------------------------|
| 836 | 150 (6") | 270 | 10 | 100 |

85 Wire Striper

Induction Hardened & Tempered
Generally Conforming To IS 5087-1969



HSN-8203

| No. Packing | Prices | Inner Packing | Std. Pkg. Master Carton |
|-------------|--------|---------------|-------------------------|
| 855 | 74 | 10 | 240 |



87 Circlip Pliers

Induction Hardened & Tempered
Chrome Vanadium Steel
Generally Conforming To IS 7989-1976
(INT), 7990-1976 (EXT)



HSN-8203

| Product Code | Size | Specification | Prices | Inner Pkg. | Std. Pkg. |
|--------------|-----------|-------------------|--------|------------|-----------|
| 87 IB | 175 MM 7" | Internal Bent | 269 | 6 | 72 |
| 87 IS | 175 MM 7" | Internal Straight | 269 | 6 | 72 |
| 87 EB | 175 MM 7" | External Bent | 269 | 6 | 72 |
| 87 ES | 175 MM 7" | External Straight | 269 | 6 | 72 |

818A Combination Side Cutting Plier

Selected steel with blue sleeves



HSN-8203

| No. Packing | Size (mm) | Prices | Inner Packing | Std. Pkg. Master Carton |
|-------------|-----------|-------------------------------------|---------------|-------------------------|
| | | Insulated With Thick Blue LDPE C.A. | | |
| 818A | 200 (8") | 252 | 12 | 72 |

81 Combination Side Cutting Pliers

Selected Steel,
Generally Conforming To IS 2615/1998/3650-1981



HSN-8203

| No. | Size (mm) | Prices Insulated With Tick LDPE / C.A. | Inner Packing | Std. Pkg. Master Carton |
|-------|-------------------|--|---------------|-------------------------|
| 816 | 150 (6") | 234 | 10 | 80 |
| 817 | 175 (7") | 245 | 6 | 60 |
| 818CV | 200 (8") CV steel | 282 | 6 | 60 |
| 810 | 250 (10") | 501 | 2 | 40 |

81PS COMBINATION PLIER-HEAVY DUTY-PROFESSIONAL SERIES



Blister Packing

HARDENED AND TEMPERED
GENERALLY CONFORMING IS IS 3650-1981

HSN-8203

| Size | Shelf Carton (Packing) | Price Per Pc. |
|----------|------------------------|---------------|
| 200mm(8) | 5 | 315 |

05 Bolt Cutters

Induction hardened & tempered Chrome Vanadium Steel
Suitable for cutting metal upto 25HRC (Hardness)
Generally Conforming To IS 5200-1998



HSN-8203

| Item No. | Length MM | Weight | Prices |
|----------|------------|---------|--------|
| 512 | 300 (12") | 0.75 kg | 1190 |
| 514 | 350 (14") | 1.00 kg | 1227 |
| 518 | 450 (18") | 1.50 kg | 1598 |
| 524 | 600 (24") | 2.40 kg | 2332 |
| 530 | 750 (30") | 4.00 kg | 3112 |
| 536 | 900 (36") | 5.5 kg | 3905 |
| 542 | 1050 (42") | 8.0 kg | 6100 |

05A Spare Jaws of Bolt Cutter

HSN-8203



| Item No. | Price |
|----------|-------|
| 512A | 625 |
| 514A | 692 |
| 518A | 865 |
| 524A | 1066 |
| 530A | 1446 |
| 536A | 2200 |
| 542A | 3241 |

84 Long Nose Pliers

Generally Conforming To IS 5658-1990



HSN-8203

| No. Packing | Size (mm) | Prices | Inner Packing | Std. Pkg. Master Carton |
|-------------|-----------|--------|---------------|-------------------------|
| 846 | 165 (6") | 250 | 10 | 100 |
| 848 | 200 (8") | 265 | 10 | 80 |

358 Cobbler Pincer

Induction Hardened & Tempered In Selected Steel



HSN-8203

| Article | Size Length (mm) | Prices (PVC DIP) | Std. Pkg |
|---------|------------------|------------------|----------|
| 358 | 200- (8") | 244 | 36 |

603 Line Tester

Screw Driver With Green/Yellow Neon Bulb With Plated Metal Clip Blades From Selected Steel, Chrome Plated & Insulated.
Generally Conforming To IS 5579-1985 (Grade-2)




HSN-8205

| No. | Handle Size (mm) | Blade Size (mm) | Tip Size (mm) | Prices | Inner Packing | Std. Pkg. |
|-----|------------------|-----------------|---------------|--------|---------------|-----------|
| 603 | 13x60 | 3.6x60 | 0.4x3.6 | 63 | 20 | 260 |

73 Screw Drivers Electrician Patterns

Blades from Selected Steel, Chrome Plated
Generally Conforming To IS 844-1979



HSN-8205

| No | Blade Size (mm) | Handle Size (mm) | Tips Size (mm) | Prices | Inner Packing | Std. Pkg. |
|------|-----------------|------------------|----------------|-----------|---------------|-----------|
| | | | | Insulated | | |
| 732 | 3X50 | 18X75 | 0.5X3 | 52 | 10 | 400 |
| 733 | 3X75 | 18X75 | 0.5X3 | 53 | 10 | 300 |
| 734 | 4X100 | 18X75 | 0.6X4 | 60 | 10 | 200 |
| 735 | 4X125 | 18X75 | 0.6X4 | 62 | 10 | 250 |
| 736 | 5X150 | 22X90 | 0.6X5 | 81 | 10 | 150 |
| 738 | 5X200 | 22X90 | 0.8X5 | 94 | 10 | 100 |
| 7310 | 5X250 | 22X90 | 0.8X5 | 93 | 10 | 100 |
| 7312 | 5X300 | 22X90 | 0.8X5 | 98 | 10 | 100 |

70 Reversible 2 in 1 Screw Drivers

(In Amery Colour) Blades From Selected Steel, Chrome Plated.
Generally Conforming To IS 844-1979



HSN-8205

| No | Blade Size (mm) | Tip Size (mm) | Prices | Inner Pkg. | Std. Pkg. |
|-----|-----------------|-------------------------|--------|------------|-----------|
| 700 | 6x100 | 0.8x6.0 (Philips No. 2) | 87 | 10 | 120 |
| 701 | 6x150 | 0.8x6.0 (Philips No. 2) | 95 | 10 | 120 |
| 702 | 6x200 | 0.8x6.0 (Philips No. 2) | 103 | 10 | 80 |
| 703 | 6x250 | 0.8x6.0 (Philips No. 2) | 117 | 10 | 80 |
| 704 | 6x300 | 0.8x6.0 (Philips No. 2) | 137 | 10 | 80 |

78 Screw Driver Kit

Screw Driver Kit (With Neon Bulb, With Eight Blades Consisting Extra Rod)
Generally Conforming To IS 844-1979



HSN-8205

| Item | Prices | Inner Packing | Std. Pkg. |
|------------------|--------|---------------|-----------|
| Screw Driver Kit | 330 | 5 | 60 |

71 In Green Handle

Reversible 2 in 1 Screw Drivers, Blades From Selected Steel, Chrome Plated.
Generally Conforming To IS 844-1979



HSN-8205

| No | Blade Size (mm) | Tip Size (mm) | Prices | Inner Packing | Std. Pkg. |
|-----|-----------------|-------------------------|--------|---------------|-----------|
| 710 | 6x100 | 0.8x6.0 (Philips No. 2) | 87 | 10 | 120 |
| 711 | 6x150 | 0.8x6.0 (Philips No. 2) | 95 | 10 | 120 |
| 712 | 6x200 | 0.8x6.0 (Philips No. 2) | 103 | 10 | 80 |
| 713 | 6x250 | 0.8x6.0 (Philips No. 2) | 117 | 10 | 80 |
| 714 | 6x300 | 0.8x6.0 (Philips No. 2) | 137 | 10 | 80 |

72 Screw Driver Engineers Patterns

Blades From Selected Steel, Chrome Plated.
Generally Conforming To IS 844-1979



HSN-8205

| No. | Blade Size (mm) | Handle Size (mm) | Tips Size (mm) | Prices | Inner Pkg. | Std. Pkg. |
|--------|-----------------|------------------|----------------|--------|------------|-----------|
| 723 | 5x75 | 18x75 | 0.6x5 | 65 | 10 | 160 |
| 724 | 6x100 | 22x90 | 0.6x6 | 66 | 10 | 160 |
| 725 | 6x125 | 22x90 | 0.8x6 | 70 | 10 | 150 |
| 7266 | 6x150 | 22x90 | 0.8x6 | 84 | 10 | 150 |
| 7288 | 6x200 | 22x90 | 0.8x6 | 95 | 10 | 100 |
| 7212 | 6x300 | 22x90 | 0.8x6 | 104 | 10 | 80 |
| 726 | 8x150 | 26x110 | 1.0x8 | 118 | 10 | 120 |
| 728 | 8x200 | 26x110 | 1.2x8 | 131 | 10 | 100 |
| 7210 | 8x250 | 29x110 | 1.2x8 | 136 | 10 | 80 |
| 7212 A | 8x300 | 29x110 | 1.2x8 | 150 | 10 | 100 |



135

Screw Drivers (Unbreakable)
Slotted Head - Striking



HSN- 8205

| Product No. | Blade Size Dia x Length (mm) | Tip Dimension mm | Std. Pkg. in a Box | Price | Std. Pkg. in Carton |
|-------------|------------------------------|------------------|--------------------|-------|---------------------|
| 1316 | 8x150 | 8.0x1.2 | 10 Pcs. | 164 | 200 Pcs. |
| 1318 | 8x200 | 8.0x1.2 | 10 Pcs. | 167 | 200 Pcs. |
| 1310 | 8x250 | 8.0x1.2 | 10 Pcs. | 185 | 200 Pcs. |
| 1312 | 8x300 | 8.0x1.2 | 10 Pcs. | 199 | 200 Pcs. |

140

Precision Screw Driver Sets
(For Mobile & Laptop)

Induction Hardened & Tempered Chrome Vanadium Steel



New

HSN-8205

| Content | Prices | Inner Pkg. | Std. Pkg. |
|--|--------|------------|-----------|
| Consisting 30 Extra Blades (PH000-2, Flat 1.5-4mm Torx T4-T10, Poker Round 1.5-4mm Poker Triangle 2.0-2.3mm) | 445 | 10 | 100 |

138

Voltage Alert Tester



HSN- 8206

| Item | Price |
|----------------------|-------|
| Voltage Alert Tester | 450 |

147

Two in One Stubby Screw Driver



HSN- 8205

| Product No. | Blade Length mm | Tip Dimen. mm | Price | Std. Pkg. |
|-------------|-----------------|----------------------|-------|-----------|
| 147 | 30 | 2 Phillips 6.0 x 0.8 | 130 | 10 |

131

Grease Gun (Push Type)



HSN- 8205

| Product Code | Size (OZ) | Capacity (gms) | Price | Std. Pkg. |
|--------------|-----------|----------------|-------|-----------|
| 126A | 4 | 280 | 350 | 25 |
| 126B | 8 | 450 | 410 | 25 |

90

Oil Can Pump



HSN-8413

| Product Code | Size (Pint) | Prices | Inner Packing | Std. Pkg. |
|--------------|-------------|--------|---------------|-----------|
| 901 | 1/4 | 147 | 6 | 54 |
| 902 | 1/2 | 163 | 6 | 54 |
| 903 | 3/4 | 183 | 6 | 36 |
| 904 | 1 | 197 | 6 | 36 |

93

Grease Gun with Fixed Spout



HSN-8205

| Product Code | Piston Size (Inch) | Capacity | | Prices Per Pc. (Rs.) | Std. Packing |
|--------------------------|--------------------|----------|-----|----------------------|--------------|
| | | OZ | GMS | | |
| 931 (In Gray colour) | 1/2 | 15 | 420 | 768 | 15 |
| 932 (In Black colour) | 5/8 | 15 | 420 | 906 | 15 |

97 Bucket Grease Gun With Trolley

Use Full For Cleaning Greasing Of Trucks & Machinery Pump Has Steel Construction With Cast Head And Solid Steel Pump Chamber. High Pressure Hand Operated Portable Pump Comes Complete With 2.2 Meter Of High Pressure House Fitted With Accessories.

*No Replacement if semisolid / dusted grease is used



HSN-8413

| Model No. | Capacity | Prices |
|-----------|----------|--------|
| 970 | 3 kg | 5100 |
| 971 | 5 kg | 6156 |
| 972 | 10 kg | 7214 |
| 973 | 15 kg | 7884 |
| 974 | 20 kg | 8100 |

97A Repairing Kit

HSN-8413

| Model No. | Contents | Price |
|---------------|--|-------|
| Repairing kit | Seal Bush, Seal Plate, Stopper Plunger, O Ring, Backup Washer, Plunger Rod, Seal Plunger | 700 |

116 Rotary Barrel Pump



HSN-8203

| Item Code | Size | Price | Pcs. per Carton |
|-----------|------|-------|-----------------|
| 116 | 90mm | 2300 | 6 |

105 Home Tool Kit



HSN 8204

| Contents of Tool Kit | Prices | Pkg. |
|---|--------|------|
| De Spanner 6x7-20x22 (Item Code : 12/8M) Pipe Wrench 12" (Item Code : 225/12), Screw Driver Kit (Item Code : 78) Combination Plier (Item Code : 818A), Adjustable Wrench 12" (Item Code : 91/12) Hammer 200gm (Item Code : 8602/200) Chisel 10x125mm (Item Code : 352A/107) Allen key Set (Item Code : 42/9M) Pouch | 2970 | 01 |

98 Bearing Pullar 2 legs (Chrome Plated)

Chrome Vanadium Steel



HSN-8205

| Product Code | Sizes | Prices |
|--------------|------------|--------|
| 983 | 3" - 75mm | 520 |
| 984 | 4" - 100mm | 682 |
| 986 | 6" - 150mm | 1040 |
| 988 | 8" - 200mm | 1381 |

99 Bearing Pullar 3 legs (Chrome Plated)

Chrome Vanadium Steel



HSN-8205

| Product Code | Sizes | Prices |
|--------------|-------------|--------|
| 993 | 3" - 75mm | 524 |
| 994 | 4" - 100mm | 691 |
| 996 | 6" - 150mm | 1021 |
| 998 | 8" - 250mm | 1560 |
| 9910 | 10" - 250mm | 4780 |
| 9912 | 12" - 300mm | 5784 |
| 9916 | 16" - 400mm | 17500 |
| 9920 | 20" - 500mm | 25200 |



106 Centre Punches

Generally Conforming to IS 7177-1999



HSN-8203

| Item code | Length (mm) | Price | Shelf Carton Pkg. |
|-----------|-------------|-------|-------------------|
| 4" | 100 | 65 | 10 |
| 5" | 125 | 75 | 10 |
| 6" | 150 | 90 | 10 |

152 Leather Punches



HSN-82034010

| Product No. | Length (mm) | Hole Size (mm) | Std. Pkg. | Price Each ₹ |
|-------------|-------------|----------------|-----------|--------------|
| 152A | 100 | 6 | 10 | 65 |
| 152B | 100 | 8 | 10 | 65 |
| 152C | 100 | 10 | 10 | 65 |

112 Ratchet Die Sets



HSN-8205

| Item Code | Size | MRP | Spare Chaser |
|-----------|-----------------|------|--------------|
| 112A | 1/2, 3/4, 1 | 3980 | 1090 |
| 112B | 1-1/4, 1-1/2, 2 | 9100 | 2062 |

113 Pipe Die Sets



HSN-8205

| Item Code | Size | Price |
|-----------|-----------------|-------|
| 113A | 1/2, 3/4, 1 | 2475 |
| 113B | 1-1/4, 1-1/2, 2 | 5700 |

107 Feeler Gauge (26 Blades in mm)

Made From Stainless Steel



HSN-9017

| Item Code | Size | Length | Price | No. of Blade |
|-----------|----------------|--------|-------|--------------|
| 4" | 0.03mm - 1.0mm | 4" | 336 | 26 |
| 6" | 0.03mm - 1.0mm | 6" | 546 | 26 |
| 12" | 0.03mm - 1.0mm | 12" | 1134 | 26 |
| 1MTR. | 0.03mm - 1.0mm | 1 mtr. | 3800 | 26 |

110 Jack Planes - Smooth Base



HSN-8205

| Size | Price | Master Carton Packing |
|---------|-------|-----------------------|
| 4 (9") | 1175 | 4 |
| 5 (14") | 1553 | 5 |
| 6 (18") | 1993 | 6 |

111 Jack Planes - Blade

HSN-8466

| Size mm | Shelf Carton Packing | Price |
|---------|----------------------|-------|
| 50 | 10 | 132 |

114 Block Planes



HSN-8205

| Product Code | Size | Price | Master Carton Packing |
|--------------|------|-------|-----------------------|
| 102 | 5" | 480 | 10 |
| 110 | 7" | 540 | 10 |



115

Oil Filter Belt Type Wrench



HSN-8204

| Size | Price |
|------|-------|
| 8" | 410 |

117

Oil Filter Chain Wrench (Forged)



HSN-8204

| Size | Price |
|------|-------|
| 8" | 440 |

119

Strap Wrench (Aluminium Handle)



HSN-8204

| Size | Prices | Master Carton |
|------|--------|---------------|
| 12" | 670 | 50 |

121

Oil Filter Wrenches

★ No Replacement / Warranty



HSN- 8204

| Description | Prices | Master Carton |
|-------------|--------|---------------|
| MARUTI | 195 | 72 |
| SANTRO | 195 | 72 |
| TATA | 204 | 60 |
| SUMO | 215 | 60 |

108

Mesh Cutters

Fully Hardened And Tempered
Made From Selected Steel



HSN-8203

| Item code | Length (mm) | Price | Carton Pkg. |
|-----------|-------------|-------|-------------|
| 108 A | 200 | 182 | 60 |
| 108 B | 250 | 228 | 50 |

118

Aviation Cutters

Generally Conforming to IS 6087



HSN- 8203

| Description | Length (mm) | Price |
|--------------------|-------------|-------|
| Straight Nose ATC. | 250 | 800 |

120

Tin Cutters

Heavy Duty With Spring

Generally Conforming to IS 6087-1971



HSN-8203

| Item Code | Size | Price |
|-----------|----------|-------|
| 8" | 8-200mm | 347 |
| 10" | 10-25mm | 473 |
| 12" | 12-300mm | 630 |
| 14" | 14-350mm | 788 |

126

Cable Cutters



HSN- 8203

| Product Code | Size mm | Max. Cut. Cap. (OD with PVC Sleeve in mm) | Price | Std. Pkg. |
|--------------|---------|---|-------|-----------|
| CT 06 | 150 | 9 | 400 | 5 |
| CT 08 | 200 | 10 | 515 | 5 |
| CT 10 | 250 | 15 | 815 | 5 |
| CT 18 | 450 | 22 | 1921 | 2 |
| CT 24 | 600 | 26 | 2572 | 1 |



129 PVC Plastic Pipe Cutters



HSN- 8203

| Product Code | Size mm | Price | Std. Pkg. |
|--------------|---------|-------|-----------|
| PVC 42 | Ø42.0MM | 500 | 1 |

130 Snap of Cutters (With 2 Extra Blades)



HSN- 8204

| Product Code | Blade Width mm | Price | Std. Pkg. |
|--------------|----------------|-------|-----------|
| SN-1 | 18 | 115 | 10 |

94 Hacksaw Frames Fixed

- Strong steel frame 6mm thick
- Plastic handle for comfortable grip with high carbon blade.



HSN-8202

| Product Code | Size (Pint) | Prices | Std. Packing |
|--------------|-------------|--------|--------------|
| 941 | 6" | 137 | 80 |
| 942 | 12" | 289 | 20 |

139 Step Drills



HSN- 8204

| Sizes | Price |
|--------|-------|
| 4-20mm | 820 |
| 4-32mm | 1340 |

127 Spirit Levels

(1.0mm Accuracy with Magnet)



HSN- 8203

| Product Code | Description | Size mm | Price | Std. Pkg. |
|--------------------|--------------|---------|-------|-----------|
| SL-12 (Heavy Duty) | Spirit Level | 300 | 540 | 5 |
| SL-18 | Spirit Level | 450 | 730 | 2 |
| SL-24 | Spirit Level | 600 | 830 | 2 |
| SL-36 | Spirit Level | 900 | 1300 | 2 |

96 Metal Tool Boxes (5 Ties)

- Steel sheet, strong hinges
- Robust carrying handle



HSN-7310

| Product Code | Size (Pint) | Prices | Std. Packing |
|---------------|-------------|--------|--------------|
| 9617 (3 Tier) | 18"X8"X6" | 2144 | 2 |
| 9618 (5 Tier) | 18"X8"X8" | 2500 | 2 |
| 9621 (5 Tier) | 21"X8"X8" | 2839 | 2 |

104 Tool Trolleys




HSN 9403

| Item Code | Size | Drawer | Price | Std. Pkg. |
|-----------|--------------|--------|-------|-----------|
| 104 A | 950x675x500 | 5 | 38102 | 1 |
| 104 B | 1070x675x500 | 7 | 48818 | 1 |



132 C-Type Half Moon (Ring Spanner)




HSN- 8204

| Size mm | Price | Master Carton |
|---------|-------|---------------|
| 8x10 | 197 | 500 |
| 10x11 | 175 | 300 |
| 11x13 | 197 | 300 |
| 12x13 | 197 | 300 |
| 14x15 | 228 | 200 |
| 14x17 | 306 | 150 |
| 16x17 | 306 | 150 |
| 17x19 | 386 | 150 |
| 18x19 | 405 | 120 |
| 19X22 | 481 | 100 |
| 20x22 | 418 | 100 |
| 21x23 | 512 | 100 |

19T T Type Socket Spanners

(Chrome Plated With Sleeves)



HSN-8204

| Size (MM) | Price | Master Carton |
|--------------------|-------|---------------|
| 8 mm (Heavy duty) | 175 | 100 |
| 9mm | 168 | 100 |
| 10 mm (Heavy duty) | 195 | 100 |
| 11mm | 189 | 80 |
| 12mm | 210 | 80 |
| 13mm | 210 | 80 |
| 14mm | 210 | 70 |

151 Revolving Punch Plier



HSN- 8203

| Size | Price | Shelf Packing |
|-------|-------|---------------|
| 200mm | 472 | 5 |

95 C-Clamps

Drop Forged (As Per IS 9181 - 1988)



HSN-8205

| Product Code | Max. Opening (mm) | Prices | Std. Packing |
|--------------|-------------------|--------|--------------|
| 952 | 55 | 369 | 30 |
| 953 | 80 | 512 | 25 |
| 954 | 105 | 698 | 20 |
| 956 | 155 | 1101 | 10 |
| 958 | 205 | 1574 | 8 |
| 9510 | 255 | 2811 | 5 |
| 9512 | 305 | 3728 | 5 |



150 Hand Riveter



New

HSN- 8205

| Size Rivet Dia. | Price | Shelf Packing |
|-----------------|-------|---------------|
| 2.4mm | 788 | 5 |
| 3.2mm | | |
| 4.0mm | | |
| 4.8mm | | |

142 Philips Double Head Screw Driver Bits

Chrome Vanadium Steel

New



HSN- 8205

| Product No. | Size | Price | Std. Packing |
|-------------|-------|-------|--------------|
| JSDB-65 | 65mm | 51 | 100 |
| JSDB-100 | 100mm | 71 | 100 |
| JSDB-150 | 150mm | 119 | 100 |

149 Hydraulic Bottle Jacks

New



HSN- 8425

| Product Code | Capacity | Min. Height | Lifting Height | Adjust Height | Price |
|--------------|----------|-------------|----------------|---------------|-------|
| JT-2T | 2 Ton | 158 | 90 | 60 | 1814 |
| JT-3T | 3Ton | 165 | 110 | 50 | 2000 |
| JT-5T | 5 Ton | 175 | 110 | 60 | 2450 |
| JT-8T | 8 Ton | 200 | 125 | 60 | 2860 |
| JT-10T | 10 Ton | 200 | 125 | 60 | 3149 |
| JT-20T | 20 Ton | 235 | 145 | 60 | 5500 |
| JT-50T | 50 Ton | 285 | 180 | | 11550 |

148 Torx Head Screw Driver Bits (Single Head)

New



HSN- 8205

| Product Code | Dia | Length | Size | Price | Std. Packing |
|--------------|------|--------|------|-------|--------------|
| JTSB-20 | 10mm | 30mm | 20mm | 75 | 50 |
| JTSB-25 | 10mm | 30mm | 25mm | 75 | 50 |
| JTSB-30 | 10mm | 30mm | 30mm | 75 | 50 |
| JTSB-40 | 10mm | 30mm | 40mm | 75 | 50 |
| JTSB-45 | 10mm | 30mm | 45mm | 75 | 50 |
| JTSB-50 | 10mm | 30mm | 50mm | 75 | 50 |
| JTSB-55 | 10mm | 30mm | 55mm | 75 | 50 |
| JTSDB-20 | 10mm | 75mm | 20mm | 120 | 50 |
| JTSDB-25 | 10mm | 75mm | 25mm | 120 | 50 |
| JTSDB-30 | 10mm | 75mm | 30mm | 120 | 50 |
| JTSDB-40 | 10mm | 75mm | 40mm | 120 | 50 |
| JTSDB-45 | 10mm | 75mm | 45mm | 120 | 50 |
| JTSDB-50 | 10mm | 75mm | 50mm | 120 | 50 |
| JTSDB-55 | 10mm | 75mm | 55mm | 120 | 50 |

NEW

153 MAGNETIC BAR



HSN- 8203

| Product No. | Description | Length (mm) | Std. Packing | Price Each ₹ |
|-------------|--------------|-------------|--------------|--------------|
| 153 | Magnetic Bar | 620 | 5 | 843 |



Tool Kit No. KT - 101 For Electrician

HSN 8206
LIST PRICE : 47500/-



Tool Kit No. KT - 102 For Submersible Pump

HSN 8206
LIST PRICE : 21000/-



| Description | Pcs. |
|---|------|
| 'JHALANI' Bi Hexagon Ring Spanner 6x7 - 30x32mm (Item Code : 13/12M) | 12 |
| 'JHALANI' Double Open End Spanner 6x7 - 30x32mm (Item Code : 12/121 M) | 12 |
| 'JHALANI' Pipe Wrench 250mm (Item Code : 225/10) | 1 |
| 'JHALANI' Side Cutting Plier 165 mm (Item Code : 836) | 1 |
| 'JHALANI' Combination Plier 210 mm (Item Code : 818CA) | 1 |
| 'JHALANI' Adjustable Wrench 250 mm (Item Code : 91/10") | 1 |
| 'JHALANI' Ball Pein Hammer 500 Gms (Item Code : 8602/500) | 1 |
| 'JHALANI' Flat Screw Drivers Insulated 4x100 (734) 4x125 (735) & 5x150 (736) & 5x200 mm (738) | 4 |
| 'JHALANI' Flat Screw Drivers 6x150(7266), 6x125 (725), 6x200 (7288) & 6x300mm (7212) | 4 |
| 'JHALANI' Screw Driver Philips Pattern 6x100 (700) & 6x150 mm (701) | 2 |
| 'JHALANI' 12.5 Square Drive Bi Hexagon Sockets 8-24, 26-28, 30, 32 mm (Item Code : D19) | 22 |
| 'JHALANI' Reversible Ratchet (Item Code : 1993QRi) | 1 |
| 'JHALANI' Extension Bar 250 mm (Item Code : 1991) | 1 |
| 'JHALANI' Sliding T-Handle 300 mm (Item Code : 1987) | 1 |
| 'JHALANI' Speed Brace 400 mm (Item Code : 1985) | 1 |
| 'JHALANI' L-Handle 300 mm (Item Code : 1981L/12) | 1 |
| 'JHALANI' Universal Joint 75 mm (Item Code : 1995) | 1 |
| 'JHALANI' Water Pump Plier 250 mm (Item Code : 146) | 1 |
| 'JHALANI' Allen Key 1.5-10 mm (Item Code : 42/9M) | 9 |
| 'JHALANI' C-Clamp 50 mm (Item Code : 952) | 1 |
| 'JHALANI' Centre Punches 150 mm (Item Code : 106/6") | 1 |
| 'JHALANI' Octagonal Chisel 200 mm (Item Code : 3531) | 1 |
| 'JHALANI' Hacksaw Frame 300 mm (Item Code : 942) | 1 |
| 'JHALANI' Pincer 200 mm (Item Code : 358) | 1 |
| 'JHALANI' Wire Striper 125 mm (Item Code : 855) | 1 |
| 'JHALANI' Oil Can (Item Code : 902) | 1 |
| 'JHALANI' Feeler Gauge Set of 26 Blades (in mm) (Item Code : 107/6") | 1 |
| 'JHALANI' Tool Box | 1 |
| Hacksaw Blade 300 mm | 10 |
| Half Round File with Handle 250 mm | 1 |
| Flat File Bastard with Handle 250 mm | 1 |
| Torque Wrench WT-100 | 1 |
| Measuring Tape Steel 3 Mtrs. | 1 |
| Stainless Steel Scale 300 mm | 1 |
| Wire Brush | 1 |
| Scissor | 1 |
| Drill Machine 10 mm | 1 |
| Locks | 2 |

Total Number of Contents including Locks & Metal Box : 106 Nos.

| Description | Pcs. |
|--|------|
| 'JHALANI' Bi Hexagon Ring Spanner 6x7 - 20x22 mm (Item Code : 13/8M) | 8 |
| 'JHALANI' Double Open End Spanner 6x7 - 20x22 mm (Item Code : 12/8M) | 8 |
| 'JHALANI' Pipe Wrench 450 mm & 350 mm (Item Code : 225/14,225/12) | 2 |
| 'JHALANI' Combination Plier 210 mm (Item Code : 818CA) | 1 |
| 'JHALANI' Long Nose Plier 165 mm (Item Code : 846) | 1 |
| 'JHALANI' Adjustable Wrench 300 mm (Item Code : 91/12) | 1 |
| 'JHALANI' Flat Screw Drivers 6x200 (7288) 8x250 (7210) & 8x300mm (7212A) | 3 |
| 'JHALANI' Ball Pein Hammer 800 gms (Item Code : 8602/800) | 1 |
| 'JHALANI' Cold Chisel 150 & 300 mm (Item Code : 352A/117, 352A/130) | 2 |
| 'JHALANI' Grease Gun (Item Code : 932) | 1 |
| 'JHALANI' Hacksaw Frame 300 mm (Item Code : 942) | 1 |
| Flat File Bastard with Handle 250 mm | 1 |
| Half Round File with Handle 250 mm | 1 |
| Measuring Tape Steel 3 Mtrs. | 1 |
| Wire Brush | 1 |
| Tuflon Tape | 5 |
| Locks | 1 |
| Tools Box | 1 |

Total Number of Contents including Locks & Metal Box : 40 Nos.



Tool Kit No. KT - 103 For Mechanics

HSN 8206
LIST PRICE : 52500/-



Tool Kit No. KT - 104 For Garage Maintenance

HSN 8206
LIST PRICE : 42000/-



| Description | Pcs. |
|--|------|
| ' JHALANI ' Bi Hexagon Ring Spanner 6x7 - 30x32mm (Item Code : 13/12M) | 12 |
| ' JHALANI ' Double Open End Spanner 6x7 - 30x32mm (Item Code : 12/121M) | 12 |
| ' JHALANI ' Pipe Wrench 250 mm & 300 mm (Item Code : 225/10, 225/12) | 2 |
| ' JHALANI ' Grip Locking Plier 250 mm (Item Code : 137) | 1 |
| ' JHALANI ' Circlip Plier Internal Straight 175 mm (Item Code : 87IS) | 1 |
| ' JHALANI ' Circlip Plier External Straight 175 mm (Item Code : 87ES) | 1 |
| ' JHALANI ' Side Cutting Plier 165 mm (Item Code : 836) | 1 |
| ' JHALANI ' Combination Plier 210 mm (Item Code : 818CA) | 1 |
| ' JHALANI ' Long Nose Plier 165 mm (Item Code : 846) | 1 |
| ' JHALANI ' Ball Pein Hammer 500 & 800 Gms (Item Code : 8602/500, 8602/800) | 2 |
| ' JHALANI ' Screw Driver Philips Pattern 6x150 (701) & 6x250 mm (703) | 2 |
| ' JHALANI ' Flat Screw Drivers 6x150(7260), 6x125(725), 8x150(726) 8x200 (728), 8x250 (7210) & 8x300mm (7212A) | 6 |
| ' JHALANI ' Flat Screw Drivers Insulated 5x150(736) & 5x200 (738) | 2 |
| ' JHALANI ' Adjustable Wrench 200 & 300 mm (Item Code : 91/8, 91/12) | 2 |
| ' JHALANI ' 12.5 Square Drive Bi Hexagon Sockets 10-24, 26-28, 30, 32 mm (Item Code : D19) | 20 |
| ' JHALANI ' Reversible Ratchet (Item Code : 1993QRI) | 1 |
| ' JHALANI ' Extension Bar 125 & 250 mm (Item Code : 1990/5, 1991) | 2 |
| ' JHALANI ' Sliding T-Handle 300 mm (Item Code : 1987) | 1 |
| ' JHALANI ' Speed Brace 400 mm (Item Code : 1985) | 1 |
| ' JHALANI ' Universal Joint 75 mm (Item Code : 1995) | 1 |
| ' JHALANI ' L-Handle 300 mm (Item Code : 1981L/12) | 1 |
| ' JHALANI ' Allen Key 1.5-10 mm (Item Code : 42/9M) | 9 |
| ' JHALANI ' C-Clamp 100 mm (Item Code : 954) | 1 |
| ' JHALANI ' Centre Punches 125 & 150 mm (Item Code : 106/5", 106/6") | 2 |
| ' JHALANI ' Octagonal Chisel 150 & 200 mm (Item Code : 3531, 3532) | 2 |
| ' JHALANI ' Hacksaw Frame 300 mm (Item Code : 942) | 1 |
| ' JHALANI ' Oil Can (Item Code : 902) | 1 |
| ' JHALANI ' Mallet Hammer (30M) (Item Code : 8610/30) | 1 |
| ' JHALANI ' Feeler Gauge Set of 26 Blades (In mm) (Item Code : 107/6") | 1 |
| JHALANI ' Tool Box | 1 |
| Hacksaw Blade 300 mm | 10 |
| Half Round File with Handle 250mm | 1 |
| Flat File Bastard With Handle 250mm | 1 |
| Torque Wrench WT - 160 | 1 |
| Measuring Tape Steel 3 Mtrs. | 1 |
| Wire Brush | 1 |
| Stainless Steel Scale 300mm | 1 |
| Insulation Tape | 1 |
| Tourch | 1 |
| Scissor | 1 |
| Lock | 2 |

| Description | Pcs. |
|--|------|
| ' JHALANI ' Bi Hexagon Ring Spanner 6x7 - 30x32mm (Item Code : 13/12M) | 12 |
| ' JHALANI ' Double Open End Spanner 6x7 - 30x32mm (Item Code : 12/121M) | 12 |
| ' JHALANI ' Circlip Plier Internal Straight 175 mm (Item Code : 87IS) | 1 |
| ' JHALANI ' Circlip Plier External Straight 175 mm (Item Code : 87ES) | 1 |
| ' JHALANI ' Grip Locking Plier 250 mm (Item Code :137) | 1 |
| ' JHALANI ' Side Cutting Plier 165 mm (Item Code : 836) | 1 |
| ' JHALANI ' Combination Plier 210 mm (Item Code : 818CA) | 1 |
| ' JHALANI ' Long Nose Plier 165 mm (Item Code : 846) | 1 |
| ' JHALANI ' Water Pump Box Joint Type Plier 250 mm (Item Code : 146) | 1 |
| ' JHALANI ' Adjustable Wrench 300 mm (Item Code : 91/12) | 1 |
| ' JHALANI ' Ball Pein Hammer 500 & 800 Gms (Item Code : 8602/500, 8602/800) | 2 |
| ' JHALANI ' Flat Screw Drivers 6x200 (7288), 8x200 (728) & 8x250 mm(7210) | 3 |
| ' JHALANI ' 12.5 Square Drive Bi Hexagon Sockets 10-24, 26-28, 30, 32 mm (Item Code : D19) | 20 |
| ' JHALANI ' Reversible Ratchet (Item Code : 1993QRI) | 1 |
| ' JHALANI ' Extension Bar 125 & 250 mm (Item Code : 1990/5, 1991) | 2 |
| ' JHALANI ' Sliding T-Handle 300 mm (Item Code : 1987) | 1 |
| ' JHALANI ' Speed Brace 400 mm (Item Code : 1985) | 1 |
| ' JHALANI ' Universal Joint 75 mm (Item Code : 1995) | 1 |
| ' JHALANI ' Centre Punches 150 mm (Item Code : 106/6") | 1 |
| ' JHALANI ' Octagonal Chisel 200 mm (Item Code : 352A/123) | 1 |
| ' JHALANI ' Mallet Hammer 40MM (Item Code : 8610/40) | 1 |
| ' JHALANI ' Mallet Hammer 25MM (Item Code : 8610/25) | 1 |
| ' JHALANI ' Allen Key (Short Pattern) 1.5 to 10 mm (Item Code : 42/9M) | 9 |
| ' JHALANI ' Oil Can (Item Code : 902) | 1 |
| ' JHALANI ' Feeler Gauge Set of 26 Blades (in mm) (Item Code : 107/6") | 1 |
| ' JHALANI ' Tool Box | 1 |
| Flat File Bastard with Handle 250 mm | 1 |
| Half Round File with Handle 250 mm | 1 |
| Wire Brush | 1 |
| Torque Wrench WT-50 | 1 |
| Locks | 2 |

Total Number of Contents including Locks & Metal Box : 113 Nos.

Total Number of Contents including Locks & Metal Box : 85 Nos.



JHALANI

An ISO 9001 : 2015 Certified Company

NON SPARKING TOOLS



TECHNICAL DETAIL BERYLLIUM COPPER / ALUMINIUM BRONZE

| ITEMS | BERYLLIUM COPPER | ALUMINIUM BRONZE |
|-----------------------|-----------------------------|---------------------------|
| COMPOSITION | Be : 1.8-2.3% | Al : 10-12% |
| - | Co+Ni : Over 0.2% | Ni : 4-6% |
| - | Co+Ni+Fe : Below 1.2% | Fe+Mn : Below 5.8% |
| - | Cu+Be+Co+Ni+Fe : Over 99.0% | Cu+AL+Ni+Fe+Mn : Over 99% |
| HARDNESS BRINELL | 283-365 | 229-291 |
| EXTENSIBILITY | 1.0% | 5% |
| BREAKING | 1117N/m m2 - 1326N/m m2 | 728N/mm2-989N m m2 |
| ELEASTICITY LIMIT | 840-880 | 450-550 |
| ELEC RESISTANCE | 8-6 | 8+12 |
| DILATATION COEFICIENT | 0.000012% | 0.000015% |
| DENSITY WEIGHT | 8.60 | 8.10 |
| MAGNETIC | 0 | 1.2 |



No.12NS

Double Open End Spanners

Made From Aluminum Bronze



HSN-8205

| Size | Price |
|-----------|-------|
| 6x7MM | 1042 |
| 8x9MM | 1157 |
| 10x11MM | 1330 |
| 12x13MM | 1793 |
| 14x15MM | 2280 |
| 16x17MM | 2400 |
| 18x19MM | 3400 |
| 20x22MM | 3859 |
| 21x23MM | 4134 |
| 24x26MM | 6714 |
| 24X27MM | 6359 |
| 25x28MM | 6725 |
| 30x32MM | 9482 |
| 32x36MM | 11576 |
| 36x41MM | 15049 |
| 41x46MM | 17364 |
| 46x50MM | 20837 |
| 1/8x3/16 | 2894 |
| 3/16x1/4 | 3009 |
| 1/4x5/16 | 2977 |
| 5/16x3/8 | 3472 |
| 3/8x7/16 | 4398 |
| 7/16x1/2 | 5788 |
| 1/2x9/16 | 6946 |
| 9/16x5/8 | 8681 |
| 5/8x3/4 | 10418 |
| 5/16x7/16 | 4398 |
| 7/16x9/16 | 9261 |

No.13NS

Ring Spanners

Made From Aluminum Bronze



HSN-8205

| Size | Price |
|-----------|-------|
| 6x7MM | 1080 |
| 8x9MM | 1281 |
| 10x11MM | 1488 |
| 12x13MM | 1922 |
| 14x15MM | 2205 |
| 16x17MM | 2480 |
| 18x19MM | 3287 |
| 20x22MM | 3885 |
| 21x23MM | 4200 |
| 24x26MM | 6449 |
| 24X27MM | 6449 |
| 25x28MM | 7056 |
| 30x32MM | 9867 |
| 32x36MM | 16538 |
| 36x41MM | 23704 |
| 41x46MM | 27563 |
| 46x50MM | 34178 |
| 1/8x3/16 | 2426 |
| 3/16x1/4 | 2756 |
| 1/4x5/16 | 3031 |
| 5/16x3/8 | 3308 |
| 3/8x7/16 | 4190 |
| 7/16x1/2 | 5513 |
| 1/2x9/16 | 7718 |
| 9/16x5/8 | 9371 |
| 5/8x3/4 | 12128 |
| 5/16x7/16 | 4961 |
| 7/16x9/16 | 7166 |

12NS

Double Open End Spanners Set

Made From Aluminum Bronze



HSN-8205

| Set No. | Contents of Sets | Price |
|-----------|--|-------|
| 12/8MNS | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 | 19845 |
| 12/121MNS | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32 | 37485 |
| 12/9WNS | 1/8" to 3/4" | 38588 |

13NS

Ring Spanners Set

Made From Aluminum Bronze



HSN-8205

| Set No. | Contents of Sets | Price |
|----------|--|-------|
| 13/8MNS | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 | 20948 |
| 13/12MNS | 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32 | 41895 |
| 13/9WNS | 1/8" to 3/4" | 44100 |



894 NS

Single Ended Open Ended Spanners

Made From Aluminum Bronze



HSN- 8205

| Size mm | Prices |
|---------|--------|
| 24mm | 4750 |
| 27mm | 5350 |
| 30mm | 5900 |
| 32mm | 6300 |
| 34mm | 6772 |
| 36mm | 6982 |
| 41mm | 7560 |
| 46mm | 9660 |
| 50mm | 10900 |
| 55mm | 12264 |
| 60mm | 14700 |
| 65mm | 18300 |
| 70mm | 21800 |
| 75mm | 24000 |

306 NS

Slugging Ring Spanners

Made From Aluminum Bronze



HSN-8205

| Size mm | Price |
|---------|-------|
| 24 MM | 3885 |
| 27 MM | 4620 |
| 30 MM | 5355 |
| 32 MM | 5775 |
| 34 MM | 6510 |
| 36 MM | 7000 |
| 38 MM | 8295 |
| 41 MM | 9660 |
| 46 MM | 11550 |
| 50 MM | 13230 |
| 55 MM | 15960 |
| 60 MM | 17220 |
| 65 MM | 18480 |
| 70 MM | 20475 |
| 75 MM | 23205 |
| 80 MM | 25095 |
| 85 MM | 30135 |
| 90 MM | 34000 |
| 95 MM | 40950 |

14 NS

Combination Spanners

Made From Aluminum Bronze



HSN- 8205

| Size mm | Prices |
|---------|--------|
| 6mm | 1470 |
| 7mm | 1680 |
| 8mm | 1890 |
| 9mm | 2100 |
| 10mm | 2310 |
| 11mm | 2520 |
| 12mm | 2730 |
| 13mm | 2835 |
| 14mm | 2940 |
| 15mm | 3045 |
| 16mm | 3255 |
| 17mm | 3360 |
| 18mm | 3570 |
| 19mm | 3654 |
| 20mm | 3885 |
| 21mm | 4200 |
| 22mm | 4410 |
| 23mm | 4778 |
| 24mm | 5093 |
| 25mm | 5723 |
| 26mm | 6510 |
| 27mm | 7350 |
| 28mm | 7823 |
| 30mm | 8925 |
| 32mm | 9450 |

133 NS

Slugging Open Spanners

Made From Aluminum Bronze



HSN-8205

| Size mm | Price |
|---------|-------|
| 24 MM | 3255 |
| 27 MM | 4095 |
| 30 MM | 5145 |
| 32 MM | 5985 |
| 36 MM | 7455 |
| 38 MM | 8295 |
| 41 MM | 9345 |
| 46 MM | 11393 |
| 50 MM | 13010 |
| 55 MM | 15766 |
| 60 MM | 18900 |
| 65 MM | 22050 |
| 70 MM | 24570 |
| 75 MM | 27720 |
| 80 MM | 34650 |
| 85 MM | 42000 |
| 90 MM | 46515 |



91 NS Adjustable Spanners

Made From Aluminum Bronze



HSN-8205

| Size (Inches) | Size mm | Price |
|---------------|-----------|-------|
| 4" | 13x100 MM | 4148 |
| 6" | 18x150 MM | 4935 |
| 8" | 24x200 MM | 6668 |
| 10" | 30x250 MM | 8505 |
| 12" | 36x300 MM | 10710 |
| 15" | 46x375 MM | 16800 |
| 18" | 55x450 MM | 22575 |

225 NS Pipe Wrenches

Made From Aluminum Bronze



HSN-8205

| Size (Inches) | Size mm | Price |
|---------------|------------|-------|
| 8" | 25x200 MM | 7140 |
| 10" | 30x250 MM | 7875 |
| 12" | 40x300 MM | 9975 |
| 14" | 50x350 MM | 12180 |
| 18" | 60x450 MM | 18375 |
| 24" | 75x600 MM | 28298 |
| 36" | 125x900 MM | 52500 |

D19/ J19 NS 1/2" SQ. DR. ACCESSORIES


Made From Aluminum Bronze

HSN-8205

| No. | Description | Price |
|-------------|--|--------|
| 1993NS | Reversible Ratchet | 6300 |
| 1987NS | T Handle | 7875 |
| 1990/5NS | Extension Bar 125mm | 5775 |
| 1991NS | Extension Bar 250mm | 8400 |
| 1985NS | Universal Joint | 4725 |
| D19/J19TMNS | 1/2" SQ. Socket Set 8mm to 32mm (22 sockets 5 accessories) | 115500 |

42A NS Allen Key (MM/SAE) Size

Made From Aluminum Bronze



HSN-8205

| Sizes | Price |
|-------|-------|
| 1.5MM | 1654 |
| 2MM | 1874 |
| 2.5MM | 1985 |
| 3MM | 2007 |
| 4MM | 2039 |
| 5MM | 2066 |
| 6MM | 2149 |
| 8MM | 2448 |
| 10MM | 2921 |
| 12MM | 3528 |
| 14MM | 4741 |
| 17MM | 5733 |
| 19MM | 6395 |
| 22MM | 7552 |
| 1/16" | 1874 |
| 5/64" | 1985 |
| 3/32" | 2061 |
| 1/8" | 2205 |
| 5/32" | 2480 |
| 3/16" | 2590 |
| 7/32" | 2701 |
| 1/4" | 2811 |
| 5/16" | 3087 |
| 3/8" | 3308 |
| 1/2" | 3969 |

D19/ J19 NS 1/2" SQ. DR. Sockets

Made From Aluminum Bronze



HSN-8205

| Size mm | Prices |
|---------|--------|
| 6mm | 2625 |
| 7mm | 3045 |
| 8mm | 3150 |
| 9mm | 3360 |
| 10mm | 3675 |
| 11mm | 4200 |
| 12mm | 4410 |
| 13mm | 4620 |
| 14mm | 4830 |
| 15mm | 4935 |
| 16mm | 5040 |
| 17mm | 5250 |
| 18mm | 5460 |
| 19mm | 5670 |
| 20mm | 5775 |
| 21mm | 5880 |
| 22mm | 5985 |
| 23mm | 6090 |
| 24mm | 6195 |
| 25mm | 6300 |
| 26mm | 6400 |
| 27mm | 6510 |
| 28mm | 6615 |
| 29mm | 6720 |
| 30mm | 6852 |
| 32mm | 7035 |



42A NS Allen Key Set

Made From Aluminum Bronze



HSN- 8205

| Set No. | Contents of Sets | Price |
|-------------|------------------|-------|
| 42/10W (NS) | 1/16" to 3/8" | 20948 |
| 42/9M (NS) | 1.5MM to 10MM | 18743 |

81 NS Combination Plier

Made From Aluminum Bronze



HSN- 8205

| No. | Size | Price |
|--------|------|-------|
| 816 NS | 6" | 6284 |
| 817 NS | 7" | 7644 |
| 818 NS | 8" | 8505 |

83 NS Diagonal Cutting Pliers

Made From Aluminum Bronze



HSN- 8205

| No. | Size | Price |
|--------|------|-------|
| 836 NS | 6" | 6615 |
| 838 NS | 8" | 7607 |

84 NS Snap Ring (Internal) Pliers

Made From Aluminum Bronze



HSN- 8205

| Size | Price |
|------|-------|
| 8" | 7166 |
| 10" | 9923 |

87 NS Snap Ring (External) Pliers

Made From Aluminum Bronze



HSN- 8205

| Size | Price |
|------|-------|
| 8" | 7166 |
| 10" | 9923 |

146 NS Pump Pliers 10"

Made From Aluminum Bronze




HSN- 8205

| No. | Size | Price |
|----------|-------|-------|
| 146 (NS) | 250MM | 13125 |

8602 NS Hammer With Handle (Ball Pein)

Made From Aluminum Bronze



HSN- 8205

Precision Casting

| Size | Price |
|---------|-------|
| 230 GMS | 1890 |
| 340 GMS | 2835 |
| 450 GMS | 3725 |
| 680 GMS | 5355 |
| 910 GMS | 7350 |

8602 NS Sledge Hammer With Handle

Made From Aluminum Bronze



HSN- 8205

Precision Casting

| Size | Price |
|----------|-------|
| 1000 GMS | 7254 |
| 1500 GMS | 10805 |
| 1800 GMS | 13010 |
| 2000 GMS | 14333 |
| 2500 GMS | 17640 |
| 2700 GMS | 18743 |
| 3000 GMS | 21168 |
| 3600 GMS | 25027 |
| 4000 GMS | 28114 |
| 4500 GMS | 30870 |
| 5000 GMS | 33075 |

846NS Long Nose Pliers

Made From Aluminum Bronze



HSN- 8205

| Size | Price |
|------|-------|
| 6" | 6615 |
| 8" | 7718 |



75 NS Slotted Screw Drivers

Made From Aluminum Bronze



HSN- 8205

| No. | Size | Price |
|--------|----------|-------|
| 754NS | 100x4MM | 1365 |
| 755NS | 100x5MM | 1470 |
| 756NS | 100x6MM | 1523 |
| 7566NS | 150x6MM | 1943 |
| 758NS | 150x8MM | 2100 |
| 7588NS | 200x8MM | 2310 |
| 7510NS | 250x8MM | 3098 |
| 7512NS | 300x10MM | 3675 |

76 NS Phillips Screw Drivers

Made From Aluminum Bronze



HSN- 8205

Cold Rolled

| No. | Size | Price |
|--------|--------|-------|
| 762NS | 50 MM | 1103 |
| 763NS | 75 MM | 1229 |
| 764NS | 100 MM | 1418 |
| 766NS | 150 MM | 1943 |
| 768NS | 200 MM | 2415 |
| 7610NS | 250 MM | 3203 |
| 7612NS | 300 MM | 3780 |

943 NS Hacksaw Blades

Made From Aluminum Bronze



HSN- 8205

Cold Rolled

| Size | Price |
|--------|-------|
| 300 mm | 4410 |

94 NS Hacksaw Frame

Made From Aluminum Bronze



HSN- 8205

Cold Rolled

| No. | Size | Price |
|-------|--------|-------|
| 942NS | 500 MM | 13440 |

103 NS Cylinder Key

Made From Aluminum Bronze



HSN- 8205

Drop Forged

| Size | Price |
|------|-------|
| 8 MM | 4200 |

104 NS Common Knife

Made From Aluminum Bronze



HSN- 8205

Drop Forged

| No. | Size | Price |
|---------|--------|-------|
| 104/8" | 185 MM | 3675 |
| 104/10" | 250 MM | 4515 |

105 NS Carbide Drum Opener

Made From Aluminum Bronze



HSN- 8205

Drop Forged

| Size | Price |
|--------|-------|
| 280 MM | 6300 |

106 NS Crate Opener

Made From Aluminum Bronze



HSN- 8205

Drop Forged

| Size | Price |
|--------|-------|
| 230 MM | 5775 |

352A NS Chisel

Made From Aluminum Bronze



HSN- 8205

| No. | Size | Price |
|-------|----------|-------|
| 107NS | 12X150MM | 2153 |
| 117NS | 19X150MM | 3570 |
| 123NS | 25X150MM | 8500 |
| 126NS | 19X200MM | 4200 |
| 127NS | 19X250MM | 7350 |
| 130NS | 24X300MM | 8400 |



Brand-Delivering Quality Since 1961

The Krishna American Oil Co.
www.kamco.co.in | 8567041000



Registration Certificate

This is to certify that

FERRETERRO TOOLS LLP

A-157, SECTOR 83, NOIDA,
UTTAR PRADESH- 201301 (INDIA)

has been assessed and certified by RBS Cert
as meeting the requirements of

ISO 9001:2015

Quality Management System

For the following scope of activities:

Manufacturing & trading of "JHALANI" brand hand tools

Date of initial Registration: 21st December 2023
1st Surveillance Audit Due: 20th December 2024

2nd Surveillance Audit Due: 20th December 2025
Recertification Due: 20th December 2026

Certificate Number: 2016081011387R

Validity of this certificate is subject to Annual Surveillance audits to be done successfully on or before 365 days from date of the Audit.
(In case Surveillance Audit is not allowed to be conducted; this certificate shall be Suspended/ withdrawn).

The validity of this certificate can be verified at www.rbscert.com
This Certificate of registration remains the Property of RBS Quality Certification Pvt. Ltd., and shall be returned immediately upon request.

Email :- info@rbscert.com website : www.rbscert.com

RBS Quality Certification Pvt. Ltd. is Accredited
by IAF-UK Ltd. (www.iaf-uk.co.uk)
Kemp house 160, City Road, London,
United Kingdom, EC1V 2NX, UK



Director

Branches

• *Delhi*

M/S JHALANI TRADE CENTRE
3641, Gali Lohewali, Chawri Bazar, Delhi -110 006
Tel: 9810692167, 9582059971
E-mail : jhalanitrade@yahoo.com

• *Chennai*

M/S FERRETERRO INDIA PVT. LTD.
43, Muthumari Chetty Street, Chennai-600 001
Tel: 044-2522 4423, 09841346306
E-mail : jhalanitoolschennai@gmail.com
surendran@ferreterro.com

• *Kolkata*

M/S FERRETERRO INDIA PVT. LTD.
Century Plaza, II Floor, Room No.-213
81, N.S. Road, Kolkata - 700001
Tel: 033-22623068, 40619230
Mob. : 9883725121, 9007917580
E-mail: kolkata@ferreterro.com

• *Ahmedabad*

M/S FERRETERRO INDIA PVT. LTD.
Shop No.-31,Block-A, First Floor Austvinayak
Complex, Dariapur Ahmedabad-380004
Mob. : 079-22181401, 7574859254 / 52
E-mail : gujarat@ferreterro.com

• *Jaipur*

M/S FERRETERRO INDIA PVT. LTD.
C-12, Subhash Nagar Shopping Center,
Shastri Nagar, Jaipur-302016 (Rajasthan)
Phone : 0141-4027200, 9887320200
E-Mail : jaipur@ferreterro.com

• *Jalandhar*

M/S FERRETERRO INDIA PVT. LTD.
Nehru Garden Road, Basement Hotel Diamond
Near Daily Ajeet Press, Jalandhar City-144001
Phone : 0181-4649734, +91-9870201037
E-mail : punjab@ferreterro.com

FULL UNCONDITIONAL DURATION WARRANTY

If the Item is found to have any latent manufacturing defect, please return it to any of our sales depot.
or authorised dealer for a free replacement

FERRETERRO TOOLS LLP

Corporate office : A-147, Sector 83, NOIDA (U.P.) 201305 INDIA
Phone No : 0120-4222741
Mobile No : +91-7428573629, +91-7428753630
E-mail : office@ferreterrotools.com
Website : www.ferreterrotools.com

