




**nicon**  
PRECISION VICES

WE MAKE  
MASTER  
PIECES



## VICES & WORKHOLDING **DEVICES**

PRODUCT PRICE LIST #116  
W.E.F. 1ST JANUARY, 2026

Finest Range of Precision Vices in India.

- 5 AXIS VICES
- MODULAR VICES
- CNC MACHINE VICES
- SELF CENTRING VICES
- HYDRAULIC VICES

## About us

Y.H. Tools Manufacturers Pvt. Ltd. came into existence in the year 1979 on a microscopic scale employing a few skilled labors who pioneered in Vices and work holding devices with firm devotion moreover, under the strong leadership of our Founder Late Mr. Harbans Singh.

Owing to our consistent efforts, dedication, innovation, and consistent performance, we have successfully built long-standing relations with our customers. We have a large and delighted client base in India, and many other countries. We are the most professional precise vice manufacturer in India.

There are several CNC milling, turning and surface grinding machines in our company, so we can control and process the quality of precision by ourselves. As a result of this, only flawless products are manufactured. These products find application in a large number of industries. They are competitively priced and are highly durable and long lasting.

Quality is synonymous to the products offered by Y.H. Tools Manufacturers Pvt. Ltd. We give full value for the money invested by our esteemed clients. A team of quality monitors keeps a strict vigil on the production process, thereby leaving no scope for any loopholes. The departments of administrative, financial, sales, R&D and quality which cooperate closely with each other to become a firm management team.

In the current great environment of the international market, we keep the existing products improving. Furthermore, our R&D department develops new products to satisfy our customers and different demands. Upgradation of technology also forms a regular feature with the firm to keep pace with the changing market scenario.

### **GUARANTEE**

Nicon products are made of selected raw material. Nicon Products are guaranteed against any manufacturing defect. This warranty does not apply to goods which have been altered or misused.

### **IMPORTANT**

Due to research and development programs, the design and particulars of all Products, given in this pricelist are subject to change without prior notice to anybody.



### CODE N-171

#### NICON PRECISION LOCK DOWN JAW MACHINE VICE

Ideal For:  
CNC Machining Centre  
& Milling Machines

| Model   | Jaw Width | Opening | Price   | S/Base  |
|---------|-----------|---------|---------|---------|
| MMV100  | 110mm     | 125mm   | 17600/- | 3900/-  |
| MMV150  | 160mm     | 175mm   | 26960/- | 5980/-  |
| MMV160+ | 160mm     | 225mm   | 33400/- | 5980/-  |
| MMV200  | 210mm     | 250mm   | 51792/- | 11800/- |
| MMV200+ | 210mm     | 300mm   | 59860/- | 11800/- |
| MMV300  | 310mm     | 400mm   | 99980/- | 16850/- |



- Accuracy In Squareness 0.02/100mm
- Ductile Cast Iron Body
- Available In Fixed & Swivel Base
- Max. Clamping pressure 3500kg.
- Induction Hardened Slideways

### CODE N-131

#### NICON PRECISION COMPACT LOCK DOWN JAW MACHINE VICE

Ideal For:  
CNC Machining Centre &  
Milling Machines

| Model  | Jaw Width | Opening | Price   |
|--------|-----------|---------|---------|
| CMV150 | 150mm     | 150mm   | 31960/- |



- Accuracy In Squareness 0.02/100mm
- Ductile Cast Iron Body
- Available In Fixed Base
- Max. Clamping pressure 3000kg.
- Induction Hardened Slideways

### CODE N-132

#### NICON SELF CENTRING LOCK DOWN JAW VICE

Ideal For:  
Machining Centre &  
Milling Machines

| Model   | Jaw Width | Max. Opening | Price   |
|---------|-----------|--------------|---------|
| SCV 150 | 150mm     | 150mm        | 35260/- |




- Accuracy In Squareness 0.02/100mm
- Ductile Cast Iron Body
- Available In Fixed Base
- Max. Clamping pressure 2000kg.

### CODE N-101

#### NICON PRECISION MODULAR MACHINE VICE

Ideal For:  
CNC Machining Centre,  
Grinding Machine &  
Milling Machines

| Model    | Jaw Width | Opening | Price    |
|----------|-----------|---------|----------|
| PMV100   | 110mm     | 170mm   | 49900/-  |
| PMV150   | 150mm     | 225mm   | 61700/-  |
| PMV 150+ | 150mm     | 300mm   | 67900/-  |
| PMV 200  | 200mm     | 400mm   | 141800/- |
| PMV 200+ | 200mm     | 500mm   | 159800/- |




- Accuracy In Squareness 0.02mm
- High Alloyed Quality Resistance
- Drop Forged Steel Body & Parts
- Case Hardened HRC 60±2
- Max. Clamping pressure 3500kg.

### CODE N-102

#### NICON PRECISION TWO PIECE MODULAR MACHINE VICE

Ideal For:  
CNC Machining Centre &  
Milling Machines for hold the  
Long Work Pieces

| Model   | Jaw Width | Opening   | Price   |
|---------|-----------|-----------|---------|
| TPMV150 | 150mm     | Unlimited | 68980/- |



- Accuracy In Squareness 0.02mm
- High Alloyed Quality Resistance
- Drop Forged Steel Body & Parts
- Case Hardened HRC 60±2
- Max. Clamping pressure 3500kg.


### CODE N-108

#### NICON PRECISION MODULAR MACHINE VICE

(with parallel Jaws)

Ideal For:  
CNC Machining Centre,  
Grinding Machine &  
Milling Machines

| Model   | Jaw Width | Opening | Price   |
|---------|-----------|---------|---------|
| MPV125  | 125mm     | 175mm   | 45800/- |
| MPV150  | 150mm     | 225mm   | 54900/- |
| MPV150+ | 150mm     | 300mm   | 61600/- |



- Accuracy In Squareness 0.02mm
- High Alloyed Quality Resistance
- Drop Forged Steel Body & Parts
- Case Hardened HRC 60±2
- Max. Clamping pressure 3500kg.

### CODE N-121

#### NICON PRECISION SELF CENTRING 5-AXIS MACHINE VICE

Ideal For:  
4th & 5th Axis CNC Machining  
Centre & Milling Machines

| Model  | Jaw Width | Opening | Price   |
|--------|-----------|---------|---------|
| FAV50M | 50mm      | 60mm    | 59200/- |
| FAV 50 | 50mm      | 100mm   | 60600/- |



- Accuracy In Squareness 0.01/100mm
- High Alloyed Quality Resistance Steel Body
- Case Hardened HRC 60±2
- Max. Clamping pressure 2000kg.

### CODE N-121

#### NICON PRECISION SELF CENTRING 5-AXIS MACHINE VICE

Ideal For:  
4th & 5th Axis CNC Machining  
Centre & Milling Machines

| Model     | Jaw Width | Opening | Price   |
|-----------|-----------|---------|---------|
| FAV80M    | 80mm      | 85mm    | 62600/- |
| FAV80     | 80mm      | 115mm   | 64800/- |
| FAV100    | 100mm     | 125mm   | 68700/- |
| FAV125    | 120mm     | 160mm   | 74800/- |
| FAV125+   | 125mm     | 210mm   | 84400/- |
| FAV125-XL | 125mm     | 250mm   | 97600/- |



- Accuracy In Squareness 0.01/100mm
- High Alloyed Quality Resistance Steel Body
- Case Hardened HRC 60±2
- Max. Clamping pressure 3000kg.

### CODE N-122

#### NICON SELF CENTRING PROFILE CLAMPING VICE

Ideal For:  
4 & 5th Axis CNC  
Machining Centre, 3 Axis  
Machining Centre



| Model    | Jaw Width | Opening | Price   |
|----------|-----------|---------|---------|
| PCV80    | 125mm     | 130mm   | 69980/- |
| PCV125   | 160mm     | 190mm   | 80900/- |
| PCV125+  | 160mm     | 240mm   | 92200/- |
| PCV125xL | 160mm     | 290mm   | 99980/- |

- Accuracy in Squareness 0.02/100mm
- High Alloyed Quality Resistance Steel Body
- Case Hardened HRC 60±2
- Max. Clamping pressure 3000kg.

### CODE N-128

#### GRIP LOCK ZERO POINT CLAMPING RECEIVER PLATE

Ideal For:  
4 & 5th Axis CNC  
Machining Centre 3 Axis  
Machining Centre



| Model | PCD       | Size         | Price   |
|-------|-----------|--------------|---------|
| GL52M | 52x52mm   | 107x107x27mm | 40500/- |
| GL52  | 52x52mm   | 150x116x27mm | 42000/- |
| GL56  | 96mmx96mm | 192x156x27mm | 56000/- |

- Accuracy 0.01mm
- High Alloyed Quality Resistance Steel Body
- Case Hardened HRC 60±2

### CODE N-129

#### PULL STUDS FOR GRIPLOCK ZERO POINT RECEIVER

Ideal For:  
4 & 5th Axis CNC  
Machining Centre 3 Axis



| Model | Size | Price Per Pc. |
|-------|------|---------------|
| NPS16 | 16mm | 1100/-        |
| NPS20 | 20mm | 1300/-        |

- High Alloyed Quality Resistance Steel Body
- Case Hardened HRC 60±2

### CODE N-123

#### NICON RAISER BLOCK FOR 5 AXIS VICES (WITHOUT VICE)

Ideal For:  
5 Axis CNC  
Maching Centres



| Model  | Suitable for models | Price   |
|--------|---------------------|---------|
| RBA80  | FAV80               | 38700/- |
| RBA100 | FAV100              | 40200/- |
| RBA125 | FAV125              | 44360/- |

- Made from High Alloy Aluminum with Anodized Coating

### CODE N-124

#### NICON 3 FACE PYRAMID RAISER BLOCK (WITHOUT VICES)

Ideal For:  
5 Axis CNC  
Machining Centres



| Model  | Size  | Suitable for models   | Price   |
|--------|-------|-----------------------|---------|
| PRB310 | 310mm | FAV50, FAV80M, FAV80, | 86980/- |

- Made from High Alloy Aluminum with Anodized Coating

### CODE N-130S

#### ADAPTOR PLATES FOR 5 AXIS VICES

Ideal for:  
4th, 5 Axis CNC Machines  
& Rotary Tables



| Model    | Dia   | Suitable for models             | Price   |
|----------|-------|---------------------------------|---------|
| NSPS-160 | 160mm | FAV50M, FAV50, 80, 80M          | 28000/- |
| NSPS-220 | 220mm | FAV50, 50MM, 80MM, 80, 100, 125 | 38000/- |

### CODE N-130A

#### ADAPTOR PLATES FOR 5 AXIS VICES

Ideal For:  
5 Axis CNC  
Machining Centres Rotary  
Tables




| Model    | Dia   | Suitable for models           | Price   |
|----------|-------|-------------------------------|---------|
| NSPA-160 | 160mm | Fav50m, Fav50, 80             | 28000/- |
| NSPA-220 | 220mm | Fav50, 80m, 80, 80m, 100, 125 | 38000/- |

- Made from High Alloy Aluminum with Anodized Coating
- Accuracy in Flatness 0.01/100mm

### CODE N-410

#### SINGLE STATION FIXTURE FOR 4TH AXIS ROTARY TABLE

Ideal for:  
4 Axis CNC Machines  
& Rotary Tables



| Model  | Suitable for models            | Price    |
|--------|--------------------------------|----------|
| SSF150 | FAV50M, FAV50, 80Q, 80M, GL-52 | 106000/- |
| SSF200 | FAV125, 125+100, GL95          | 122000/- |


- Accuracy 0.02/100MM
- High Alloyed Quality Resistance Steel Body
- Case Hardened HRC 50±2

### CODE N-411

#### DOUBLE STATION FIXTURE FOR 4th AXIS ROTARY TABLES

Ideal For:  
4 Axis CNC Machines  
& Rotary Tables

| Model  | Suitable for models | Price    |
|--------|---------------------|----------|
| DSF150 | FAV50               | 118000/- |
|        | FAV80, 80mm         |          |
| DSF200 | FAV125,             | 135000/- |
|        | FAV125+,            |          |
|        | GL96                |          |




- Accuracy 0.02/100MM
- High Alloyed Quality Resistance Steel Body
- Case Hardened HRC 50±2

### CODE N-412

#### MULTI STATION FIXTURE FOR 4TH AXIS ROTARY TABLES

Ideal For:  
4th Axis CNC  
Rotary Tables

| Model  | Suitable for models        | Price    |
|--------|----------------------------|----------|
| MSF100 | FAV50,<br>80 80MM,<br>GL52 | 138000/- |




- Accuracy in Squareness 0.02mm/100mm
- High Alloyed Quality Resistance Steel Body
- Case Hardened HRC 50±2

### CODE N-103S

#### NICON MULTI GRIP MACHINE VICE WITH SERRATED SLIDE WAYS

Ideal For:  
CNC Machining Centre,  
Grinding Machine &  
Milling Machines

| Model   | Length | Width | Price   |
|---------|--------|-------|---------|
| MGV5030 | 300mm  | 50mm  | 58500/- |
| MGV7050 | 500mm  | 70mm  | 92600/- |
| MGV7060 | 600mm  | 70mm  | 97660/- |




- Accuracy in Squareness 0.02mm
- High Alloyed Quality Resistance Steel Body
- Case Hardened HRC 60±2
- Max. Clamping pressure 5000 kgs.

### CODE N-103

#### NICON MULTI GRIP MACHINE VICE ADJUSTABLE VERSION

Ideal For:  
CNC Machining Centre,  
Grinding Machine & Milling Machines

| Model     | Length | Width | Price   |
|-----------|--------|-------|---------|
| MGAV5015A | 150mm  | 50mm  | 36600/- |
| MGAV5015B | 150mm  | 50mm  | 27800/- |
| MGAV5015C | 150mm  | 50mm  | 29800/- |
| MGAV5015D | 150mm  | 50mm  | 28800/- |
| MGAV5015E | 150mm  | 50mm  | 32600/- |




- Accuracy in Squareness 0.02mm
- High Alloyed Quality Resistance Steel Body
- Case Hardened HRC 60±2
- Max. Clamping pressure 3500kg.

### CODE N-401

#### WEDGE CLAMP

Ideal For:  
Multi clamping in Fixtures & vices

| Model | Jaw Width | Price  | Price Serrated Jaws |
|-------|-----------|--------|---------------------|
| WC32  | 32        | 5200/- | 5950/-              |
| WC48  | 48        | 5600/- | 6400/-              |
| WC68  | 68        | 6400/- | 7420/-              |




- Accuracy in Squareness 0.02mm
- High Alloyed Quality Resistance Steel Body
- Case Hardened HRC 55
- Max. Clamping pressure 5000kg.

### CODE N-402

#### LOW PROFILE SIDE CLAMP

Ideal For:  
Large workpiece clamping on  
machines table

| Model | Jaw Width | Price  |
|-------|-----------|--------|
| LPC32 | 32        | 6850/- |
| LPC50 | 50        | 8650/- |




- Accuracy in Squareness 0.02mm
- High Alloyed Quality Resistance Steel Body
- Case Hardened HRC 55

### CODE N-104

#### NICON PRECISION HIGH GRIP MACHINE VICE

Ideal For:  
CNC Machining Centre &  
Milling Machines

| Model  | Jaw Width | Opening | Price   |
|--------|-----------|---------|---------|
| HGV150 | 150mm     | 380mm   | 73900/- |




- Accuracy in Squareness 0.02/100mm
- High Alloyed Unbreakable Ductile Iron Body.
- Case Hardened Jaws HRC 60±2
- Max. Clamping pressure 4500kg.
- Induction Hardened Slideways

### CODE N-105

#### NICON PRECISION SELF CENTRING HIGH GRIP MACHINE VICE

Ideal For:  
CNC Machining Centre &  
Milling Machines

| Model   | Jaw Width | Opening in Double Station | Opening in Single Station | Price   |
|---------|-----------|---------------------------|---------------------------|---------|
| SHGV150 | 150mm     | 160mm                     | 380mm                     | 82200/- |



- Accuracy in Squareness 0.02/100mm
- High Alloyed Unbreakable Ductile Iron Body.
- Case Hardened Jaws HRC 60±2
- Max. Clamping pressure 3500kg.
- Induction Hardened Slideways

### CODE N-106

#### SELF CENTRING HIGH GRIP HORIZONTAL SHAFT VICE

Ideal For:  
CNC Machining Centre &  
Milling Machines

| Model   | Jaw Width | Opening in Standard Jaw | Opening in Reverse Jaw | Price   |
|---------|-----------|-------------------------|------------------------|---------|
| SHSV125 | 125mm     | 30-50mm                 | 50-100mm               | 68200/- |
| SHSV150 | 150mm     | 40-90mm                 | 90-150mm               | 84900/- |




- High Alloyed Unbreakable Ductile Iron Body.
- Case Hardened Jaws HRC 60+2
- Max. Clamping pressure 3500kg.
- Induction Hardened Slideways

### CODE N-107

#### SELF CENTRING HIGH GRIP VERTICAL SHAFT VICE

Ideal For:  
CNC Machining Centre &  
Milling Machines

| Model   | Jaw Width | Opening in Standard Jaw | Opening in Reverse Jaw | Price   |
|---------|-----------|-------------------------|------------------------|---------|
| SCVS150 | 150mm     | 40-90mm                 | 60-170mm               | 82800/- |



- High Alloyed Unbreakable Ductile Iron Body.
- Case Hardened Jaws HRC 60+2
- Max. Clamping pressure 3500kg.
- Induction Hardened Slideways

### CODE N-109

#### NICON COMPACT HIGH GRIP VICE

Ideal For:  
CNC Machining Centre &  
Milling Machines

| Model  | Jaw Width | Jaw Opening | Price   |
|--------|-----------|-------------|---------|
| CHV125 | 125mm     | 240mm       | 56340/- |




- Accuracy in Squareness 0.02/100mm
- High Alloyed Unbreakable Ductile Iron Body.
- Case Hardened Jaws HRC 60+2
- Max. Clamping pressure 4500kg.
- Induction Hardened Slideways

### CODE N-110

#### NICON SELF CENTERING COMPACT HIGH GRIP VICE

Ideal For:  
CNC Machining Centre &  
Milling Machines

| Model   | Jaw Width | Jaw Opening | Price   |
|---------|-----------|-------------|---------|
| SCHV125 | 125mm     | 240mm       | 61920/- |



- Accuracy in Squareness 0.02/100mm
- High Alloyed Unbreakable Ductile Iron Body.
- Case Hardened Jaws HRC 60+2
- Max. Clamping pressure 3500kg.
- Induction Hardened Slideways

### CODE N-181

#### NICON HYDRAULIC MACHINE VICE

Ideal For:  
CNC Machining Centre  
& Milling Machines

| Model   | Jaw Width | Opening | Price   | S/Base |
|---------|-----------|---------|---------|--------|
| HCMV150 | 150mm     | 210mm   | 49460/- | 5600/- |
| HMV150  | 150mm     | 300mm   | 52480/- | 5600/- |




- Accuracy in Squareness 0.02/100mm
- High Alloyed Unbreakable Ductile Iron Body
- Available in Fixed & Swivel Base
- Max. Clamping pressure 4500kg.
- Induction Hardened Slideways

### CODE N-151

#### NICON PRECISION MILLING MACHINE VICE (FIXED BASE)

Ideal For:  
Milling Machines  
Drilling Machines

| Model | Jaw Width | Opening | Price   |
|-------|-----------|---------|---------|
| MV100 | 100mm     | 100mm   | 13230/- |
| MV125 | 125mm     | 125mm   | 18480/- |
| MV150 | 150mm     | 150mm   | 20580/- |
| MV200 | 200mm     | 200mm   | 35600/- |



- Accuracy in Squareness 0.02/100mm
- Closed Grain Cast Iron Body

### CODE N-151S

#### NICON PRECISION MILLING MACHINE VICE (Swivel Base)

Ideal For:  
Milling Machines  
Drilling Machines

| Model  | Jaw Width | Opening | Price   |
|--------|-----------|---------|---------|
| MVS100 | 100mm     | 100mm   | 15310/- |
| MVS125 | 125mm     | 125mm   | 20980/- |
| MVS150 | 150mm     | 150mm   | 24460/- |
| MVS200 | 200mm     | 200mm   | 41860/- |



- Accuracy in Squareness 0.02/100mm
- Closed Grain Cast Iron Body

### CODE N-153

#### NICON TILTING AND SWIVELING MACHINE VICE

Ideal For:  
Milling Machines &  
Grinding Machines

| Model  | Jaw Width | Opening | Price   |
|--------|-----------|---------|---------|
| TSV75  | 75mm      | 75mm    | 15600/- |
| TSV100 | 100mm     | 100mm   | 19860/- |
| TSV150 | 150mm     | 150mm   | 28864/- |
| TSV200 | 200mm     | 200mm   | 51980/- |



- Accuracy in Parallelisms of Jaws 0.02/100mm
- Closed Grain Cast Iron Body

#### CODE N-154

#### NICON 3-WAY TILT AND SWIVEL ANGULAR VICE

**Ideal For:**  
Milling Machines &  
Grinding Machines



| Model   | Jaw Width | Opening | Price   |
|---------|-----------|---------|---------|
| TSTV75  | 75mm      | 75mm    | 18980/- |
| TSTV100 | 100mm     | 100mm   | 28340/- |
| TSTV150 | 150mm     | 150mm   | 46520/- |

-Accuracy In Parallelisms of Jaws 0.02/100mm  
-Closed Grain Cast Iron Body

#### CODE N-156

#### NICON PRECISION COMPACT UNIVERSAL MACHINE VICE

**Ideal For:**  
Tool & Cutter Grinders,  
Surface Grinders



| Model   | Jaw Width | Opening | Price   |
|---------|-----------|---------|---------|
| CUMV100 | 100mm     | 72mm    | 28800/- |

-Accuracy In Parallelism of Jaws 0.02/100mm  
-Unbreakable Steel Body

#### CODE N-189

#### NICON 2 PC ADJUSTABLE MILLING MACHINE VICE

**Ideal For:**  
Milling Machines




| Model   | Jaw Width | Opening   | Price   |
|---------|-----------|-----------|---------|
| LMV 150 | 150 mm    | Limitless | 17300/- |
| LMV 200 | 200 mm    | Limitless | 24200/- |

-Accuracy In Parallelisms of Jaws 0.02/100mm  
-Closed Grain Cast Iron Body

#### CODE N-155

#### NICON SELF CENTERING SHAFT VICE

**Ideal For:**  
Milling, Drilling &  
Slotting Machines



| Model   | Jaw Width | Rod Holding Capacity | Price   |
|---------|-----------|----------------------|---------|
| SCSV100 | 100mm     | 80mm                 | 33700/- |

-Available In Fixed Base  
-Closed Grain Cast Iron Body

#### CODE N-158

#### NICON SELF CENTERING VICE SWIVEL BASE

**Ideal For:**  
Milling, Drilling Machine  
Surface Grinders




| Model   | Jaw Width | Jaw Opening | Price   |
|---------|-----------|-------------|---------|
| SCVS100 | 100mm     | 100mm       | 13950/- |

-Accuracy In Parallelisms 0.02/100mm  
-Closed Grained Cast Iron Body

#### CODE N-158P

#### NICON SELF CENTERING VICE FIXED BASE

**Ideal For:**  
Milling, Drilling Machine  
Surface Grinders




| Model   | Jaw Width | Jaw Opening | Price   |
|---------|-----------|-------------|---------|
| SCVF100 | 100mm     | 100mm       | 12300/- |

-Accuracy In Parallelisms 0.02/100mm  
-Closed Grained Cast Iron Body

#### CODE N-168

#### NICON PRECISION TOOL MAKER VICE (SCREW TYPE)

**Ideal For:**  
Grinding Machines



| Model   | Jaw Width | Opening | Price for Carbon Steel Body |
|---------|-----------|---------|-----------------------------|
| TMV60   | 60mm      | 60mm    | 10850/-                     |
| TMV75   | 75mm      | 80mm    | 15990/-                     |
| TMV75+  | 75mm      | 100mm   | 18690/-                     |
| TMV100  | 100mm     | 105mm   | 22790/-                     |
| TMV100+ | 100mm     | 125mm   | 25650/-                     |
| TMV125  | 125mm     | 150mm   | 50400/-                     |
| TMV150  | 150mm     | 150mm   | 59640/-                     |

-Accuracy In Parallelism & All Surfaces 0.01/100mm  
-All Steel Hardened & Ground

#### CODE N-169

#### NICON PRECISION TOOL MAKER STEEL VICE (PIN TYPE)

**Ideal For:**  
Grinding Machines



| Model   | Jaw Width | Opening | Price for Carbon Steel Body |
|---------|-----------|---------|-----------------------------|
| TMVP50  | 55mm      | 80mm    | 7696/-                      |
| TMVP75  | 75mm      | 100mm   | 9980/-                      |
| TMVP100 | 100mm     | 125mm   | 16530/-                     |
| TMVP125 | 125mm     | 150mm   | 42400/-                     |
| TMVP150 | 150mm     | 175mm   | 57980/-                     |

-Accuracy In Parallelism & All Surfaces 0.01/100mm  
-All Steel Hardened & Ground

### CODE N-168S

#### NICON PRECISION TOOL MAKER SINE VICE (SCREW TYPE)

**Ideal For:**  
Grinding Machines

| Model  | Jaw Width | Opening | Price   |
|--------|-----------|---------|---------|
| SVS75  | 75mm      | 85mm    | 41410/- |
| SVS100 | 100mm     | 120mm   | 52380/- |



- Accuracy in Parallelism & All Surfaces 0.01/100mm
- All Steel Hardened & Ground
- Special Alloy Steel Body

### CODE N-169S

#### NICON PRECISION TOOL MAKERS SINE TYPE (PIN TYPE)

**Ideal For:**  
Grinding Machines

| Model  | Jaw Width | Opening | Price   |
|--------|-----------|---------|---------|
| SVP75  | 75mm      | 105mm   | 35400/- |
| SVP100 | 100mm     | 125mm   | 50250/- |



- Accuracy in Parallelism & All Surfaces 0.01/100mm
- All Steel Hardened & Ground
- Special Alloy Steel Body

### CODE N-162

#### NICON DRILL MACHINE VICE HEAVY DUTY

**Ideal For:**  
Drilling &  
Tapping Machine

| Model  | Jaw Width | Opening | Price   |
|--------|-----------|---------|---------|
| DMV75  | 75mm      | 75mm    | 3290/-  |
| DMV100 | 100mm     | 100mm   | 4250/-  |
| DMV125 | 125mm     | 125mm   | 5900/-  |
| DMV150 | 150mm     | 150mm   | 7780/-  |
| DMV200 | 200mm     | 200mm   | 12400/- |



- Accuracy in Parallelism of Jaws 0.03/100mm
- Unbreakable Steel Body

### CODE N-163

#### NICON DRILL MACHINE VICE DELUXE MODEL

**Ideal For:**  
Drilling &  
Tapping Machine

| Model  | Jaw Width | Opening | Price  |
|--------|-----------|---------|--------|
| DVD75  | 75mm      | 75mm    | 3400/- |
| DVD100 | 100mm     | 100mm   | 4780/- |
| DVD150 | 150mm     | 150mm   | 8360/- |



- Accuracy in Parallelism of Jaws 0.03/100mm
- Unbreakable Steel Body

### CODE N-167

#### NICON DRILL PRESS VICE (UNIGRIP)

**Ideal For:**  
Drilling, Tapping &  
Pantograph Machine

| Model  | Jaw Width | Opening | Price  |
|--------|-----------|---------|--------|
| DPV75  | 75mm      | 75mm    | 3498/- |
| DPV100 | 100mm     | 92mm    | 4452/- |
| DPV125 | 125mm     | 100mm   | 6880/- |
| DPV150 | 150mm     | 125mm   | 9800/- |



- Accuracy in Parallelism of Jaws 0.02/100mm
- Unbreakable Steel Body

### CODE N-170

#### NICON 3-WAY DRILL PRESS VICE (UNIGRIP)

**Ideal For:**  
Drilling, Tapping &  
Pantograph Machines

| Model   | Jaw Width | Jaw Opening | Price  |
|---------|-----------|-------------|--------|
| 3DPV80  | 80mm      | 75mm        | 5180/- |
| 3DPV100 | 100mm     | 94mm        | 6280/- |



- Accuracy in Parallelism of Jaws 0.02/100mm
- Unbreakable Steel Body

### CODE N-304

#### CAST IRON ANGLE PLATE SLOTTED

**Ideal For:**  
Milling Machines &  
Surface Grinders

| Model  | Length | Width | Height | Price   |
|--------|--------|-------|--------|---------|
| APS150 | 150mm  | 125mm | 110mm  | 5990/-  |
| APS200 | 200mm  | 150mm | 125mm  | 8770/-  |
| APS250 | 250mm  | 200mm | 150mm  | 16936/- |
| APS300 | 300mm  | 225mm | 200mm  | 19800/- |
| APS350 | 350mm  | 250mm | 225mm  | 29680/- |
| APS400 | 400mm  | 300mm | 225mm  | 39180/- |




- Closed Grain Cast Iron Body
- Accuracy 0.005/100 mm

### CODE N-311

#### TILTING TABLE

**Ideal For:**  
Milling Machines &  
Surface Grinders

| Model  | Length | Width | Price   |
|--------|--------|-------|---------|
| TT 125 | 125mm  | 100mm | 11800/- |
| TT 175 | 175mm  | 125mm | 14200/- |
| TT 250 | 250mm  | 175mm | 18600/- |
| TT 375 | 375mm  | 250mm | 44300/- |




- Closed Grain Cast Iron Body
- Accuracy of Top Surface 0.01/100mm

### CODE N-301

#### ADJUSTABLE ANGLE PLATE

**Ideal For:**  
Milling Machines &  
Surface Grinders



| Model  | Length | Width | Height | Price   |
|--------|--------|-------|--------|---------|
| AAP150 | 150mm  | 125mm | 113mm  | 12580/- |
| AAP200 | 200mm  | 150mm | 135mm  | 16170/- |
| AAP250 | 250mm  | 200mm | 170mm  | 23940/- |
| AAP300 | 300mm  | 250mm | 205mm  | 30900/- |

-Closed Grain Cast Iron Body  
-Accuracy of Top Surface 0.01/100mm

### CODE N-307

#### MAGNETIC VEE BLOCKS (HARNENED)

**Ideal For:**  
Surface Grinders



| Model  | MM          | Price in Pair |
|--------|-------------|---------------|
| MVH65  | 65x60x50    | 11990/-       |
| MVH85  | 80x60x50    | 15300/-       |
| MVH100 | 100x95x75   | 19990/-       |
| MVH150 | 150x95x75   | 26990/-       |
| MVH200 | 200x150x100 | 76800/-       |

- Hardened & Ground Vee  
- Accuracy of Top Surface 0.01/100mm

### CODE N-751

#### CLAMPING KIT

**Ideal For:**  
Work Holding on  
Milling & Machining Center



| Model     | Suitable For Bolt | Price   |
|-----------|-------------------|---------|
| NCK14-12  | 14xM-12           | 13960/- |
| NCK16-12  | 16xM-12           | 13960/- |
| NCK18-12  | 18xM-12           | 14400/- |
| NCK-18-16 | 18xM-16           | 20980/- |

-Hardened & Tempered  
-Black Finished

### CODE N-752

#### STRAP CLAMP

**Ideal For:**  
Milling & Machinist Center  
For Work Holding



-Hardened & Tempered  
-Black Finished

| Model     | Suitable for Bolt | Overall Size (mm) | Price  |
|-----------|-------------------|-------------------|--------|
| NSC12-100 | M 12              | 19x38x100         | 550/-  |
| NSC12-125 | M 12              | 19x38x125         | 680/-  |
| NSC16-125 | M 16              | 24x48x125         | 910/-  |
| NSC16-160 | M 16              | 24x48x160         | 1050/- |
| NSC20-160 | M 20              | 30x60x160         | 1890/- |
| NSC20-200 | M 20              | 30x60x200         | 2260/- |
| NSC24-200 | M 24              | 36x73x200         | 2290/- |
| NSC24-250 | M 24              | 36x73x250         | 3540/- |
| NSC30-250 | M 30              | 45x73x250         | 4400/- |

### CODE N-761

#### FLANGE NUT

**Ideal For:**  
Better Force Distribution  
on Clamping



| Model  | Thread Size | Spanner Size | Length | Price |
|--------|-------------|--------------|--------|-------|
| NFN-12 | M-12        | 19mm         | 18mm   | 80/-  |
| NFN-16 | M-16        | 24mm         | 24mm   | 112/- |
| NFN-20 | M-20        | 30mm         | 30mm   | 198/- |
| NFN-24 | M-24        | 36mm         | 36mm   | 270/- |

-Hardened & Tempered  
-Black Finished

### CODE N-768 T-NUT

**Ideal For:**  
Work Holding along  
with Clamping Stud



-Hardened & Tempered  
-Black Finished

| Model     | Thread Size | T Slot Size | Width | Price |
|-----------|-------------|-------------|-------|-------|
| NTN 14-12 | M 12        | 14          | 22    | 84/-  |
| NTN 16-12 | M 12        | 16          | 25    | 98/-  |
| NTN 18-12 | M 12        | 18          | 28    | 130/- |
| NTN 18-16 | M 16        | 18          | 28    | 130/- |
| NTN 20-16 | M 16        | 20          | 32    | 170/- |
| NTN 22-16 | M 16        | 22          | 35    | 204/- |
| NTN 22-20 | M 20        | 22          | 35    | 204/- |
| NTN 24-20 | M 20        | 24          | 40    | 342/- |
| NTN 28-24 | M 24        | 28          | 44    | 430/- |
| NTN 36-24 | M 24        | 36          | 54    | 790/- |

### CODE N-315

#### TOOL HOLDER LOCKING DEVICE (VERTICAL & HORIZONTAL)

**Ideal For:**  
CNC Tool Holder




| Model  | Suitable For Holder | Weight | Price  |
|--------|---------------------|--------|--------|
| LDVH30 | BT30                | 4.5Kg. | 3980/- |
| LDVH40 | BT40                | 4.5Kg. | 3980/- |
| LDVH50 | BT50                | 8Kg.   | 7860/- |

-Closed Grained Cast Iron Body  
-Aluminum Die Cast Holder

### CODE N-316

#### TOOL HOLDER LOCKING DEVICE (VERTICAL)

**Ideal For:**  
CNC Tool Holder



| Model | Suitable For Holder | Weight | Price  |
|-------|---------------------|--------|--------|
| LDV30 | BT30                | 3Kg.   | 2850/- |
| LDV40 | BT40                | 3.5Kg. | 2850/- |
| LDV50 | BT50                | 7Kg.   | 3950/- |

-Closed Grained Cast Iron Body  
-Aluminum Die Cast Holder

### CODE N-182 PRECISION TOOL ROOM VICE

**Ideal For:**  
Heavy Duty Tool Room  
Metal Working  
Applications



| Model  | Jaw Width | Opening | Weight | Price   |
|--------|-----------|---------|--------|---------|
| TRV100 | 100mm     | 105mm   | 8 Kg.  | 6380/-  |
| TRV125 | 125mm     | 140mm   | 19 Kg. | 9790/-  |
| TRV150 | 150mm     | 170mm   | 31 Kg. | 15540/- |



-Ductile Cast Iron Body  
-CNC Machined Body & Screw  
-Hardened Steel Jaws  
-Rear Jaws sliding

### CODE N-160 BENCH VICE HEAVY DUTY DOUBLE RIBBED

**Ideal For:**  
Heavy Duty Metal  
Working Applications

| Model  | Jaw Width | Opening | Weight | Price   |
|--------|-----------|---------|--------|---------|
| BVD75  | 75mm      | 100mm   | 6 Kg.  | 2420/-  |
| BVD90  | 90mm      | 110mm   | 8 Kg.  | 3254/-  |
| BVD100 | 100mm     | 125mm   | 13 Kg. | 4498/-  |
| BVD115 | 115mm     | 140mm   | 16 Kg. | 5990/-  |
| BVD125 | 125mm     | 170mm   | 22 Kg. | 8100/-  |
| BVD150 | 150mm     | 200mm   | 26 Kg. | 9290/-  |
| BVD200 | 200mm     | 250mm   | 38 Kg. | 14490/- |



-Ductile Cast Iron Body -Unbreakable Steel Box Nut  
-Inter-changeable Hardened & Knurled Steel Jaws.

### CODE N-161 BENCH VICE UNBREAKABLE STEEL BODY

**Ideal For:**  
Heavy Duty Metal  
Working Applications

| Model  | Jaw Width | Opening | Weight | Price   |
|--------|-----------|---------|--------|---------|
| BUV100 | 100mm     | 125mm   | 10 Kg. | 3990/-  |
| BUV125 | 125mm     | 150mm   | 15 Kg. | 5800/-  |
| BUV150 | 150mm     | 175mm   | 18 Kg. | 6950/-  |
| BUV200 | 200mm     | 225mm   | 26 Kg. | 11080/- |



-Unbreakable Steel Body -with Pipe Jaws  
-Inter-changeable Hardened & Knurled Steel Jaws.

### CODE N-501J BENCH VICE CROSS RIBBED (NICE BRAND)

**Ideal For:**  
Heavy Duty Metal  
Working Applications

| Model  | Jaw Width | Opening | Weight  | Price   |
|--------|-----------|---------|---------|---------|
| BVN65  | 65mm      | 75mm    | 3.5 Kg. | 1560/-  |
| BVN75  | 75mm      | 100mm   | 5 Kg.   | 2080/-  |
| BVN90  | 90mm      | 110mm   | 7 Kg.   | 2836/-  |
| BVN100 | 100mm     | 125mm   | 11 Kg.  | 3862/-  |
| BVN115 | 115mm     | 135mm   | 12 Kg.  | 4290/-  |
| BVN125 | 125mm     | 150mm   | 15 Kg.  | 5594/-  |
| BVN150 | 150mm     | 175mm   | 19 Kg.  | 6570/-  |
| BVN200 | 200mm     | 225mm   | 30 Kg.  | 11170/- |
| BVN250 | 250mm     | 300mm   | 54 Kg.  | 18580/- |
| BVN300 | 300mm     | 330mm   | 58 Kg.  | 21340/- |



-Ductile Cast Iron Body &  
Unbreakable Dovetailed Box Nut

### CODE N-186 BENCH EXTRA HEAVY DUTY VICE SWIVEL BASE

**Ideal For:**  
Extra Heavy Duty  
Work Holdings



| Model  | Jaw Width | Opening | Weight | Price   |
|--------|-----------|---------|--------|---------|
| BVE100 | 100mm     | 125mm   | 11 Kg. | 4648/-  |
| BVE125 | 125mm     | 150mm   | 22 Kg. | 10190/- |
| BVE150 | 150mm     | 175mm   | 26 Kg. | 11180/- |
| BVE200 | 200mm     | 250mm   | 36 Kg. | 15560/- |



-Unbreakable Steel Body -Extra Deep Jaw Depth.  
-Inter-changeable Hardened & Knurled Steel Jaws.

### CODE N-801 MULTIPURPOSE BENCH VICE

**Ideal For:**  
Metal Working  
Applications &  
Round Jobs

| Model  | Jaw Width | Opening | Weight | Price  |
|--------|-----------|---------|--------|--------|
| MPV125 | 125mm     | 120mm   | 15 Kg. | 7760/- |




-Ductile Cast Iron Body  
-CNC Machined Body & Screw  
-Inter-changeable Hardened & Knurled Steel Jaws  
-Swivel Base

### CODE N-351 NICON SELF CENTERING CORNER WELDING VICE

**Ideal For:**  
Right Angle Corner Welding  
Jobs

| Model  | Jaw Width | Jaw Opening | Price  |
|--------|-----------|-------------|--------|
| CWV100 | 100mm     | 70mm        | 4600/- |
| CWV25  | 125mm     | 150mm       | 5500/- |



-Copper Plated Screw  
-Ductile Cast Iron Body

## UPCOMING PRODUCTS




MULTI POWER MECHANICAL  
BOOSTER VICE



### Terms :

1. This cancels all our previous price lists.
2. Our prices are F.O.R. Jalandhar
3. Documents through bank only.
4. All the taxes will be charged extra.
5. All order are booked at carriers risk & we do not accept any responsibility for loss or pilferage in transit. If desired we can get the goods insured at customers cost.
6. All disputes to Jalandhar Jurisdiction only.





**nicon**  
PRECISION VICES



Manufactured by:  
**Y.H. TOOLS MANUFACTURERS PVT. LTD**  
(An ISO 9001:2015 Co.)  
Website: [www.niconvises.com](http://www.niconvises.com)  
Email: [info@niconvises.com](mailto:info@niconvises.com)