



R.Vasudevan

GM – Marketing

Sundram Fasteners Limited

CTH Road - Padi,

Chennai 600 050

Tamilnadu, India.

E Mail: vasudevan.r2@sfl.co.in

Mobile: 98407 06124

Phone: +91-44-26258460 Extn: 435

1st October 2026

Dear Customer,

Our price list number **SF/HEX/03/2026** effective **1st October 2026** is given in this booklet.

To ensure correctness price list, we would be pleased if you could communicate your suggestions and improvements of the same.

We are proceeding with limited print hence physical circulation will be restricted with limited copies, while e-price list will be made available.

We welcome your suggestions to upgrade the content of this price list and request you to send in the same to vasudevan.r2@sfl.co.in

Finally, we reserve the right to change any part of this price list without prior notice.

Thanking you and assuring you of our best attention always.

Yours truly,

R.Vasudevan

General Manager - Marketing



RANGE OF STANDARD SCREW AND BOLTS

METRIC FASTENERS

S.NO	DIA	SCREWS		BOLTS	
		MIN LENGTH	MAX LENGTH	MIN LENGTH	MAX LENGTH
1	M5	8	50	20	55
2	M6	10	80	25	85
3	M8	10	90	30	150
4	M10	12	150	35	200
5	M12	20	200	35	250
6	M14	22	200	45	230
7	M16	25	200	50	300
8	M18	35	180	55	300
9	M20	30	200	60	300
10	M22	45	200	60	300
11	M24	45	220	50	400
12	M27	60	200	90	400
13	M30	50	200	90	500
14	M33	60	200	100	500
15	M36	80	200	100	480
16	M39	80	200	100	480
17	M42	100	200	130	450
18	M45	100	200	130	450
19	M48	100	200	160	420
20	M52	60	190	200	300
21	M56	100	130	220	350

INCH FASTENERS

S.NO	DIA	SCREWS		BOLTS		SCREWS		BOLTS	
		MIN LENGTH	MAX LENGTH	MIN LENGTH	MAX LENGTH	MIN LENGTH	MAX LENGTH	MIN LENGTH	MAX LENGTH
		FOR ALL PITCHES		BSF / BSW PITCH		UNC / UNF PITCH			
1	1/4"	1/2"	2"	3/4"	3.1/2"	1/2"	2"	1"	3"
2	5/16"	1/2"	2"	7/8"	5"	1/2"	2"	1.1/4"	5"
3	3/8"	1/2"	2"	1"	6"	1/2"	3"	1.1/4"	7"
4	7/16"	5/8"	2"	1.1/4"	5"	5/8"	2"	1.1/4"	5"
5	1/2"	3/4"	2.1/2"	1.1/2"	8"	3/4"	3"	1.1/2"	8"
6	5/8"	1/2"	3"	1.3/4"	8"	1"	4"	1.3/4"	8"
7	3/4"	1.1/2"	4"	2"	8"	1.1/4"	4"	2"	8"
8	7/8"	1.1/2"	3"	2.1/4"	8"	1.1/2"	3"	2.1/2"	8"
9	1"	1.1/2"	3"	3"	8"	1.1/2"	3.1/2"	2.3/4"	12"



THREADS PER INCH

S.NO	DIA	UNC	UNF	BSW	BSF
1	1/4"	20	28	20	26
2	5/16"	18	24	18	22
3	3/8"	16	24	16	20
4	7/16"	14	20	14	18
5	1/2"	13	20	12	16
6	9/16"	12	18	12	16
7	5/8"	11	18	11	14
8	3/4"	10	16	10	12
9	7/8"	9	14	9	11
10	1"	8	12	8	10

SPANNER SIZE DETAILS

S.NO	BOLT / SCREW DIA	SPANNER SIZE ACROSS FLAT	SPANNER SIZE NEW ACROSS FLAT
1	4MM	7MM	
2	5MM	8MM	
3	6MM	10MM	
4	7MM	11MM	
5	8MM	13MM	
6	9MM	14MM	
7	10MM	17MM	16MM
8	12MM	19MM	18MM
9	14MM	22MM	21MM
10	16MM	24MM	
11	18MM	27MM	
12	20MM	30MM	
13	22MM	32MM/33MM	
14	24MM	36MM	



**COLD FORGED HIGH TENSILE
PRECISION HEXAGONAL HEAD
BOLTS AND SCREWS
METRIC SERIES**

SPECIFICATION	:	IS 1364/2002
THREAD FIT	:	IS 4218/2001
SUPPLY CONDITION	:	IS 1367/2002
SPECIFICATION	:	DIN 931/DIN 933 ISO 4014/4017

RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES OF BOLTS/SCREWS

DIA → Length ↓	M5	M6	M8
	₹	₹	₹
8mm	470		
10mm	470	440	710
12mm	480	470	675
14mm	480	555	710
15mm	480	505	745
16mm	480	480	700
18mm	545	545	510
20mm	575	555	510
22mm	575	575	675
25mm	575	575	645
28mm	635	620	730
30mm	605	605	730
32mm	850	665	790
35mm	650	650	645
38mm	895	665	840
40mm	665	665	710
45mm	675	665	765
50mm	940	730	825
55mm		795	995
60mm		795	1145
65mm		905	1175
70mm		905	1240
75mm		980	1295
80mm		1010	1430
85mm		1120	1435
90mm		1210	1790
95mm			1895
100mm			1995
105mm			2110
110mm			2260
115mm			2870
120mm			2870
125mm			2945
130mm			3030
135mm			3445
140mm			3615
145mm			4035
150mm			4035
155mm			
160mm			
165mm			
170mm			5570
175mm			
180mm			
185mm			
190mm			
195mm			
200mm			

Note:

* For any intermediate length of Bolt/Screw the next higher size price will be charged.

* Prices applicable for Zinc Phosphate and Trivalent Chrome Free Finish

For all other Finish the List will be shared based on Enquiry

* 12.9 Grade price will be based on Enquiry

* For Screw longer than the std Maximum Length mentioned prices will be based on Enquiry



**COLD FORGED HIGH TENSILE
PRECISION HEXAGONAL HEAD
BOLTS AND SCREWS
METRIC SERIES**

SPECIFICATION	:	IS 1364/2002
THREAD FIT	:	IS 4218/2001
SUPPLY CONDITION	:	IS 1367/2002
SPECIFICATION	:	DIN 931/DIN 933 ISO 4014/4017

**RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES OF BOLTS/SCREWS
GRADE 8.8 & 10.9**

DIA → Length ↓	M10	M2	M14
	₹	₹	₹
8mm			
10mm			
12mm	1160		
14mm	1160		
15mm	1160		
16mm	1125	1625	
18mm	1125		
20mm	1050	1670	
22mm	1110	1670	2345
25mm	1090	1710	2645
28mm	1200	1790	2670
30mm	1110	1805	2720
32mm	1275	1815	2830
35mm	1110	1815	2830
38mm	1395	1995	2985
40mm	1395	1740	2985
45mm	1210	2175	2630
50mm	1315	2335	2910
55mm	1590	2420	3730
60mm	1740	2535	3445
65mm	1825	2590	3985
70mm	1930	2975	4435
75mm	2110	3090	4660
80mm	2490	3275	4905
85mm	2630	3415	5025
90mm	2765	3590	5375
95mm	2960	3820	6090
100mm	2995	4190	6200
105mm	3210	4460	6650
110mm	3250	4660	7025
115mm	4115	5655	8455
120mm	3840	4960	7440
125mm	3925	5175	7595
130mm	4615	5265	8010
135mm	5440	5655	10420
140mm	4770	6330	11415
145mm	7355	7615	12185
150mm	7355	9090	12575
155mm	7665	9090	13770
160mm	7665	9090	14055
165mm	8010	9125	14285
170mm	8010	9125	14620
175mm	8010	9530	15075
180mm	8305	9865	15075
185mm	8995	12275	15615
190mm	8995	12275	15615
195mm		13030	16110
200mm		13030	16110

DIA → Length ↓	M10	M2	M14
	₹	₹	₹
205mm		18140	19790
210mm		19790	21445
215mm		21445	22265
220mm		23090	25560
225mm		24745	27200
230mm		28015	28260
235mm		29660	31310
240mm		31145	33275
245mm		32950	34925
250mm		36030	38840
255mm		37200	40960
260mm		38640	
265mm			
270mm			
275mm			
280mm		40435	
285mm			
290mm			
295mm			
300mm		42950	
305mm			
310mm			
315mm			
320mm			
325mm			
330mm			
335mm			
340mm			
345mm			
350mm			
355mm			
360mm			
365mm			
370mm			
375mm			
380mm			
385mm			
390mm			
395mm			
400mm			
420mm			
440mm			
450mm			
480mm			

* Note: Refer Page No. 14



**COLD FORGED HIGH TENSILE
PRECISION HEXAGONAL HEAD
BOLTS AND SCREWS
METRIC SERIES**

SPECIFICATION	:	IS 1364/2002
THREAD FIT	:	IS 4218/2001
SUPPLY CONDITION	:	IS 1367/2002
SPECIFICATION	:	DIN 931/DIN 933 ISO 4014/4017

**RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES OF BOLTS/SCREWS
GRADE 8.8 & 10.9**

DIA Length	M16	M18	M18 fine pitch	M20	M20 fine pitch	M22	M24	M27	M30	M33	M36	M39	M42	M45	M48
₹	₹	₹	₹	₹	₹	₹	₹	₹	₹	₹	₹	₹	₹	₹	₹
25mm	3885														
28mm	3885														
30mm	3885			8115											
32mm	3900			8115											
35mm	3900	7265	7985	8115											
38mm	3940	7265	7985	8115											
40mm	3940	7265	7985	8115	8940										
45mm	4255	7580	8330	8115	9240	9640	13455								
50mm	4480	7790	8595	8400	9240	10685	13455		42450						
55mm	4775	8330	9155	8735	9595	11510	13500								
60mm	5135	8595	9430	9250	10175	11915	13985		42450						
65mm	5420	8885	9770	9550	10890	13375	14480	30745	42450						
70mm	5755	9250	10175	9915	10890	13825	15345	30745	42450						
75mm	6155	9805	10785	10315	11345	14300	15910	33085	42450	56760	91180				
80mm	6720	9805	10785	10605	11655	14845	17480	34545	42450	56760	91180				
85mm	6915	10095	11475	11550	12695	15330	18060	37765	46255	57920	76370				
90mm	7185	10420	11475	11275	12415	15815	18660	37765	49745	60275	76370		132075		
95mm	7770	10700	12150	11655	13105	16375	19185	40980	49755	64385	79585	74465	139025		
100mm	7810	11055	12150	11930	13105	16060	20170	40980	49755	64475	79585	74465	139025	146575	168760
105mm	8300	11820	13375	12480	13860	18035	20365	44200	54730	69365	84840	77685	147915		
110mm	8475	12150	13375	12600	13860	18365	20975	44200	54730	69365	84840	85490	147915	172135	
115mm	10890	14210	16470	14540	17145	21820	24625	45070	55895	71105	86590	90030	156810		
120mm	9455	12815	14420	13645	15005	19600	22140	45070	55895	72125	86590	95955	156810	181385	
125mm	9550	13095	14420	14165	16050	20195	22675	46550	58545	74900	90995	99005	156810		
130mm	11300	13385	14740	14570	16050	20675	23200	46550	58545	75405	90995	103950	165700	190645	
135mm	13230	15620	17185	17040	19055	24205	27180	49755	62035	79585	96250	111950	165700		
140mm	11540	13985	15375	15155	16675	21700	24295	49755	62035	79775	96250	115145	165700	199905	
145mm	12380	14345	15780	15605	17595	22165	24965	52690	65540	83960	101515	122770	184265		
150mm	13720	14960	16455	16000	17595	22725	25485	52690	65540	84145	101515	127335	184265	206375	205595
155mm	14010	16280	17915	17830	19640	24155	27180	55600	70820	87765	106495	133420	193330	216530	208645
160mm	14210	16585	18250	18175	20000	24735	27720	55600	70820	88515	106495	142560	193330	216530	211690
165mm	15155	16910	18620	18620	20470	25365	28335	61450	78120	96250	123730	146980	202220	226490	216265
170mm	15460	17225	18960	18935	20820	25750	28930	61450	78120	97260	123730	150935	202220	226490	220825
175mm	15690	17665	19445	19300	21235	26360	29485	61450	78120	98245	123730	154585	211130	229475	224010
180mm	15985	17955	19750	19765	21740	26840	30115	61450	78120	98460	123730	158085	211130	236470	228435
185mm	16245	18350	20195	20130	22140	27365	30655	67005	85140	101625	133970	166925	220075	238220	229475
190mm	16490	18635	20495	20460	22500	27950	31260	67005	93670	102720	133970	171490	220075	240405	234940
195mm	16815	19030	20940	20855	22960	28455	31895	67005	85140	104725	133970	175905	229025	251335	245870
200mm	17300	19330	21265	21280	23415	27605	32480	67005	85140	104910	133970	184290	229025	256510	254145

* Note: Refer Page No. 14



**COLD FORGED HIGH TENSILE
PRECISION HEXAGONAL HEAD
BOLTS AND SCREWS
METRIC SERIES**

SPECIFICATION	:	IS 1364/2002
THREAD FIT	:	IS 4218/2001
SUPPLY CONDITION	:	IS 1367/2002
SPECIFICATION	:	DIN 931/DIN 933 ISO 4014/4017

**RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES OF BOLTS/SCREWS
GRADE 8.8 & 10.9**

DIA → Length ↓	M16	M18	M18 fine pitch	M20	M22	M24	M27	M30
₹	₹	₹	₹	₹	₹	₹	₹	₹
205mm	24840	20980	23065	46075	54670	62905	92435	102680
210mm	24840	21325	23450	46075	54670	62905	92435	102680
215mm	24840	22360	24610	46075	54670	62905	92435	102680
220mm	24840	23255	25595	46075	54670	62905	92435	102680
225mm	26710	24420	26855	41885	59210	65160	99480	110000
230mm	26710	25075	27570	41885	59210	65160	99480	110000
235mm	26710	25485	28035	41885	59210	65160	99480	110000
240mm	26710	25815	28395	41885	59210	65160	99480	110000
245mm	27265	26545	29215	43925	61465	67420	106200	117320
250mm	27265	26915	29600	43925	61465	67420	106200	117320
255mm	27265	32145	35355	43925	61465	67420	106200	117320
260mm	27265	35110	38635	43925	61465	67420	106200	117320
265mm	30095	36925	40610	47895	68315	74120	112645	124630
270mm	30095	39140	43065	47895	68315	74120	112645	124630
275mm	30095	39725	43700	47895	68315	74120	112645	124630
280mm	30095	40795	44875	47895	68315	74120	112645	124630
285mm	33085			52205	75830	116155	117890	132910
290mm	33085			52205	75830	116155	117890	132910
295mm	33085			52205	75830	116155	117890	132910
300mm	33085	45170		52205	75830	116155	117890	132910
305mm	39715			56455	83415	116260		133605
310mm	39715			56455	83415	117560		133935
315mm	39715			56455	83415	118805		136890
320mm	39715			56455	83415	122950		137400
325mm	41335			59785	91760	127085		138555
330mm	42950			59785	91760	131945		140185
335mm	44555			59785	91760	133995		143485
340mm	45425			59785	91760	134670		145125
345mm	45675			65760	122390	135385		148425
350mm	45675			65760	122390	136755		151880
355mm	45675			65760	122390	138135		155170
360mm	45675			72340	129735	138425		157205
365mm	48675			72340	129735	138835		158845
370mm	50440			72340	129735	139110		162130
375mm	52060			79570	137525	139250		165440
380mm	52225			87520	137525	139385		167070
385mm	52530			79570	137525	139530		170370
390mm	52530			87525	145780	139805		170370
395mm	52530			87525	145780	140205		170370
400mm	52530			91575	145780	140835		170370
420mm	52530			97150	154525	140835		170370
440mm	52530			102980	163800	140835		170370
450mm								180250
480mm								190550

* Note: Refer Page No. 14



**HOT FORGED HIGH TENSILE
PRECISION HEXAGONAL HEAD
BOLTS AND SCREWS
METRIC SERIES**

SPECIFICATION	:	IS 1364/2002
THREAD FIT	:	IS 4218/2001
SUPPLY CONDITION	:	IS 1367/2002
SPECIFICATION	:	DIN 931/DIN 933 ISO 4014/4017

**RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES OF BOLTS/SCREWS
GRADE 8.8 & 10.9**

DIA → Length ↓	M33	M36	M39	M42	M45	M48
₹	₹	₹	₹	₹	₹	₹
205mm	126670	160600	188995	237195		
210mm	127530	160600	195710	237195	274795	
215mm	127855	160600	200420	245360		
220mm	131130	160600	204850	245360	274795	279840
225mm	136030	172285	208495	256060		
230mm	136595	172285	214890	256060	286785	279840
235mm	137690	172285	217785	266765		
240mm	138235	172285	222355	266765	298780	298490
245mm	142060	183980	226920	277475		
250mm	144245	183980	231490	277475	310770	327430
255mm	146280	183980	237575	288175		
260mm	147525	183980	246715	288175	322770	351790
265mm	156495	195365	251445	293950		
270mm	156810	195365	255850	293950	329210	368535
275mm	157355	195365	261945	299070		
280mm	157905	195365	266520	299070	334950	379285
285mm	166440	234575	268035	309775		
290mm	167190	234575	274290	309775	346960	388345
295mm	168285	234575	278850	320475		
300mm	170475	234575	283420	320475	358930	397475
305mm	173030	237235	288595	329405		
310mm	176330	237235	291025	331055		408470
315mm	179620	237235	294080	332700		
320mm	182580	237235	297280	337645	361695	414380
325mm	199200	255305	300330	339285		
330mm	215685	256950	303365	340950		
335mm	218975	260240	306405	342595		
340mm	222270	263535	309460	345885	366615	455815
345mm	225565	271770	312500	347530		
350mm	227625	271770	316930	350820	368475	457310
355mm	232725	271770	319965	362350		
360mm	236175	271770	323005	365630		459495
365mm	239455	271770	327580	367290		
370mm	242750	288245	330625	370585		
375mm	245735	288245	333675	378810		
380mm	262260	304715	339760	382120	370990	463105
385mm	267725	308000	344335	391990		
390mm	275375	309650	348895	395295		
395mm	284115	311295	354385	403530		
400mm	303785	312935	358030	411750	372625	465405
420mm		331720				
430mm	315805			494070		

	Screw	Bolt	Screw	Bolt
DIA → Length ↓	M52	M52	M56	M56
₹	₹	₹	₹	₹
60mm	170270		176360	
70mm	180620		201295	
80mm	190955		212840	
90mm	202505		223190	
100mm	212840		233525	
110mm	223190		243245	
120mm	233525		255410	
130mm	245070		265755	
140mm	255410		275475	
150mm	265755		287640	
160mm	276695		297980	
170mm	287640		307710	
180mm	297980		318660	
190mm	307710		328995	
200mm	333250	333250		
210mm		342370		
220mm		354535		389805
230mm		366695		404400
240mm		377640		418990
250mm		391015		432375
260mm		403180		446965
270mm		414735		460950
280mm		426895		473725
290mm		439060		488930
300mm		451220		503520
360mm		541470		

* Note: Refer Page No. 14



**COLD FORGED HIGH TENSILE
PRECISION HEXAGONAL HEAD
BOLTS AND SCREWS
INCH SERIES**

SPECIFICATION : ANSI: B 18-2.1/BS1083
THREAD FIT : ANSI: B 1.1/BS1083
SUPPLY CONDITION : SAE: J429/BS1083
GRADE - R/BSW/BSF / GRADE -5,2 & 8 for UNC/UNF

RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES OF BOLTS/SCREWS

DIA → Length ↓	1/4" Screw	1/4" Bolt	5/16"	3/8"	7/16"	1/2"	9/16"	5/8"	3/4"	7/8"	1"	1-1/4"
1/2"	555	590	780	1190								
5/8"	710	760	780	1250	1120							
3/4"	635	670	725	1040	1120	1975						
7/8"	590	630	805	1315	1250	2125						
1"	620	655	780	945	1290	2075	2410	3875				
1-1/8"	650	695	805	1000	1395	2255	2625	4180				
1-1/4"	635	670	780	1025	1385	2200	2625	4120	7930			
1-3/8"	665	710	870	1120	1425	2390	3060	4520	8295			
1-1/2"	675	725	915	1120	1470	2170	3060	4325	7930	11070	15365	
1-5/8"	745	795	955	1290	1730	2535	3060	4605	8620	11600	15365	
1-3/4"	710	760	1000	1215	1695	2445	3060	4410	8230	11600	15365	
1-7/8"	810	850	1065	1395	1860	2780	3060	4825	9165	12180	15395	
2"	775	820	1025	1325	1815	2675	3090	4625	8770	12180	15395	
2-1/8"	820	870	1135	1385	1985	2820	3560	4885	9185	12885	16000	
2-1/4"	820	870	1135	1385	2075	2820	3560	4885	9185	12885	16000	54590
2-3/8"	850	915	1180	1525	2125	2870	4055	5365	9630	13510	16705	56265
2-1/2"	850	915	1180	1525	2125	2870	4400	5365	9630	13510	16705	57950
2-5/8"	965	1025	1315	1670	2295	2900	4570	5790	10510	14140	17825	58785
2-3/4"	965	1025	1315	1670	2295	2900	4665	5790	10510	14140	17825	62205
2-7/8"	1045	1120	1385	1755	2465	3165	4720	6235	10905	14795	18650	60415
3"	1045	1120	1385	1755	2465	3165	4975	6235	10905	14795	18650	60810
3-1/4"	1250	1325	1395	1870	2650	3655	5545	6630	11665	16530	20300	62505
3-1/2"	1315	1395	1495	1985	2715	3520	5545	7180	12055	17130	21160	62800
3-3/4"			2060	2550	3205	3940		7460	13130	17430	21965	64000
3-7/8"			2170	2715	3500	3985		8135	13510	18315	23285	65420
4"			2170	2715	3500	3985		8135	13510	18315	23285	65620
4-1/8"			2240	2675	3975	4455		8450	14070	19880	25020	73025
4-1/4"			2240	2675	3805	4455		8450	14070	19880	25020	73025
4-3/8"			2355	2780	4055	4605		8755	14480	20335	25620	73025
4-1/2"			2355	2780	3875	4605		8755	14480	20335	25620	73025
4-5/8"			2445	2610	3875	4940		9765	14935	21195	26470	73025
4-3/4"			2445	2870	3875	4940		9765	14935	21195	26470	73025
5"			2550	2970	4345	4900		9855	15415	21880	27360	73025
5-1/4"				4555	5935	7270		10890	15900	22420	28205	79790
5-1/2"				4775	5935	8060		11325	16430	23045	29095	79790
5-3/4"				5195		8925		11490	17065	23770	29925	79790
6"				5405		9840		11615	17300	24450	30885	79790
6-1/4"				6655		10020		12885	17785	25125	31735	79790
6-1/2"				6655		10020		13205	18250	25850	32700	79790
6-3/4"				6655		10500		13510	18700	26470	33535	79790
7"				6655		10865		13820	19185	27240	34445	91510
7-1/4"						11740		14140	19660	27930	35325	91510
7-1/2"						11740		14440	20060	28620	36175	91510
7-3/4"						11965		14720	20660	29290	37495	91510
8"						12230		15075	21000	29965	38575	91510
8-1/2"								17485	24165	34460	44360	92545
9"								18035	27785		51030	
9-1/4"									27785	39630	51030	101825
9-1/2"									31945	45580	58680	107385
10"									26525		60555	
10-1/4"									27695			
10-1/2"									28865			
10-3/4"									31090			
11"									31830		79775	
11-1/4"									31940			
11-1/2"									33105			
11-3/4"									34270			
12"									35010		81960	
14"											85240	

* Note:

1. For Grade J & Grade T, Prices will be on enquiry
2. Grade 8 Prices will be on enquiry
3. Refer Page No. 14



HEXAGONAL NUTS							
INCH SERIES							
SPECIFICATION : ANSI:B.18.2.2/BS 1083					MECHANICAL PROPERTY : GR 5 / G8		
SUPPLY CONDITION : SAE J 995 / BS 1083					THREAD FIT : ANSI B1.1 / BS 1083		
RECOMMENDED RETAIL LIST PRICES IN RUPEES PER 100 PIECES IN PHOSPHATED FINISH							
SLNO.	DIAMETER	LIST		SLNO.	DIAMETER	LIST	
		Rs. P.				Rs. P.	
		GR 5	GR 8			GR 5	GR 8
1	1/4"	225		9	3/4" UNF	3325	3515
2	5/16" UNC	235	275	10	7/8" (M85430)	3740	
3	3/8" UNC	340	415	11	1" UNC / UNF	5550	5880
4	7/16" UNC	515	575	12	1 ¼ " Nut UNC As Per BS1768	28720	
5	1/2 " UNC	820	990	13	1 ½ " Nut UNC As Per BS1768	40205	
6	5/8" UNC	1730	1835	14	1 ¾" Nut UNC As Per BS1768	57425	
7	5/8" UNF	1730	1835	15	2" Nut UNC As Per BS1768	86125	
8	3/4" UNC	3325	3515				

METRIC SERIES							
SPECIFICATION: ISO 4032 / DIN 934					MECHANICAL PROPERIY : GR 8 / GR 10		
SUPPLY CONDITION : IS : 1367 / 2002					THREAD FIT : IS : 4218 / 2001		
RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES IN PHOSPHATED FINISH							
SLNO.	DIA & PITCH	LIST PRICE		SLNO.	DIA & PITCH	LIST PRICE	
		Rs. P.				Rs. P.	
		GR 8	GR 10			GR 8	GR 10
1	M 4 x 0.7	180		18	M 18 X 2.5	2365	2365
2	M 5 x 0.8	220		19	M 20 X 1.5	3325	3325
3	M 6 x 1	180	230	20	M 20 X 2.5	3325	3325
4	M 8 x 1	240	250	21	M 22 X 1.5	4325	4325
5	M 8 x 1.25	230	240	22	M 22 X 2.5	4325	4325
6	M 10 x 1	335	430	23	M 24 X 2	5140	5140
7	M 10 X 1.25	335	430	24	M 24 X 3	5140	5140
8	M 10 X 1.5	335	430	25	M 27 X 3	9215	9215
9	M 12 X 1.25	575	775	26	M 30 X 3.5	12880	12880
10	M 12 X 1.5	575	620	27	M 33 X 3.5	17800	17800
11	M 12 X 1.75	575	620	28	M 36 X 4	24010	24010
12	M 14 X 1.5	1245	1460	29	M 39 X 4	35145	35145
13	M 14 X 2.0	1245	1460	30	M 42 X 4.5	43025	43025
14	M 16 X 1.25	1605	1605	31	M 45 X 4.5	49080	49080
15	M 16 X 1.5	1605	1605	32	M 48 X 5	65375	65375
16	M 16 X 2.0	1605	1605	33	M 52 X 5	82355	82355
17	M 18 X 1.5	2365	2365	34	M 56 X 5.5	104605	104605
				35	M 64 X 6	190360	190360
				36	M 72 X 6	270420	270420

For S.No. 6, 7, 9, 10, 12, 14, 15, 17, 19, 21, 23,33,34,35 & 36 - Check Delivery and Quantity commitment at Enquiry Stage.



FORGED PRECISION HEXAGONAL SUNLOC NUTS

RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES OF NUTS

				SPECIFICATION: BS 1083 (P-TYPE)			
METRIC SERIES				INCH SERIES			
SLNO.	DIAMETER	LIST PRICE		SLNO.	DIAMETER	LIST PRICE	
		Rs. P.				Rs. P.	
		GR 8	GR 10			THIN	THICK
1	M6 x 1	280	315	1	1/4" BSW/UNC/UNF		330
2	M8 x 1	390	460	2	1/4" BSF		350
3	M8 x 1.25	390	390	3	5/16" BSW/UNC/UNF	505	470
4	M10 x 1	645	645	4	5/16" BSF	525	495
5	M10 x 1.25	645	685	5	3/8" BSW/UNC/UNF	685	635
6	M10 x 1.5	645	830	6	3/8"BSF	720	650
7	M12 x 1.25	950		7	7/16" UNC/UNF	1030	945
8	M12 x 1.50	950	1155	8	7/16" BSF	1065	995
9	M12 x 1.75	950	1155	9	1/2" BSW/UNF/UNC		1095
10	M14 x 1.5	1510	1695	10	1/2" BSF	1190	1140
11	M14 x 2	1510	1695	11	5/8" BSW/UNF/UNC		2345
12	M16 x 1.5	2005	2150	12	5/8" BSF		2445
13	M16 x 2	2005	2260	13	3/4" BSF		4940
14	M18 x 2.5	8080	8080	14	3/4" UNC		4705
15	M20 x 2.5	9835	9835	15	1" UNC (UK0129-2500)		10240
16	M22 x 2.5	10270	10270				
17	M24 x 3	12760	12760				
18	M27 x 3	15690	15690				
19	M30 x 3.5	21250	21250				
20	M36 x 4	25910	25910				
21	M42x 4.5	47255	47255				
22	M48 x 5	62000	62000				

For S.No. 2,4,5,7,8,10,12 & 22

Check Delivery and Quantity commitment at Enquiry Stage

Notes:

- Grade 10, STD Pitch Nuts DELIVERY TIME - 10 Weeks
- Grade 10 Non STD Pitch Nuts on enquiry only
- Metric Grade 10 Sunloc Nuts - DELIVERY TIME - 12 Weeks
- Metric Grade 8 Sunloc Nuts - DELIVERY TIME - 12 Weeks
- Thin Type Sunloc Nuts on ENQUIRY only
- DIN 985 Nuts on enquiry only



COLD FORGED PRECISION HEXAGONAL / SQUARE - WELD NUTS					
(WITHOUT ANY SURFACE FINISH AS FORGED AND OILED)					
THREAD FIT : IS : 4218 - THREAD TOLERANCE TO '6 H'					
SQUARE WELD NUT			HEXAGONAL WELD NUT		
SFL PART NO	DIA	List Price Rs. P.	SFL PART NO	DIA	List Price Rs. P.
M90540-0100	M6 x 1	445	M01020-0100	M4 x .07	250
M90580-0100	M8 x 1	485	M01030-0100	M5 x .08	265
M90610-0100	M8 x 1.25	420	M01040-0100	M6 x 1	250
M93130-0100	M10 x 1.5	460	M01180-0100	M8 x 1.25	395
M91990-0100	M10 x 1.25	605	M01190-0100	M10 x 1.5	460
M93140-0100	M12 x 1.75	1290	M01630-0100	M10 x 1.25	620
			M01750-0100	M12 x 1.75	755
METRIC SERIES					
SLOTTED NUTS			CASTLE NUTS		
SFL PART NO	DIA	List Price Rs. P.	SFL PART NO	DIA	List Price Rs. P.
913082110-0200	M8 x 1.25	990	915123110-0200	M12 x 1.5 Gr.8	2010
913103110-0200	M10 x 1.5	1175	915123113-0200	M12 x 1.5 Gr.10	2285
913123110-0200	M12 x 1.5	2010	915165110-0200	M16 x 2 Gr.8	3205
913124110-0200	M12 x 1.75	2010			
913163110-0200	M16 x 1.5	3205			
913165110-0200	M16 x 2	3205			
INCH SERIES					
SLOTTED NUTS			CASTLE NUTS		
SFL PART NO	DIA	List Price Rs. P.	SFL PART NO	DIA	List Price Rs. P.
923162110-0200	1/2" BSF	2155	925125110-0200	3/8" UNF	1235
923202113-0200	5/8" BSF	3770	925162110-0200	1/2" BSF	2155
			925162113-0200	1/2" BSF	2340
			925165110-0200	1/2" UNF	2060