



Maximum Retail Price List



THE KRISHNA AMERICAN OIL CO. | www.kamco.co.in
Call 1800 5127 667



COMPANY PROFILE

Much of ARB's success as a bearing manufacturer is largely due to its passionate pursuit of quality at lower cost. With a tremendous focus on manufacturing quality bearings and restraints on cost, it comes as no surprise that ARB Bearings is among India's prominent engineering companies. Headquartered at Delhi, the company was incorporated in 1990. It has 3 manufacturing plants in and around Delhi with more than 1000 employees working. ARB Bearings is run by professionals with over forty years of experience in the bearing industry. Within a short duration since inception, the company has carved a niche for itself in various segments ranging from automobiles to industrial machinery to household appliances.

ARB Bearings is exporting its products in more than 25 countries in the world. With Government Dept., State Transport, Ministry of Defence and overseas buyers as its clients, it is also keeping the wheels of the national economy running.

INTERNAL CLEARANCE

The bearing internal clearance is defined as the total distance through which one bearing ring can be moved relative to the other under zero measuring load. Movement in the radial direction is called radial internal clearance; axial movement, axial internal clearance. The internal clearance is standardized.

Rolling bearing are delivered with different internal clearance. The internal clearance will vary from bearing type the most common clearance is NORMAL (with no suffix).

C1- Bearing internal clearance smaller than C2 **C2-** Bearing internal clearance smaller than normal

C3- Bearing internal clearance greater than normal **C4-** Bearing internal clearance greater than C3

C5- Bearing internal clearance greater than C4

Why internal clearance ?

- In order to fit a bearing tightly on a shaft it is necessary that the shaft is slightly larger than the bore of the inner ring. When the bearing is mounted, the inner ring will be expanded and consequently the space available for the rolling elements will be reduced. The reduction in space available for rolling elements when the bearing is mounted is accommodated by internal clearance.
- Steel will expand with increased temperature. In operation the temperature of the various parts of a bearing will not remain uniform and resulting in varying degrees of expansion which is compensated by the internal clearance. The internal clearance required is dependent upon the mounting fit and the operation conditions. In case of doubt a bearing with greater clearance shall always be selected.

SUPPLEMENTARY DESIGNATIONS

MB Machined Brass Cage, Split Type

W No re-lubrication facility

K Tapered bore - 1:12 on diameter

CA Machined Brass Cage, One-Piece Cage.

C Steel Cage

W33 Lubrication groove and three holes in outer ring

K30 Tapered bore - 1:30 on diameter

NOTE :

- The Price list is effective from 19-02-2018 and supersedes all previous price list.
- These prices are subject to change without prior notice.
- These prices represent the maximum retail prices (inclusive of all taxes).
- We also produce customized bearings.

SPHERICAL BEARINGS (STEEL CAGE)

BEARING No.	M.R.P. (₹)	BEARING No.	M.R.P. (₹)	BEARING No.	M.R.P. (₹)
22219CW33C3	4544.00	22232CW33C3	20933.00	22319CW33C3	9256.00
22219CKW33C3	4544.00	22232CKW33C3	20933.00	22319CKW33C3	9256.00
22220CW33C3	4786.00	22314CW33C3	4752.00	22320EXW33C4 (E-series)	19800.00
22220CKW33C3	4786.00	22314CKW33C3	4752.00	22320CW33C3	12095.00
22222CW33C3	6361.00	22315CW33C3	5492.00	22320CKW33C3	12095.00
22222CKW33C3	6361.00	22315CKW33C3	5492.00	22322CW33C3	15798.00
22224CW33C3	7775.00	22316CW33C3	6232.00	22322CKW33C3	15798.00
22224CKW33C3	7775.00	22316CKW33C3	6232.00	22324CW33C3	20117.00
22226CW33C3	9476.00	22317CW33C3	6788.00	22324CKW33C3	20117.00
22226CKW33C3	9476.00	22317CKW33C3	6788.00	22326EXW33C4 (E-series)	32340.00
22228CW33C3	12315.00	22318CW33C3	8083.00	22326CW33C3	25918.00
22228CKW33C3	12315.00	22318CKW33C3	8083.00	22326CKW33C3	25918.00
22230CW33C3	16044.00	22318EXW33C4 (E-series)	13200.00	22328CW33C3	32706.00
22230CKW33C3	16044.00			22328CKW33C3	32706.00

Maximum Retail Price with effect from 19-02-2018

SPHERICAL BEARINGS (BRASS CAGE)

BEARING No.	M.R.P. (₹)	BEARING No.	M.R.P. (₹)	BEARING No.	M.R.P. (₹)
22219MBW33C3	6104.00	22334MBW33C3	66252.00	23128MBW33C3	14180.00
22219KMBW33C3	6104.00	22334KMBW33C3	66252.00	23128KMBW33C3	14180.00
22220MBW33C3	7031.00	22336MBW33C3	69717.00	23130MBW33C3	19728.00
22220KMBW33C3	7031.00	22336KMBW33C3	69717.00	23130KMBW33C3	19728.00
22222MBW33C3	9121.00	22338MBW33C3	89444.00	23132MBW33C3	21935.00
22222KMBW33C3	9121.00	22338KMBW33C3	89444.00	23132KMBW33C3	21935.00
22224MBW33C3	11766.00	22340MBW33C3	103837.00	23134MBW33C3	26010.00
22224KMBW33C3	11766.00	22340KMBW33C3	103837.00	23134KMBW33C3	26010.00
22226MBW33C3	12700.00	22344MBW33C3	130410.00	23136MBW33C3	32742.00
22226KMBW33C3	12700.00	22344KMBW33C3	130410.00	23136KMBW33C3	32742.00
22228MBW33C3	16934.00	22348MBW33C3	169000.00	23138MBW33C3	39072.00
22228KMBW33C3	16934.00	22348KMBW33C3	169000.00	23138KMBW33C3	39072.00
22230MBW33C3	20985.00	22352MBW33C3	211000.00	23140MBW33C3	52189.00
22230KMBW33C3	20985.00	22352KMBW33C3	211000.00	23140KMBW33C3	52189.00
22232MBW33C3	29487.00	23022MBW33C3	5300.00	23144MBW33C3	70043.00
22232KMBW33C3	29487.00	23022KMBW33C3	5300.00	23144KMBW33C3	70043.00
22234MBW33C3	34298.00	23024MBW33C3	5620.00	23148MBW33C3	94451.00
22234KMBW33C3	34298.00	23024KMBW33C3	5620.00	23148KMBW33C3	94451.00
22236MBW33C3	37630.00	23026MBW33C3	8268.00	23152MBW33C3	105365.00
22236KMBW33C3	37630.00	23026KMBW33C3	8268.00	23152KMBW33C3	105365.00
22238MBW33C3	42097.00	23028MBW33C3	9976.00	23156MBW33C3	125511.00
22238KMBW33C3	42097.00	23028KMBW33C3	9976.00	23156KMBW33C3	125511.00
22240MBW33C3	51497.00	23030MBW33C3	9914.00	23160MBW33C3	160500.00
22240KMBW33C3	51497.00	23030KMBW33C3	9914.00	23160KMBW33C3	160500.00
22244MBW33C3	74000.00	23032MBW33C3	13609.00	23164MBW33C3	237142.00
22244KMBW33C3	74000.00	23032KMBW33C3	13609.00	23164KMBW33C3	237142.00
22248MBW33C3	91000.00	23034MBW33C3	15730.00	23168MBW33C3	258300.00
22248KMBW33C3	91000.00	23034KMBW33C3	15730.00	23168KMBW33C3	258300.00
22252MBW33C3	120000.00	23036MBW33C3	19058.00	23172MBW33C3	281400.00
22252KMBW33C3	120000.00	23036KMBW33C3	19058.00	23172KMBW33C3	281400.00
22314MBW33C3	6353.00	23038MBW33C3	22356.00	23176MBW33C3	315000.00
22314KMBW33C3	6353.00	23038KMBW33C3	22356.00	23176KMBW33C3	315000.00
22315MBW33C3	7155.00	23040MBW33C3	26649.00	23218MBW33C3	7271.00
22315KMBW33C3	7155.00	23040KMBW33C3	26649.00	23218KMBW33C3	7271.00
22316MBW33C3	8901.00	23044MBW33C3	38963.00	23220MBW33C3	8964.00
22316KMBW33C3	8901.00	23044KMBW33C3	38963.00	23220KMBW33C3	8964.00
22317MBW33C3	9022.00	23048MBW33C3	42960.00	23222MBW33C3	12317.00
22317KMBW33C3	9022.00	23048KMBW33C3	42960.00	23222KMBW33C3	12317.00
22318MBW33C3	11021.00	23052MBW33C3	63300.00	23224MBW33C3	16586.00
22318KMBW33C3	11021.00	23052KMBW33C3	63300.00	23224KMBW33C3	16586.00
22319MBW33C3	11807.00	23056MBW33C3	70722.00	23226MBW33C3	17880.00
22319KMBW33C3	11807.00	23056KMBW33C3	70722.00	23226KMBW33C3	17880.00
22320MBW33C3	15582.00	23056CAC3	70722.00	23228MBW33C3	20523.00
22320KMBW33C3	15582.00	23060MBW33C3	84866.00	23228KMBW33C3	20523.00
22322MBW33C3	20233.00	23060KMBW33C3	84866.00	23230MBW33C3	32660.00
22322KMBW33C3	20233.00	23064CAC3	94689.00	23230KMBW33C3	32660.00
22324MBW33C3	24001.00	23068CAC3	121905.00	23232MBW33C3	35952.00
22324KMBW33C3	24001.00	23072CAC3	136080.00	23232KMBW33C3	35952.00
22326MBW33C3	30968.00	23120MBW33C3	6150.00	23234MBW33C3	47296.00
22326KMBW33C3	30968.00	23120KMBW33C3	6150.00	23234KMBW33C3	47296.00
22328MBW33C3	37887.00	23122MBW33C3	7752.00	23236MBW33C3	57222.00
22328KMBW33C3	37887.00	23122KMBW33C3	7752.00	23236KMBW33C3	57222.00
22330MBW33C3	47501.00	23124MBW33C3	9693.00	23238MBW33C3	73961.00
22330KMBW33C3	47501.00	23124KMBW33C3	9693.00	23238KMBW33C3	73961.00
22332MBW33C3	56106.00	23126MBW33C3	13976.00	23240MBW33C3	77418.00
22332KMBW33C3	56106.00	23126KMBW33C3	13976.00	23240KMBW33C3	77418.00

SPHERICAL BEARINGS (BRASS CAGE)

BEARING No.	M.R.P. (₹)	BEARING No.	M.R.P. (₹)	BEARING No.	M.R.P. (₹)
23244MBW33C3	120054.00	24034MBW33C3	25752.00	24132MBW33C3	38660.00
23244KMBW33C3	120054.00	24034K30MBW33C3	25752.00	24132K30MBW33C3	38660.00
23248MBW33C3	155364.00	24036MBW33C3	29284.00	24134MBW33C3	41961.00
23248KMBW33C3	155364.00	24036K30MBW33C3	29284.00	24134K30MBW33C3	41961.00
23252MBW33C3	188890.00	24040MBW33C3	39613.00	24136MBW33C3	53277.00
23252KMBW33C3	188890.00	24040K30MBW33C3	39613.00	24136K30MBW33C3	53277.00
23256MBW33C3	215180.00	24044MBW33C3	54147.00	24138MBW33C3	64592.00
23256KMBW33C3	215180.00	24044K30MBW33C3	54147.00	24138K30MBW33C3	64592.00
23260MBW33C3	248389.00	24048MBW33C3	60837.00	24140MBW33C3	70722.00
23260KMBW33C3	248389.00	24048K30MBW33C3	60837.00	24140K30MBW33C3	70722.00
23264MBW33C3	350467.00	24052MBW33C3	85100.00	24144MBW33C3	96653.00
23264KMBW33C3	350467.00	24052K30MBW33C3	85100.00	24144K30MBW33C3	96653.00
23268MBW33C3	377688.00	24056MBW33C3	128347.00	24148MBW33C3	127440.00
23268KMBW33C3	377688.00	24056K30MBW33C3	128347.00	24148K30MBW33C3	127440.00
23272MBW33C3	445740.00	24060MBW33C3	130000.00	24152MBW33C3	157680.00
23272KMBW33C3	445740.00	24060K30MBW33C3	130000.00	24152K30MBW33C3	157680.00
23284MBW33C3	742000.00	24064MBW33C3	140000.00	24156MBW33C3	169560.00
23284KMBW33C3	742000.00	24064K30MBW33C3	140000.00	24156K30MBW33C3	169560.00
24024MBW33C3	9811.00	24122CAW33C3	13790.00	24160MBW33C3	243831.00
24024K30MBW33C3	9811.00	24122KCAW33C3	13790.00	24160K30MBW33C3	243831.00
24026MBW33C3	11069.00	24124MBW33C3	14219.00	24164MBW33C3	278640.00
24026K30MBW33C3	11069.00	24124K30MBW33C3	14219.00	24164K30MBW33C3	278640.00
24028MBW33C3	12487.00	24126MBW33C3	19663.00	24184MBW33C3	621000.00
24028K30MBW33C3	12487.00	24126K30MBW33C3	19663.00	24184K30MBW33C3	621000.00
24030MBW33C3	15968.00	24128MBW33C3	22959.00		
24030K30MBW33C3	15968.00	24128K30MBW33C3	22959.00		
24032MBW33C3	18105.00	24130MBW33C3	28995.00		
24032K30MBW33C3	18105.00	24130K30MBW33C3	28995.00		

THRUST BEARINGS

29420M	20520.00	29424M	31808.00	29428M	47423.00
29422M	25920.00	29426M	38170.00	29432M	65880.00

TAPER ROLLER BEARINGS

32028	P.O.R	32228	12375.00	32238	34240.00
32221	4961.00	32230	18404.00	32240	39162.00
32222	5570.00	32232	19795.00	32314	4048.00
32224	7219.00	32234	22256.00	32314B	4048.00
32226	9625.00	32236	27499.00	32319	8996.00

BALL BEARINGS & FOUR ROW BEARINGS

305183 (507511)	37842.00	313812 (507536)	69300.00	510440	75000.00
305256D (517458A)	29516.00	313823 (507336)	161385.00	314190 (502894B)	35700.00
305264D (508732A)	55692.00	313824 (508727)	116865.00	314385 (507344)	75000.00
305283D (506963)	43143.00	313891A (506962)	56677.00	314553 (522742)	58800.00
306891 (506964)	16424.00	313893 (508726)	79380.00	314625 (511605)	47700.00
309515 (538854)	35000.00	314049A (510199)	90000.00	315189A (510150B)	55727.00

OTHERS

DC-2776	P.O.R	DC-5476 A	5775.00	801215	22000.00
DC-3175	P.O.R	NJ-224 Steel	6178.00	Vibration Pen	P.O.R
DC-3809 A	3465.00	NJ-224 Metal	7507.00	Hydraulic Pump	P.O.R
DC-3809 C	P.O.R	NU320 Metal	12358.00	Induction Heater	P.O.R
DC-4445 A	4158.00	NU2320 Metal	19057.00	Temperature Gun	P.O.R



बेयरिंग इस्तेमाल करते समय क्या करें, क्या न करें।

Do's



क्या करें

Don't's



क्या न करें

1. During mounting keep in mind that the surrounding should be clean and dust proof.
साफ धूल रहित वातावरण में चढ़ाने का ख्याल रखें।
2. Use suitable tools for mounting.
चढ़ाने के लिए उपयुक्त औज़ार चुनें।
3. Keep in mind that all parts, components should be used in proper and dust free environment in assembly.
ख्याल रखें कि अन्य पार्ट्स और कंपोनेंट्स सही स्थिति और धूल रहित हालत में असेम्बली भाग में जाये जाने चाहिए।
4. Bearing should be taken out of carton only after ensuring complete preparation for mounting of bearing.
बेयरिंग चढ़ाने की सभी आवश्यक तैयारी हो जाने पर ही कार्टन से बेयरिंग निकालें।
5. Protect open bearing from humidity and dust.
खुले बेयरिंग को नमी और धूल से बचायें।
6. Clean all related components thoroughly with a lint free cloth.
बेयरिंग को पोंछने के लिए साफ व रेशे रहित कपड़े का प्रयोग करें।
7. Mount the new bearing without washing.
नये बेयरिंग को पैकेज से निकालते ही बिना धोये चढ़ायें।
8. During usage keep bearing lubricants clean and after usage keep in a box duly covered with a lid.
इस्तेमाल करते समय बेयरिंग लुब्रिकेंट्स साफ रखें और इस्तेमाल न होने पर डिब्बे में ढक कर रखें।
9. Use while spirit / MTO for cleaning of bearings.
धोने के लिए साफ साल्वेंट (व्हाइट स्पिरिट (एमटीओ)) का इस्तेमाल करें।
10. Handle the bearing with clean hands.
बेयरिंग को साफ हाथों से पकड़े।

1. Do not work in a dirty place.
गंदी, अस्वच्छ जगह पर काम न करें।
2. Do not use worn out tools.
टूटे-फूटे व घिसे हुए औज़ार इस्तेमाल न करें।
3. Do not rotate unclean bearing.
अस्वच्छ बेयरिंग न घुमाएं।
4. Do not use compressed air on bearing.
बेयरिंग पर दबावयुक्त हवा न डालें।
5. Do not remove oil or grease from new bearing.
नये बेयरिंग से ऑयल या ग्रीस न निकालें।
6. Do not fill excess or unsuitable grease in the bearing.
बेयरिंग में अत्याधिक या अनुपयुक्त ग्रीस न भरें।
7. Do not use hammer while mounting & dismounting the bearing.
चढ़ाते उतारते समय बेयरिंग पर हथौड़े से ठोक पीट न करें।
8. Do not wash bearing with a dirty solvent.
अस्वच्छ साल्वेंट से बेयरिंग न धोयें।
9. Do not exercise pressure on rolling elements during mounting/dismounting.
चढ़ाते उतारते समय रोलिंग एलिमेंट (बाल रोलर) से गुजरे ऐसा जोर इस्तेमाल न करें।
10. Do not heat the bearings in a naked flame.
बेयरिंग को खुली लौ में गर्म न करें।



Our Valuable Customers



*The logos used in the creative are properties / copyrights of the respective companies.

Global Presence



EASTERN BEARINGS (P) LIMITED

- 📍 Regd. Office: 3rd Floor, Building No. 28, Central Market, Punjabi Bagh, New Delhi-110026, INDIA
- 📍 Works: Nathupur, Kundli, Distt.-Sonapat, Haryana-131029
- ☎ +91-9811117480, +91-9896925777
- ☎ +91-0130-2219482
- ✉ arb@easternbearings.in
- 🌐 www.arb-bearings.com

